



Project Development and Corridor Study Report

59th Street West – Cortez Road to Manatee Avenue

CIP #: 6108360

REVISION 1 - December 1, 2021



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Professional Engineer Certification

PROJECT DEVELOPMENT AND CORRIDOR STUDY REPORT

Project: 59th Street West PD&C Study
Limits: From Cortez Road to Manatee Avenue
CIP #: 6108360

This report contains preliminary information that fulfills the purpose and need for the 59th Street West Project Development & Corridor Study from Cortez Road to Manatee Avenue in Manatee County, Florida. I acknowledge that the procedures and references used to develop the results contained in this report are standard to the professional practice of transportation engineering as applied through professional judgment and experience.

I hereby certify that I am a registered professional engineer in the State of Florida practicing with Kimley-Horn and Associates Inc., and that I have prepared or approved the evaluation, findings, opinions, conclusions, or technical advice for this project.



This item has been digitally signed and sealed by Cris S. Schooley, P.E. on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

Executive Summary


Manatee County conducted a Project Development & Corridor (PD&C) Study to evaluate a 2.3-mile segment of 59th Street West from Cortez Road (SR 684) to Manatee Avenue (SR 64) in the City of Bradenton and Manatee County, Florida. The purpose of this project is to enhance safety, improve traffic operations, provide multimodal access, and meet future transportation demand. The study evaluated options for widening the existing 2-lane roadway to a 4-lane roadway with a center left-turn lane or median, and wider sidewalks or bicycle lanes to provide enhanced mobility options for all users. The Manatee County Comprehensive Plan shows 59th Street West as a future 4-lane roadway with 120 feet of right-of-way (ROW).¹

The existing typical sections along 59th Street is a divided 2-lane roadway with 12-foot travel lanes, 12-foot two-way left-turn lane (TWLTL), curb and gutter or roadside ditches, and 5-foot sidewalks. The existing corridor has a sidewalk gap on the west side and does not have bicycle lanes. There is an existing shared-use path on the east side between the G.T. Bray Park and the W.D. Sugg Middle School. The ROW varies considerably within the project limits, although most of the corridor has at least 93 feet. There are pinch points along the ROW as narrow as 84 feet.

Based on the engineering and environmental analysis documented in this report, the recommended alternative for 59th Street includes a raised median, four travel lanes, curb and gutter, sidewalk, and a shared use path on one side (**Figure 1**). A new roundabout intersection is proposed at 17th Avenue West. The recommended alternative best meets the project purpose with:

- Sidewalks for pedestrians
- Buffer space between the road and sidewalk for pedestrian comfort
- Shared-use path for cyclists
- Roundabout for traffic calming
- Raised median for safety
- Additional through lanes for rush hour traffic

Figure 1: Recommended Alternative Typical Section



The recommended alternative requires ROW acquisition from 32 parcels, and 7 relocations. The project will require an Environmental Resource Permit for stormwater treatment and a FDOT

¹ Manatee County. 2009. *Map 5-C, Map 5-D*. PA-17-04/ORD-17-18.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

connection permit for adding impervious to the adjacent state roadways. There are no properties listed National Register of Historic Places within the boundaries of the study. Two medium risk potential contamination sites are adjacent to the project corridor.

Public involvement was not conducted during this study due to an abbreviated schedule. A public meeting is recommended during the design phase.

CONTENTS

Professional Engineer Certification	2
Executive Summary	3
1.0 Project Summary	9
1.1 Project Description.....	9
1.2 Purpose and Need	9
1.3 Consistency with Other Plans	11
1.4 Related Projects.....	13
2.0 Existing Roadway Conditions.....	14
2.1 Typical Section	14
2.2 Right-of-Way.....	14
2.3 Adjacent Land Use.....	14
2.4 Design and Posted Speed Limit	20
2.5 Horizontal and Vertical Alignment.....	21
2.6 Multimodal Facilities.....	21
2.7 Intersections	25
2.8 Traffic Data.....	27
2.9 Crash Data.....	27
2.10 Drainage System	30
2.11 Floodplain.....	30
2.12 Soils and Geotechnical Data.....	33
2.13 Lighting.....	36
2.14 Utilities	37
2.15 Signs.....	41
2.16 Structures.....	41
2.17 Existing Maintenance Issues.....	42
3.0 Existing Environmental Conditions	44
3.1 Natural Resources	44
3.1.1 Protected Species and Habitat	44
3.1.2 Wetlands and Other Surface Waters.....	44
3.2 Cultural Resources.....	47
3.3 Contamination.....	47
4.0 Alternatives Analysis.....	50
4.1 Design Criteria.....	50
4.2 No-Build Alternative	51
4.3 Initial Alternatives	52
4.3.1 Corridor Analysis	52
4.3.2 Typical Section Analysis.....	52
4.3.3 Intersection Control Evaluation.....	55
4.4 Viable Alternatives.....	55
4.4.1 Alternative 1	55
4.4.2 Alternative 2.....	56
4.5 Pond Siting	56
4.6 Alternatives Evaluation.....	63
4.7 Recommended Alternative	64
5.0 Details of the Recommended Alternative.....	65
5.1 Typical Section.....	65

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

5.2	Horizontal and Vertical Geometry	65
5.3	Project Traffic Volumes	66
5.4	Intersection Concepts	66
5.5	Access Management Plan	67
5.6	Bicycle and Pedestrian Accommodations	67
5.7	Right-of-Way Requirements	69
5.8	Lighting	69
5.9	Utilities	69
5.10	Preliminary Drainage Analysis	70
5.11	Floodplain Analysis	70
5.12	Structures	70
5.13	Cost Estimates	71
6.0	Summary of Permits and Mitigation	72
6.1	Stormwater	72
6.2	Natural Resources	72
6.3	Cultural Resources	72
6.4	Potential Contamination	72

FIGURES

Figure 1:	Recommended Alternative Typical Section	3
Figure 2:	Project Location Map	10
Figure 3:	Existing Typical Section	14
Figure 4:	Existing Zoning (Begin Project to Pointe West Blvd W)	16
Figure 5:	Existing Zoning (Pointe West Blvd W to End Project)	17
Figure 6:	Future Land Use (Begin Project to Pointe West Blvd W)	18
Figure 7:	Future Land Use (Pointe West Blvd W to End Project)	19
Figure 8:	Existing Speed Limit Sign, Looking North (source: Google)	20
Figure 9:	Utility Pole in Sidewalk (looking north)	22
Figure 10:	Bus Stop at G.T. Bray Park (looking south)	22
Figure 11:	Existing Multimodal Network (Cortez Rd to Pointe West Blvd W)	23
Figure 12:	Existing Multimodal Network (Pointe West Blvd W to Manatee Ave W)	24
Figure 13:	Closed Circuit Television Cabinet (looking north)	26
Figure 14:	Crash Heat Map (Cortez Rd to 21st Ave W)	28
Figure 15:	Crash Heat Map (21st Ave W to Manatee Ave W)	29
Figure 16:	FEMA Flood Zones (Cortez Rd W to Pointe West Blvd W)	31
Figure 17:	FEMA Flood Zones (Pointe West Blvd W to Manatee Ave W)	32
Figure 18:	Soil Map (Cortez Rd to Pointe West Blvd W)	34
Figure 19:	Soil Map (Pointe West Blvd W to Manatee Ave W)	35
Figure 20:	Lighting along 59th Street (looking south)	37
Figure 21:	Utilities Within Project Limits (Cortez Rd to West Pointe Ave W)	38
Figure 22:	Utilities Within Project Limits (West Pointe Ave W to Manatee Ave W)	39
Figure 23:	Utility Bridge over Cedar Hammock Creek (looking south)	40
Figure 24:	Utilities at Cedar Hammock Creek Culvert (looking north)	40
Figure 25:	School Crossing Signs at W.D. Sugg Middle School (looking north)	41
Figure 26:	Culvert at Cedar Hammock Creek (looking east)	42
Figure 27:	Broken Sidewalk near Cortez Commons (looking south)	43

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 28: Erosion behind Sidewalk at Animal Shelter (looking north)	43
Figure 29: Wetlands and Surface Waters (Cortez Rd to Pointe West Blvd W)	45
Figure 30: Wetlands and Surface Waters (Pointe West Blvd W to Manatee Ave W)	46
Figure 31: Potential Contamination Sites (Cortez Rd to Pointe West Blvd W)	48
Figure 32: Potential Contamination Sites (Pointe West Blvd W to Manatee Ave W)	49
Figure 33: Ideal 4-Lane Divided Roadway Typical Section	53
Figure 34: Boulevard Typical Section (Source: Manatee County)	53
Figure 35: Parkway Urban Typical Section (Source: Manatee County)	53
Figure 36: 102-foot ROW Typical Section	54
Figure 37: 90-foot ROW Typical Section	54
Figure 38: Alternative 1 Typical Section	56
Figure 39: Alternative 2 Typical Section	56
Figure 40: Pond Options (Cortez Rd to Pointe West Blvd W)	58
Figure 41: Pond Options (Pointe West Blvd W to Manatee Ave)	59
Figure 42: Recommended Alternative Typical Section	65

TABLES

Table 1: Right-of-Way Widths	14
Table 2: Manatee County Minimum Setback Standards	15
Table 3: City of Bradenton Setback Standards	15
Table 4: Future Land Use Codes	20
Table 5: Existing Intersection Features	25
Table 6: Existing Signal Features	26
Table 7: Existing Year (2021) Segment LOS	27
Table 8: Existing Year (2021) Intersection LOS	27
Table 9: Basin Summary	30
Table 10: Soils Within Area of Interest	33
Table 11: UAO Contacts	37
Table 12: Design Criteria	50
Table 13: Bicycle Level of Comfort (Source: Manatee County)	51
Table 14: Corridor Impact Comparison	52
Table 15: Typical Section Analysis Summary	55
Table 16: ICE Results	55
Table 17: Basin 1 Pond Options	60
Table 18: Basin 2 Pond Options	61
Table 19: Basin 3 Pond Options	62
Table 20: Basin 4 Pond Site 4	62
Table 21: Evaluation Matrix	63
Table 22: Project Traffic Summary	66
Table 23: Proposed Intersection Features	66
Table 24: Access Management	67
Table 25: Recommended Ponds	70
Table 26: Recommended Alternative Construction Cost Estimate	71
Table 27: Recommended Alternative Cost Estimate	71

APPENDICES

Appendix A – Recommended Alternative Concept Plans

Appendix B – Design Traffic Memorandum

Appendix C – Natural Resources Assessment Memo

Appendix D – Cultural Resources Memo

Appendix E – Potential Contamination Screening Memo

Appendix F – Drainage Information

1.0 Project Summary

This section describes the project, the purpose and need, and related projects.

1.1 Project Description

Manatee County is conducting this Project Development & Corridor (PD&C) Study to evaluate a 2.3-mile segment of 59th Street West (59th Street) from Cortez Road (SR 684) to Manatee Avenue (SR 64) in the City of Bradenton and Manatee County, Florida (**Figure 2**). The study will evaluate options for widening the existing 2-lane roadway to a 4-lane roadway with a center two-way left-turn lane (TWLTL) or median, bicycle facilities, and sidewalks to provide an enhanced mobility experience for all users.

1.2 Purpose and Need

The purpose of this project is to:

- Enhance safety
- Improve traffic operations
- Enhance multimodal access
- Meet future transportation demand


The project is needed because of population growth and the resulting increase in travel demand along the corridor. 59th Street is two lanes within most of the project limits but has four lanes near the intersections of Cortez Road in the south and Manatee Avenue in the north. This segment of 59th Street is a future 4-lane roadway per the Manatee County Comprehensive Plan.² The corridor lacks bicycle facilities and has gaps in sidewalk connectivity throughout the project limits.

² Manatee County. 2009. Map 5-D. PA-17-04 / ORD 17-18

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 2: Project Location Map



1.3 Consistency with Other Plans

The improvements to the corridor should be consistent with local and regional plans guiding future development of the land and transportation network in the study area. The following planning documents were reviewed for consistency:

- Manatee County Comprehensive Plan
- Manatee County Capital Improvement Plan (CIP)
- Sarasota-Manatee Metropolitan Planning Organization (MPO) 2045 Long Range Transportation Plan (LRTP), the “Transform 2045” Plan
- Sarasota-Manatee MPO Active Transportation Plan (2019)
- City of Bradenton Comprehensive Plan

Manatee County Comprehensive Plan

The Manatee County Comprehensive Plan was reviewed to determine how its stated goals, objectives, and policies encourage or require multimodal improvements to the study corridor:

- *Policy 2.9.1.9. Require where feasible, pedestrian and bicycle access to community spaces, schools, recreational facilities, adjacent neighborhoods, employment opportunities, professional and commercial uses.*
- *Policy 2.9.3.5. Encourage the development of street scape enhancements within the urban area of Manatee County. Enhancements may include but not be limited to, street furniture, decorative lighting, landscaping, and sidewalks on both sides of the street.*
- *Policy 5.4.1.2. Coordinate provision of bikeways and bicycle facilities with the provision of recreational bike trails within the Manatee County park system, subject to the availability of appropriate revenues, to encourage development and continuity of a safe and convenient bicycle circulation system.*
- *Policy 5.4.1.3. Require, where feasible, the inclusion of either:*
 - *A minimum of five-foot paved shoulders on both sides of rural section roadways;*
 - *A minimum of four-foot wide bicycle lanes on both sides of urban section roadways in all roadway improvement projects involving major widening or new construction of roadways shown on the Major Thoroughfare Map required by Policy 5.1.1.1 for use by bicycles; or*
 - *Wherever bicycle lanes are not feasible, alternative routes shall be provided in accordance with the American Association of State Highway and Transportation Officials (AASHTO) guide for the development of bicycle facilities, and the Florida Department of Transportation (FDOT) bicycle facilities planning and design handbook.*
- *Policy 5.4.2.1. Require the inclusion of pedestrian ways in all typical urban roadway sections developed pursuant to Policy 5.2.2.1 above. Particular attention shall be given to achieving pedestrian/transit intermodal travel.*
- *Policy 5.4.2.4. Coordinate Manatee County School District's safe route(s) to school sidewalk plan(s) for each of its new elementary and middle schools and, elimination-of-hazardous-walking-conditions sidewalk plans for existing schools.*
- *Policy 5.6.1.1. Improve public health and safety, active mobility and environmental quality by creating and maintaining an integrated network of multi-modal roadways for users of all ages and abilities through the Complete Street design, where applicable.*

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

- *Policy 5.6.1.2. Provide streets for walking, bicycling and public- private transportation to enable convenient and active travel as a part of daily activities for all users, where applicable.*
- *Policy 5.6.1.3. Promote infrastructure that facilitates [sic] crossing of the right-of-way, such as accessible curb ramps, crosswalks, refuge islands and pedestrian signals, where applicable.*
- *Policy 5.6.1.4. Promote complete streets that contribute to the slowing down of traffic, reduce pollution and emissions, improve environmental quality and provides for local economic opportunities, where applicable.*
- *Policy 5.6.6.2. Increase the attractiveness of transit as a transportation alternative by providing well designed, safe, and attractive transit stops and transfer stations.*
- *Policy 8.2.2.1. Increase opportunities for Manatee County residents and visitors to use alternate forms of transportation to access public recreational facilities, especially in the WO and CHHA Overlay Districts.*
- *Policy 12.3.2.1. Manatee County shall incorporate bicycle and pedestrian access to public schools into their bicycle and pedestrian plans.*

Manatee County Capital Improvement Plan

Manatee County's CIP for Fiscal Years 2022-2026 includes 59th Street from Cortez Road to Manatee Avenue (CIP number 6108360). The improvements to this segment are to increase capacity due to operation below the County's adopted level of service within the southern section of this segment between Cortez Road and 21st Avenue, and to provide a continuous 4-lane section between Cortez Road and Manatee Avenue. The requested funding totals \$23,448,001 over five years from FY2022 to FY2026.

A separate 59th Street project overlaps the study limits, from 33rd Avenue Drive West to Cortez Road (CIP number TR01455). The planned project is scoped to reconstruct the 2-lane 59th Street with standard lane widths, pedestrian and bicycle facilities, and lighting. The requested funding totals \$7,783,000 over three years from FY 2024 to FY2026. This is identified as an infrastructure sales tax funded project. Since the limits of these two projects overlap, it is recommended to combine them into one project.

Sarasota-Manatee MPO 2045 Long Range Transportation Plan (Transform 2045)

The Sarasota-Manatee MPO's 2045 LRTP was reviewed to identify any projects related, or adjacent, to the study corridor. This 59th Street project was not listed in the LRTP, but related projects are listed below in Section 1.4.

Sarasota-Manatee MPO Active Transportation Plan (2019)

The Sarasota-Manatee MPO's Active Transportation Plan provides a foundation for the development of a multimodal network of bicycle and pedestrian facilities to connect key destinations, transit services, and the Shared-Use Nonmotorized (SUN) Trail network. The 59th Street project limits are not part of the Active Transportation Plan's Vision Network. However, the project limits do intersect with the planned Palma Sola Trail along Cedar Hammock Creek and the planned SunTrail alignment along Manatee Avenue.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

City of Bradenton Comprehensive Plan

The project limits are within the City of Bradenton. The Future Land Use element of the City's Comprehensive Plan was reviewed to determine how its stated goals, objectives, and policies may support potential improvements to the 59th Street West corridor.

- *Future Land Use Policy 1.1.1 supports walkable streets and an interconnected street system that prioritizes pedestrians and bicycle features and links neighborhoods to shopping, civic uses, and recreational features.*
- *Future Land Use Policy 1.14.3 supports multimodal strategies that include improved transit service and/or infrastructure and pedestrian and bicycle facilities.*

1.4 Related Projects

Manatee County's CIP for Fiscal Years 2022-2026 includes 59th Street sidewalk construction between Cortez Road and the Sun Chase Apartments (CIP number TR01552). The project is funded for \$99,000 starting in FY 2025. This project was noted as part of the infrastructure sales tax (TRSW038).

The CIP also identifies a 42nd Avenue sidewalk construction project from 63rd Street West to 59th Street West (TR01468). The project is funded for \$103,000 starting in FY 2024. This sidewalk was requested by the School District of Manatee County as a safe route to school improvement and included in the infrastructure sales tax (TRSW027). The project does not align with the existing school crossing at 40th Avenue West. Coordination with the School District is recommended to identify the preferred location for the sidewalk and school crossing in the recommended alternative.

The Sarasota-Manatee MPO's 2045 Long Range Transportation Plan identifies two projects that are either adjacent to, or in the vicinity of, the project limits:

- ITS Infrastructure on Cortez Rd. (SR 684) from 75th St. to 14th St W– Construction Year 2030 (Project ID TSMO36)
- Off Road Shared-Use Path on Manatee Avenue (SR 64) from 75th St W to 6th St – Construction Year 2035 (Project ID MM24)


2.0 Existing Roadway Conditions

This section describes the existing roadway characteristics within the project limits based on a review of aerial photography, existing records, and site observations. The constraints, existing deficiencies, and opportunities along the corridor will be considered in the recommended alternative.

2.1 Typical Section

The existing typical section along 59th Street generally consists of two 11-foot to 12-foot travel lanes separated by a 12-foot TWLTL shallow roadside ditches, and 5-foot sidewalks on both sides (**Figure 3**). There is a short segment of shared-use path on the east side from 36th Avenue West to 33rd Avenue Drive West. The project traverses through the City of Bradenton and unincorporated Manatee County. Manatee County is responsible for maintenance of this roadway.

Figure 3: Existing Typical Section



2.2 Right-of-Way

Right-of-way (ROW) along 59th Street varies within the project limits as shown in **Table 1**. Although the ROW pinches down to as little as 84 feet, most of the corridor has at least 93 feet.

Table 1: Right-of-Way Widths

From	To	Min.	Typical	Max.
Cortez Rd	40th Ave W	96'	96'	96'
40th Ave W	33rd Ave Dr W	98'	98'	114'
33rd Ave Dr W	21st Ave W	97'	112'	144'
21st Ave W	11th Ave W	84'	84'	97'
11th Ave W	Manatee Ave	84'	84'	90'
OVERALL		84'	93'	144'

59th Street is shown to have a 120-foot ROW reservation on *Map 5-C – 2035 Future Traffic Circulation ROW Protection and Reservation* in the Manatee County Comprehensive Plan.

2.3 Adjacent Land Use

The corridor is characterized by a broad range of land uses, consisting of single-family detached housing, multifamily housing, retail, dining, places of worship, healthcare facilities, offices, park and

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

recreation facilities, and a middle school. **Figure 4** and **Figure 5** depict the Manatee County and City of Bradenton zoning designations adjacent to the project limits.

Table 2 shows the setback standards established by Manatee County. **Table 3** shows the setback standards established by the City of Bradenton.

Figure 6 and **Figure 7** depict both the Manatee County and City of Bradenton future land use (FLU) designations on both sides of the corridor. The designations are primarily Residential, Professional, and public uses. **Table 4** defines the codes found on the FLU maps.

Table 2: Manatee County Minimum Setback Standards

	PR-M	GC	PD-R	PD-O	PD-PI	RSF-4.5	RDD-6
Front Yard	25'	25'	20'/25'*	25'	Determined by PD	20'/25'*	20'/25'*
Side Yard	10'	10'	8'	15'	Determined by PD	20'	8'
Rear Yard	15'	15'	15'	15'	Determined by PD	20'	20'
Min. Lot Area	10,000 sf	7,500 sf	Determined by PD	Determined by PD	Determined by PD	7,000 sf	7,000 sf
Land Development Regulations Reference	Section 401.4 – Table 4-8		Section 402.7.D	Section 402.10.D	Section 402.15.D	Section 401.4 – Table 4-5	Section 401.4 – Table 4-6

**Front-loaded carports and garages, detached or attached to a single-family dwelling, require a 25-foot front yard setback.*


Table 3: City of Bradenton Setback Standards

	R-1	R-2	R-3	Professional	Suburban Commercial Corridor
Front Yard	20'	20'	20'	35'	35'
Side Yard	8'	8'	8'	10'	10'
Back Yard	20'	20'	20'	25'	25'
Min. Lot Area	7,200 sf	6,500 sf	5,000 sf	-	-
Land Development Regulations Reference	Section 3.2 – Schedule 3.2.2.1			Section 3.2 – Schedule 3.2.2.2	

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 4: Existing Zoning (Begin Project to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 5: Existing Zoning (Pointe West Blvd W to End Project)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 6: Future Land Use (Begin Project to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 7: Future Land Use (Pointe West Blvd W to End Project)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Table 4: Future Land Use Codes

Code	Future Land Use	Jurisdiction
P	Professional	City of Bradenton
P/SP-1	Public/Semi-Public	Manatee County
PS	Public School	City of Bradenton
R/OS	Recreation/Open Space	City of Bradenton
RES-3, RES-6, Res-9	Residential	City of Bradenton
RESLOW	Residential Low	Manatee County
RESMED	Residential Medium	Manatee County
RESHIGH	Residential High	Manatee County
ROR	Retail/Office/Residential	Manatee County
SCC	Suburban Commercial Center	City of Bradenton

2.4 Design and Posted Speed Limit

The existing posted speed limit is 40 miles per hour (MPH) as shown in **Figure 8**. There is a school zone with a speed limit of 20 MPH near the schools when the warning light flashes. The design speed is 40 MPH.

Figure 8: Existing Speed Limit Sign, Looking North (source: Google)



2.5 Horizontal and Vertical Alignment

The horizontal alignment is generally straight, with northerly bearing, minimal deflections, and no horizontal curvature.

The vertical alignment is relatively flat. The profile within the curb and gutter segments appears to be greater than 0.2% to maintain positive drainage. The existing profile will need to be confirmed with Survey Digital Terrain Model during the design phase.

2.6 Multimodal Facilities

The existing 5-foot sidewalks are on both sides of 59th Street for most of the project limits. There is a 3,000-foot gap on the west side from Cortez Road to north of 36th Avenue West. Some utility poles obstruct the sidewalk near Manatee Avenue, leaving only 3 feet of clearance as shown in **Figure 9**. The minimum clearance for new or relocated poles is 4 feet unobstructed sidewalk width.³ The sidewalks have good connectivity to bus stops, as shown in **Figure 10**.

There is a 9-foot-wide shared-use path from the W.D. Sugg Middle School entrance to the G.T. Bray Park entrance at 33rd Avenue Drive West, a distance of 1,300 feet. There are no designated on-street bike facilities within the project limits. The bicycle and pedestrian facility network maps are shown in **Figure 11** and **Figure 12**.

There are two Manatee County Area Transit (MCAT) routes that operate within the project limits, as shown in **Figure 11** and **Figure 12**. Route 4 travels between the Blake Medical Center and Manatee Avenue. Route 6 travels between Cortez Road and the Blake Medical Center. There are 14 northbound bus stops and 10 southbound bus stops, two within the limits of the sidewalk gap. The bus stops offer different facilities including benches (as shown in **Figure 10**), trash receptacles, and/or shelters.

³ FDOT. 2018. *Florida Green Book 2018 Edition*. Page 8-2. Accessed on September 13, 2021 from <https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/roadway/floridagreenbook/2018-florida-greenbook.pdf?>

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 9: Utility Pole in Sidewalk (looking north)




Figure 10: Bus Stop at G.T. Bray Park (looking south)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 11: Existing Multimodal Network (Cortez Rd to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 12: Existing Multimodal Network (Pointe West Blvd W to Manatee Ave W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

2.7 Intersections

The existing intersections are described in **Table 5**. There are 18 intersections within the project limits. Six intersections are signalized. The most common intersection deficiency is a lack of detectable warnings at curb ramps. This should be brought into compliance with the Americans with Disabilities Act (ADA) standards.

Table 5: Existing Intersection Features

59th St E &	Traffic Control	Left-turn Lanes	Right-turn Lanes	Crosswalks	Remarks
Cortez Rd	Signalized	SB (two), EB	SB, WB	N, W	Mast arm signals
43rd Ave W	Minor stop	None	None	None	Lacks sidewalks on west side
42nd Ave W	Minor stop	NB, SB	None	None	Lacks sidewalks on west side
40th Ave W	Minor stop	NB, SB	None	North	School crossing, lacks sidewalk connection and detectable warnings
36th Ave W	Minor stop	NB, SB	WB	North	School crossing, lacks detectable warning
33rd Ave Dr W	Minor stop	NB, SB, WB	NB	None	Lacks detectable warning, park entrance
29th Ave W	Signalized	NB, SB, EB	EB	S, E, W	Fire station on east leg
Tanglewood Dr	Minor stop	NB, SB	None	None	Lacks detectable warnings
Pointe West Blvd W	Minor stop	NB, SB, EB	EB	None	Lacks detectable warning on SW
21st Ave W	Signalized	NB, SB, EB, WB	None	S, E, W	-
17th Ave W	Signalized	NB, SB, EB, WB	NB, SB, EB, WB	S, E, W	-
15th Ave W	Minor stop	NB, SB, WB	None	None	Lacks detectable warnings
11th Ave W	Signalized	NB, SB, WB	None	N, S, E, W	-
10th Ave Dr W	Minor stop	NB, SB	None	None	Lacks detectable warnings
9th Ave Dr W	Minor stop	NB, SB	None	None	Lacks detectable warnings
8th Ave Dr W	Minor stop	NB, SB	None	None	Lacks detectable warnings
7th Ave Dr W	Minor stop	NB, SB	SB	None	Lacks detectable warnings
Manatee Ave	Signalized	NB, SB, WB, EB	NB, WB, EB	N, S, E, W	Mast arm signals, skewed crosswalks

Table 6 summarizes the signalized intersection features. An underground 36-count fiber optic cable runs along the east side of 59th Avenue, from Cortez Road W to Manatee Avenue, with 12 count fiber

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

optic cable drops provided to the existing traffic signals. **Figure 13** shows an existing CCTV cabinet near the intersection with 21st Avenue West.

Table 6: Existing Signal Features

Side Street Roadway	Existing Structure	Detection Type	Retroreflective Backplates	59th Street Left-Turn Type	Side Street Left-Turn Type	Pedestrian Crossings
Cortez Rd	Mast Arms	Video	Yes	Protected	Protected/Permissive	North & West
29th Ave W	Box Span Wire	Loops	Yes	Protected/Permissive	Permissive	South & West
21st Ave W	Diagonal Span Wire	Loops	No	Protected/Permissive	Protected/Permissive	North, South, & West
17th Ave W	Diagonal Span	Loops	Yes	Protected/Permissive	Permissive	South, East, & West
11th Ave W	Box Span	Loops	Yes	Protected/Permissive	Permissive	North, South, East, & West
Manatee Ave	Mast Arms	Loops	No	Protected	Protected	North, South, East, & West

Figure 13: Closed Circuit Television Cabinet (looking north)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

2.8 Traffic Data

The Annual Average Daily Traffic (AADT) in 2021 is shown in **Table 7**. The 59th Street operates at Level of Service (LOS) D or F, at or below the adopted LOS D target in the Manatee County Comprehensive Plan.⁴ The latest traffic signal timings and phasing operations were provided by Manatee County and used in the intersection analysis. **Table 8** summarizes the overall intersection delay and LOS for the signalized intersections. See the Design Traffic Memorandum in **Appendix B** for more information.

Table 7: Existing Year (2021) Segment LOS

Segment		AADT	Adopted Service Volume	LOS
North Limit	South Limit			
Manatee Ave	17th Ave	16,500	16,727	D
17th Ave	21st Ave	16,500	16,727	D
21st Ave	41st Ave	18,000	16,727	F
41st Ave	Cortez Rd	18,000	16,727	F

Table 8: Existing Year (2021) Intersection LOS

Intersection	Weekday A.M. Peak Hour			Weekday P.M. Peak Hour		
	LOS	Delay (s/veh)	Max v/c	LOS	Delay (s/veh)	Max v/c
Cortez Rd W	B	19.1	0.85 (SBL)	C	28.3	0.92 (SBL)
29th Ave W	B	14.3	0.59 (EBT/R)	B	13.9	0.61 (SBT/R)
21st Ave W	C	21.7	0.83 (WBT/R)	C	24.4	0.84 (EBT/R)
17th Ave W	B	18.1	0.56 (WBT)	B	18.2	0.53 (EBT)
11th Ave W	B	10.9	0.61 (EB)	A	9.7	0.62 (EB)
Manatee Ave W	E	66.7	1.27 (EBR)	F	86.5	1.66 (NBR)

The intersection of 59th Street with Manatee Avenue is below the County LOS target during the peak hours. The other intersections are within capacity and meeting the LOS targets.

2.9 Crash Data


Crash data from the most recent 5-year period (2016-2020) was collected from Signal Four analytics. The distribution of crashes within the project limits is proportional to the traffic volumes and potential conflicts. The most crashes occurred at the Cortez Road intersection and Manatee Avenue intersection, as shown in **Figure 14** and **Figure 15**. There were five bicycle crashes reported, which indicates that vehicle/bicycle conflicts are an issue on this corridor.

⁴ Manatee County. 2021. Table 5-1. (PA-21-04) Manatee County Peak Hour Level of Service Standards Right-of-Way Needs / Twenty Year Roadway Requirements. Page 6.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 14: Crash Heat Map (Cortez Rd to 21st Ave W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 15: Crash Heat Map (21st Ave W to Manatee Ave W)



2.10 Drainage System

The existing drainage system along 59th Street uses both an open system of ditches with ditch bottom inlets, and closed system with curb inlets. Primarily, the drainage system is a curb inlet system with occasional ditches, ditch bottom inlets, and side drains. There is no existing Environmental Resource Permit (ERP) with Southwest Florida Water Management District (SWFWMD).

The drainage basins were determined using existing permit information, site visits, and 2-foot contours from the Manatee County GIS Data Site. The project limits primarily outfall to the Cedar Hammock Creek. A portion of the north end of the project discharges into the storm sewer system at Manatee Avenue. Additionally, the southern portion of the project discharges to Cortez Road. The project is within the Sarasota Bay Coastal Watershed (WBID 1885A), which is impaired for bacteria. No additional treatment is required due to the bacteria impairment. **Table 9** summarizes the drainage basins.

Table 9: Basin Summary

Basin	Total Area	Begin Station	End Station	Outfall
Basin 1	10.74	103+00	123+00	Cortez Rd W
Basin 2	11.86	123+00	155+00	Cedar Hammock Creek
Basin 3	18.45	155+00	213+50	Cedar Hammock Creek
Basin 4	6.97	213+50	222+00	Manatee Ave

2.11 Floodplain

The corridor is within the Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map (FIRM) Panels 12081C0301F and 12081C0303F (dated 08/10/2021). Most of the project limits are within Zone X (Area of Minimal Flood Hazard) and not within the floodplain, as shown in **Figure 16** and **Figure 17**. The Cedar Hammock Creek is the only floodplain within the project limits, Zone AE elevation 8, so no FEMA floodplain impacts are anticipated.


The City of Bradenton Stormwater Facilities Plan was developed to identify projects that could help alleviate street flooding throughout the city.⁵ The Plan shows more flood area for the 100-year event than the FEMA FIRM panels. Based on a review of the GIS, the areas of potential localized flooding improvement along 59th Street are at the Oaks Boulevard/15th Avenue West intersection, the GT Bray ballfields, and from 38th Avenue West to 40th Avenue West.

⁵ Bougha. 2017. *City of Bradenton Stormwater Facilities Plan*. Feb. 2017.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 16: FEMA Flood Zones (Cortez Rd W to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 17: FEMA Flood Zones (Pointe West Blvd W to Manatee Ave W)



2.12 Soils and Geotechnical Data

Soils data was collected from the United States Department of Agriculture National Resources Conservation Service (NRCS),⁶ as shown in **Table 10**, **Figure 18**, and **Figure 19**. Soils in the project limits are mostly sandy. EauGallie soil is described as a poorly-drainage soil with the groundwater table being with 6 to 18 inches from the ground surface. The hydraulic soil group (HSG) is classified as A/D. Pomello Fine Sand classified as a Type A HSG and is considered to be somewhat poorly drained with the groundwater table within 18 to 42 inches from the ground surface.

Table 10: Soils Within Area of Interest


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
6	Broward variant fine sand	32.3	5.2%
7	Canova, Anclote, and Okeelanta soils	12.2	1.9%
11	Cassia fine sand, 0 to 2 percent slopes	20.0	3.2%
13	Chobee loamy fine sand, frequently ponded, 0 to 1 percent slopes	7.1	1.1%
16	Delray complex	5.7	0.9%
20	EauGallie-EauGallie wet, fine sand, 0 to 2 percent slopes	405.5	64.8%
22	Felda fine sand, 0 to 2 percent slopes	6.9	1.1%
26	Floridana-Immokalee-Okeelanta association	10.7	1.7%
28	Hallandale fine sand, wet, 0 to 2 percent slopes	11.9	1.9%
38	Palmetto sand	45.1	7.2%
42	Pomello fine sand, 0 to 2 percent slopes	49.8	8.0%
48	Wabasso-Wabasso, wet, fine sand, 0 to 2 percent slopes	18.3	2.9%
Totals for Area of Interest		625.4	100.0%

⁶ NRCS. 2020. National Cooperative Soil Survey. Version 17, Jun. 8, 2020. Accessed on Sept. 8, 2021 from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 18: Soil Map (Cortez Rd to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 19: Soil Map (Pointe West Blvd W to Manatee Ave W)



2.13 Lighting

The 59th Street corridor consists of different types of lighting. This lighting ranges from freestanding concrete or aluminum light poles, luminaires mounted to existing power poles, luminaires collocated on strain poles at traffic signals, and luminaries mounted to signal mast arm uprights. The luminaires on freestanding aluminum poles, freestanding concrete poles, and signal mast arms appear to be fed by underground electric lines, while luminaires on strain poles and luminaires collocated to existing power poles are powered by overhead electric lines (**Figure 20**). There are both light-emitting diodes (LEDs) and high-pressure sodium fixtures (HPS) throughout the corridor. The freestanding light poles are predominantly on the east side of the roadway, opposite the overhead power lines. The overhead lines run along the west side of the roadway throughout the entire length of the project. The majority of the corridor is residential in nature with commercial properties scattered throughout. Existing lighting at signalized intersections along the corridor is documented below:

- 59th Street at Cortez Road; Two freestanding aluminum light poles on the northeast and southeast corners, and one freestanding concrete light pole located on the northeast corner.
- 59th Street at 29th Avenue; One freestanding concrete light pole on the northeast corner.
- 59th Street at 21st Avenue; One freestanding concrete light pole on the northeast corner and one luminaire located on the existing concrete strain pole in the southwest corner.
- 59th Street at 17th Avenue; One luminaire on the existing concrete strain pole in the northwest corner.
- 59th Street at 11th Avenue; Two luminaires on the existing concrete strain poles in the northwest and southeast corners.
- 59th Street at Manatee Avenue; Two luminaires on freestanding aluminum poles in the southeast and southwest corners, and two luminaires located on signal mast arms in the southeast and northeast corners.

Figure 20: Lighting along 59th Street (looking south)



2.14 Utilities

Sunshine 811 was contacted to identify utilities along the corridor. **Table 11** identifies the utility providers that noted having facilities with the study area. The Utility Agencies/Owners (UAOs) were contacted to request the types of facilities and approximate locations. **Figure 21** and **Figure 22** show the location of utilities within the corridor. Since utility providers are not required to respond to a design ticket, this list and figures may not include all utilities within the study area. There appears to be a utility bridge over the Cedar Hammock Creek to the west of 59th Street (**Figure 23**). Several cast iron pipes are exposed on the east side of 59th Street as shown in **Figure 24**.


Table 11: UAO Contacts

UOA	Utility Type	Contact	Phone Number
Crown Castle	Fiber	Nick Belinsky	724-426-2449
Florida Power and Light	Electric	Carey McCoy	941-723-4421
Teco People's Gas	Natural Gas	Joan Domning	813-275-3783
Uniti Fiber	Fiber	David Woods	813-539-1180
City of Bradenton	Sewer	Tom Meador	941-708-6300
City of Bradenton	Water	Tom Meador	941-708-6300
Manatee County	Sewer	Kathy McMahon	941-792-8811
Manatee County	Water	Kathy McMahon	941-792-8811
Manatee County	Reclaimed Water	Kathy McMahon	941-792-8811

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 21: Utilities Within Project Limits (Cortez Rd to West Pointe Ave W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 22: Utilities Within Project Limits (West Pointe Ave W to Manatee Ave W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 23: Utility Bridge over Cedar Hammock Creek (looking south)



Figure 24: Utilities at Cedar Hammock Creek Culvert (looking north)



2.15 Signs

There are no overhead or multipost signs within the project limits. Other than the standard single post traffic control signage, there are two school crossings with the required advanced warning signs (**Figure 25**). The W.D. Sugg Middle School sign is encroaching on the ROW and will likely need to be relocated.

Figure 25: School Crossing Signs at W.D. Sugg Middle School (looking north)



2.16 Structures

There is a single-barrel concrete box culvert where 59th Street crosses over the Cedar Hammock Creek (NB1016). The span is not long enough to qualify as a bridge-culvert, so it is not included in the FDOT Bridge Information reports. According to the Manatee County Senior Bridge Engineer, the structure appears to be in good condition and could be widened. The top of the headwall is shielded via a concrete barrier wall with guardrail approach terminals (**Figure 26**). Although the barrier is outside the clear zone and shielding is not required, the guardrail should be brought up to standards if it is to remain (Standard Plans 536-001 sheet 15).

Figure 26: Culvert at Cedar Hammock Creek (looking east)



2.17 Existing Maintenance Issues

Several areas requiring near-term maintenance were observed and should be addressed before the widening project. **Figure 27** shows a broken sidewalk near the Cortez Commons on the south end of the project. Roots from the adjacent tree appear to be the cause. **Figure 28** shows slope protection starting to fail at the back of sidewalk near the animal shelter. This is likely caused by water in the adjacent shallow swale overtopping the sidewalk and could eventually lead to a washout.

Per Manatee County maintenance, problem areas are from 7th Avenue Drive West to 11th Avenue West where the catch basins on 7th Avenue Drive, 8th Avenue Drive, 9th Avenue Drive, and 10th Avenue Drive come back to 59th Street and cause flooding at the intersections. Also, there are no catch basin at 11th Avenue West.

Figure 27: Broken Sidewalk near Cortez Commons (looking south)



Figure 28: Erosion behind Sidewalk at Animal Shelter (looking north)



3.0 Existing Environmental Conditions

This PD&C Study considered the existing Natural, Cultural and Physical environment.

3.1 Natural Resources

This section summarizes the Natural Resources Assessment memo in **Appendix C**.

3.1.1 Protected Species and Habitat

The following threatened or endangered species have the potential to occur within the study area:

- Wood stork
- Bald eagle
- Little blue heron
- Roseate spoonbill
- Tricolored heron
- Eastern indigo snake
- Gopher tortoise

These species have a low likelihood of occurrence within the study area based on the habitat for that species found and since no species observations were documented within one mile.

3.1.2 Wetlands and Other Surface Waters


Although the project area is mostly adjacent to developed land, there are some wetlands and surface waters within the study area (**Figure 29** and **Figure 30**). The Cedar Hammock Creek flows east to west through the study area. Other surface waters appear to function as stormwater retention ponds.

The project area is located within the service areas of the Long Bar Pointe and Manatee Mitigation Banks. These banks have freshwater herbaceous and forested credits available and are within the South Coastal and Manatee River Drainage Basins. There is no essential fish habitat within the project area.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 29: Wetlands and Surface Waters (Cortez Rd to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 30: Wetlands and Surface Waters (Pointe West Blvd W to Manatee Ave W)



3.2 Cultural Resources

This section summarizes the Cultural Resources Memo in **Appendix D**. Based on coordination with the State Historic Preservation Office (SHPO), there are no documented resources that are eligible for listing on the National Register of Historic Places (NRHP) within the Area of Potential Effect (APE) of the 59th Street project.

A search of buildings older than 40 years (those 50 years or older are considered historic) resulted in 144 structures within the APE. These structures have not been evaluated for NRHP eligibility.

3.3 Contamination


A Potential Contamination Screening Memo was completed and is available in **Appendix E**. Based on a review of available records, the study area contains two documented sites with a medium risk of contamination and one low risk site. (**Figure 31** and **Figure 32**).

- Map ID 11: Active Underground Storage Tanks (UST) and reported discharges on 12/19/1988 and 03/05/1990
- Map ID 3: Active Above Ground Storage Tanks (AST), inactive UST, and discharge in Oct. 1995
- Map ID 13: Active USTs and reported discharge on 12/15/1998

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 31: Potential Contamination Sites (Cortez Rd to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 32: Potential Contamination Sites (Pointe West Blvd W to Manatee Ave W)



4.0 Alternatives Analysis

This section describes the Design Criteria, Alternatives, and Alternatives Evaluation for the study.

4.1 Design Criteria

The project design criteria are summarized in **Table 12**. The following standards were used: Manatee County Public Works Standards (PWS), Part 3. Highway & Traffic Standards Manual, Amended November 2016; Manatee County Comprehensive Plan, Element 5 - Transportation, Table 5-1 (PA-21-04); Florida Greenbook (FGB), Manual of Uniform Minimum Standards for Design, 2018 Edition; and the FDOT Design Manual (FDM), 2021.

Table 12: Design Criteria

	Design Element	59th Street W	Source
General	Access Management Class	N/A	
	Context	Suburban Neighborhoods	PWS Figure T-15
	Level of Service	D	Table 5-1 (PA-21-04)
	Design Period	20 years	FDOT Project Traffic Forecasting Handbook 2019
	Design Speed	40 mph	PWS Table 1, existing posted
	Design Vehicle	CITY-BUS	FGB Chp. 3 C.2
	Roundabout Control Vehicle	WB-40	FDM 201.6.1, FDM 213.7
	Functional Classification	Collector	Table 5-1 (PA-21-04)
	Posted Speed	40 mph	Existing posted
Typical Section	Number of Lanes	4	Table 5-1 (PA-21-04)
	Lane Width	11 ft.	PWS Table 3, FGB Chp. 3 Table 3-20
	Two-Way Left-Turn Lane Width	12 ft. (11 ft. min)	FGB Chp. 3 Table 3-20
	Median Width	18 ft. (15.5 ft. Min)	PWS Table 3, FGB Chp. 3 Table 3-23
	Bicycle Lane Width	7 ft. (5 ft. Min)	PWS Table 3, note e
	Buffer Width	8 ft. (6 ft. Min.)	PWS Table 3
	Clear Zone Width	4 ft.	PWS Detail Sheet 402.1
	Sidewalk Width	5 ft.	PWS Table 3
Horizontal	ROW Width	120 ft.	Table 5-1 (PA-21-04)
	Min. Stopping Sight Distance	305 ft.	FGB Chp. 3 Table 3-4
	Max. Deflection w/o Curve	2°	FGB Chp. 3 C.4.b
	Length of Curve	600 ft. (400 ft. Min)	FGB Chp. 3 Table 3-8
	Max. Curvature (Min. Radius)	10° 45' (533 ft.)	FGB Chp. 3 Table 3-12
Vertical	Max. Superelevation	0.05	FGB Chp. 3 C.4.c.2
	Max. Grade	9%	FGB Chp. 3 Table 3-16
	Max. Change in Grade w/o VC	0.80%	FGB Chp. 3 Table 3-17
	Base Clearance above BCWE	3 ft.	FDM 210.10.3(2)
	Min. Crest Curve K	44	FGB Chp. 3 Table 3-18
	Min. Sag Curve K	64	FGB Chp. 3 Table 3-18
	Vertical Clearance	16 ft.	FGB Chp. 3 C.7.j.4.(b)

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

The Bicycle Level of Comfort table is shown in **Table 13**. Based on the speed and traffic volume, it was determined that the ideal bicycle lane width for 59th Street was at least 6 feet wide or a separated path.

Table 13: Bicycle Level of Comfort (Source: Manatee County)

Configuration without bicycle facilities	AADT <10,000			AADT 10,000 - 15,000			AADT >15,000		
	<30mph	35mph	>40mph	<30mph	35mph	>40mph	<30mph	35mph	>40mph
1 x 1	1.1	1.4	1.7	1.1	1.8	2.1	2.0	2.3	2.6
1 x 1 (with median)	1.1	1.4	1.7	1.5	1.8	2.1	2.0	2.3	2.6
1 x 1 (with dual-left)	1.2	1.8	1.8	1.6	1.8	2.1	2.1	2.5	2.7
2 x 2	1.7	2.1	2.3	2.1	2.5	2.7	2.6	3.0	3.2
2 x 2 (with median)	2.4	2.4	2.7	2.5	2.8	3.1	3.0	3.3	3.6
2 x 2 (with dual left)	2.8	2.7	3.0	2.8	3.1	3.4	3.3	3.6	3.9
3 x 3 or larger	2.7	3.1	3.3	3.1	3.5	3.7	3.6	4.0	4.2

59th Street criteria range

General recommendations	
1.0 - 1.4	No need
1.4 - 1.9	Shared streets ("sharrow") markings
2.0 - 2.4	Dedicated bike lane (4' - 6')
2.5 - 2.9	Dedicated bike lane (6')
3.0 - 3.4	Buffered bike lane (6' +)
3.5 - 3.9	Buffered bike lane with visual barrier
4.0 +	Physically separated shared path (10' +)

4.2 No-Build Alternative

The No-Build Alternative assumes that 59th Street remains a 2-lane divided facility as it is in the existing condition. No improvements would be constructed other than routine maintenance. The No-Build Alternative provides a benchmark for comparative purposes with the build alternatives.

The advantages of the No-Build Alternative include:

- No impacts to the natural, physical, social, or cultural environments
- No utility impacts
- No cost for design, ROW acquisition, or construction

The disadvantages of the No-Build Alternative are:

- Not consistent with the Manatee County Comprehensive Plan
- Does not enhance pedestrian and bicycle accommodations
- Does not improve safety conditions
- Does not improve vehicular traffic operations

The No-Build Alternative remains a viable alternative throughout the study.

4.3 Initial Alternatives

The initial alternatives analysis consisted of a corridor analysis to establish the alignment, typical section analysis to determine the viable typical sections, and an Intersection Control Evaluation (ICE).

4.3.1 Corridor Analysis

The initial corridor analysis considered the impacts of widening left (west) only, on center, or right (east) only, utilizing the 120-foot ROW corridor shown on the ROW Protection and Reservation map.⁷

Table 14 summarizes the results. Widening to the right side has similar ROW needs but fewer parcels or relocations.

Table 14: Corridor Impact Comparison

	Left Side Widening			Center Widening			Right Side Widening		
	Parcels (no.)	ROW (ac.)	Relocations (no.)	Parcels (no.)	ROW (ac.)	Relocations (no.)	Parcels (no.)	ROW (ac.)	Relocations (no.)
Begin Project to 21st Ave W	38	4.09	21	53	3.93	17	16	4.30	6
21st Ave W to End Project	39	4.92	30	52	4.14	20	18	4.26	12
Total	77	9.01	51	105	8.07	37	34	8.55	18

4.3.2 Typical Section Analysis

The Manatee County Public Works design standards contain several typical sections that were considered. The first typical section considered was the Index 401.2 Typical 4-Lane Divided Roadway.⁸ Through county coordination, the ideal section was determined to have 120 feet of ROW, 18-foot raised median, 12-foot travel lanes, 7-foot bike lanes, 5-foot sidewalks, and an optional 10-foot shared use path (**Figure 33**).

The Boulevard typical section (**Figure 34**) accommodates all users and is more of a complete street concept. Although ideally in a 120-foot corridor, the flexibility of widths means this typical could be as narrow as 102-feet wide.

The Parkway typical section (**Figure 35**) is similar to the Boulevard, but with the option of a shared use path on one side of the roadway. The side without a sidewalk would not fit the urban context of 59th Street.

⁷ Manatee County. 2017. Map 5-C. PA-17-04 / ORD 17-18

⁸ Manatee County. 2016. *Public Works Standards*. Part 3. Highway & Traffic Standards Manual. 401.2. Pg. T-80.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 33: Ideal 4-Lane Divided Roadway Typical Section




Figure 34: Boulevard Typical Section (Source: Manatee County)





Figure 35: Parkway Urban Typical Section (Source: Manatee County)




Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


The 102-foot ROW typical section (**Figure 36**) was created to incorporate the complete street elements from the above typical sections, the applicable design criteria, and the project specific needs of the corridor. The typical section utilizes a 102-foot minimum ROW width with a 16-foot raised median, 6-foot buffered bicycle lanes, 5-foot sod buffer between the back of curb and sidewalk, and a 10-foot shared use path on the left right side.

Figure 36: 102-foot ROW Typical Section



As a minimization option, the 90-foot ROW typical section (**Figure 37**) was created to strike a balance between function and impacts. This section utilizes a 90-foot minimum ROW width, 12-foot Two-Way Left-Turn Lane (TWLTL), 6-foot buffered bicycle lanes, 6-foot sod buffer between the back of curb and the sidewalk, and a 12-foot shared use path.

Figure 37: 90-foot ROW Typical Section



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

A summary of the typical section analysis is shown in **Table 15**.

Table 15: Typical Section Analysis Summary

Typical section	Pros	Cons	Viable?
Standard 401.2	Utility corridor, wide median	Wide lanes, higher speeds	No
Ideal 4-Lane	Utility corridor, buffered bikes	Wide lanes, wide footprint	No
Boulevard	Complete street	Wide footprint	No
Parkway	Landscape opportunities	Wide lanes, higher speeds	No
102-Foot ROW	Complete street	Restricts access	Yes
90-Foot ROW	Narrow footprint	Limited landscape areas	Yes

4.3.3 Intersection Control Evaluation

The ICE was conducted to determine the benefit-cost ratio (B/C) by type of control (e.g., signal or roundabout, see **Table 16**). The existing fire station at the 29th Avenue West intersection will require a traffic signal for emergency vehicle preemption.

A roundabout is recommended for the 17th Street intersection due to the relatively low ROW impacts and high B/C ratio. Traffic signals are recommended for the other intersections. See the Design Traffic Memorandum (Appendix B) for more information.

Table 16: ICE Results

	Traffic Signal 1 x 1 w/ Signal Improvements			Traffic Signal 2 x 1			Roundabout 2 x 1 (Build)		
	Overall B/C	Delay B/C	Safety B/C	Overall B/C	Delay B/C	Safety B/C	Overall B/C	Delay B/C	Safety B/C
59th St & 29th Ave	Base Case			Signal Control Recommended due to Fire Station					
59th St & 21st Ave	Base Case			8.86	8.94	-0.08	8.30	8.02	0.28
59th St & 17th Ave	Base Case			3.51	3.65	-0.14	10.57	10.54	0.03
59th St & 11th Ave	Base Case			1.08	1.15	-0.07	1.90	1.17	0.72

4.4 Viable Alternatives

The viable build alternatives are Alternative 1 and Alternative 2, as described below.


4.4.1 Alternative 1

Alternative 1 utilizes the 102-foot typical section (**Figure 38**) along a right-side widening alignment to minimize parcel impacts or relocations. This alternative includes a roundabout at 17th Avenue West to improve operations, manage speeds, and enhance safety. Additional ROW is required and relocations are anticipated.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 38: Alternative 1 Typical Section



4.4.2 Alternative 2

Alternative 2 utilizes the 90-foot typical section (Figure 39) along a right-side widening alignment to minimize parcel impacts or relocations. This alternative includes a roundabout at 17th Avenue West to improve operations, manage speeds, and enhance safety. Alternative 2 requires less ROW than Alternative 1, but relocations are required with both alternatives. Alternative 2 does not include designated on-street bicycle facilities, rather including a 12-foot shared use path on the right side.

Figure 39: Alternative 2 Typical Section



4.5 Pond Siting

The proposed project is within the jurisdiction of SWFWMD. Following SWFWMD guidelines for open basins, the critical event is the 25-year-24-hour design storm. In this area, the 25-year-24-hour event constitutes a rainfall depth of 8.90 inches.

The stormwater runoff will be attenuated using the 25-year, 24-hour event by the designed detention facility for open basin discharge. The post-development basin areas include all area within the proposed ROW. The detention facility includes a treatment volume of 1 inch over the proposed basin

in addition to the attenuation volume. Off-site runoff affected by the proposed roadway design will be diverted to existing condition low points.

Pond site area calculations considered the following minimal physical criteria:

- Existing elevations and the ability of the proposed basin to drain via stormwater conduit
- Interior pond slopes with a slope ratio of 4:1
- Maximum depth of 10 feet
- Minimum 15-foot level maintenance berm
- Area for back slopes and fencing
- Accessible directly from the road ROW an access easement
- All offsite flows will be bypassed

Pond site locations are shown in **Figure 40** and **Figure 41**.

Basin 1

Basin 1 extends from approximately STA 102+00 to STA 123+00. The basin consists of 0.39 miles of roadway. The proposed stormwater system will convey the runoff by curb and gutter and closed conveyance to a detention facility. This basin discharges to Cortez Road so a FDOT connection permit is required. There are three pond sites and two alternatives for this basin as shown in **Table 17**. The drainage map is shown in the concept plans (Appendix A).

Pond 1A is located north of Cortez Road at STA 102+50 (LT.) on a privately owned parcel. The basin spans from STA 102+00.00 to STA 109+65. The proposed pond dry detention and will be used jointly with Pond 1C.

Pond 1B is north of Fisherman's Drive at STA 115+00 (RT.) on a privately owned parcel. A partial take at the rear of the parcel will be required for this pond site and will require a 60-foot wide, 400-foot long drainage easement as Fishermans Drive is a private road. This pond is a wet detention facility and will work as a standalone pond for Basin 1.


Pond 1C is located south of 38th Avenue West at STA 120+00 (RT.). The pond site required a partial take at the rear of the parcel. The sub-basin spans from STA 109+65 to STA 123+00. This pond is a wet detention pond and will be used jointly with Pond 1A. A 40-foot wide, 500-foot long drainage easement will be required as 38th Avenue West is owned by the school board.

The recommended site for Basin 1 is Pond 1B because it is large enough to be the single pond for the basin and not impact additional parcels.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave


Figure 40: Pond Options (Cortez Rd to Pointe West Blvd W)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Figure 41: Pond Options (Pointe West Blvd W to Manatee Ave)



Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Table 17: Basin 1 Pond Options

Factors	Pond 1A	*Pond 1B	Pond 1C
Location	102+50	115+00	120+00
Side	LT	RT	RT
Distance from Corridor	0'	361'	464'
Total Area	0.34 AC	1.98 AC	1.18 AC
FEMA Flood Zone (Yes/No)	No	No	No
Hydrologic Soil Group	A & A/D	A/D	A/D
Parcel ID	5144210001	5111110010	5110410007
Owner	Privately Owned	Girls Club, Inc.	YMCA, Inc.
Occupied/Vacant	Occupied	Occupied	Occupied
Land Use Description	Car Wash	Orphanage	Clubs, Lodges, Union Hall
Contamination Sites	Yes	None	None
Wetland Impacts	No	No	No
Additional Remarks	Joint Alternative with Pond 1C	-	Joint Alternative with Pond 1A

*Recommended Site

Basin 2

Basin 2 extends from approximately STA 123+00 to STA 155+00. The basin consists of 0.61 miles of roadway and an area of 7.42 acres. The proposed stormwater system will convey the runoff by curb and gutter and closed conveyance to a detention facility. This basin discharges to Cedar Hammock Creek and a tidal outfall, so only treatment will be required. There are two pond site alternatives for this basin.

Pond 2A is located north of 33rd Avenue Drive at approximately station 145+00 (RT.) and is located on City of Bradenton property. The pond is an existing wet detention facility. A permit modification to the existing ERP (#2169.006) would be required if the pond is modified. A 40-foot wide, 650-foot-long drainage easement and a 60-foot wide, 226-foot-long maintenance agreement will be needed. Additional piping will be needed to outfall this pond to the Cedar Hammock Creek.

Pond 2B is located south of Cedar Hammock Creek at STA 154+00 (RT.) and is located on City of Bradenton property. The pond is a wet detention facility and will be the single pond for the basin.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Table 18: Basin 2 Pond Options

Factors	Pond 2A	*Pond 2B
Location	145+00	154+00
Side	RT	RT
Distance from Corridor	493'	0'
Total Area	3.05 AC	1.68 AC
FEMA Flood Zone (Yes/No)	No	No
Hydrologic Soil Group	N/A (Exist. Pond)	A/D
Parcel ID	5110410007	5110200002
Owner	City of Bradenton	City of Bradenton
Occupied/Vacant	Vacant	Occupied
Land Use Description	Gov Owned Vacant Municipal	Municipal
Contamination Sites	None	None
Wetland Impacts	No	No
Additional Remarks	-	-

*Recommended Site

Basin 3

Basin 3 extends from STA 155+00 to STA 213+50. The basin consists of 1.11 miles of roadway. The proposed stormwater system will convey the runoff by curb and gutter and closed conveyance to a detention facility. This basin discharges to Cedar Hammock Creek. There are two pond site alternatives for this basin.

Pond 3A is at STA 177+50 (RT) north of 21st Avenue and is located on a Manatee County parcel. The pond is a wet detention facility. This pond requires additional piping to discharge to the creek.

Pond 3B-1 is located northeast of 59th Street on 17th Avenue West. The parcel is a privately owned unpermitted wet pond that would be modified to treat the additional runoff and will be used jointly with Pond 3B-2. Additional piping will be required to outfall to the creek.

Pond 3B-2 is also located northeast of 59th Street on 17th Avenue West, east of Pond 3B-1. The parcel is a privately owned unpermitted wet pond that would be modified to treat the additional runoff and will be used jointly with Pond 3B-1. Additional piping will be required to outfall to the creek.

The recommended alternative for Basin 3 is Pond 3A due to its location on a Manatee County owned parcel.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

Table 19: Basin 3 Pond Options

Factors	*Pond 3A	Pond 3B-1	Pond 3B-2
Location	178+00	185+00	185+00
Side	RT	RT	RT
Distance from Corridor	70'	0'	765'
Total Area	1.92	4.13	3.11
FEMA Flood Zone (Yes/No)	No	No	No
Hydrologic Soil Group	B/D	N/A (Exist. Pond)	N/A (Exist. Pond)
Parcel ID	3947700005	3937400053	3937400004
Owner	Cruelty of Animals of Manatee County	Meadowcroft Condo, Inc.	Meadowcroft Condo, Inc.
Occupied/Vacant	Occupied	Occupied	Occupied
Land Use Description	Orphanage	Improved Condo Common Area	Improved Condo Common Area
Contamination Sites	None	None	None
Wetland Impacts	No	No	No
Additional Remarks	-	Joint Alternative with Pond 3B-2	Joint Alternative with Pond 3B-1

*Recommended Site

Basin 4

Basin 4 extends from STA 213+50 to STA 222+00. The basin consists of 0.14 miles of roadway. The proposed stormwater system will convey the runoff by curb and gutter and closed conveyance to a detention facility. This basin discharges to Manatee Avenue, so a FDOT connection permit is required. Only one pond site alternative is feasible in this small basin. Additional alternatives treatment and storage options are compensatory treatment downstream or exfiltration trench.

Pond 4 is located north of 7th Avenue at STA 219+00 (LT.) and is located on a privately owned parcel. The basin spans from STA 213+50 to STA 221+00. A dry detention facility with perimeter walls is proposed. The pond will be the single pond for the basin. Pond 4 is recommended for this basin due the reduced maintenance requirements compared to an exfiltration pipe system.

Table 20: Basin 4 Pond Site 4

Factors	*Pond 4
Location (STA)	219+00
Side	LT
Distance from Corridor	120'
Total Area	0.15 AC
FEMA Flood Zone (Yes/No)	No
Hydrologic Soil Group	A
Parcel ID	3782800109
Owner	MidFlorida Credit Union
Occupied/Vacant	Occupied
Land Use	Financial Institutions
Contamination Sites	None
Wetland Impacts	No
Additional Remarks	-

*Recommended Site

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

4.6 Alternatives Evaluation

The project specific evaluation matrix considers the alternatives’ benefits and costs as well as the impacts to the environment and property (see **Table 21**).

Table 21: Evaluation Matrix

	Evaluation Factors	No-Build	Alt. 1 - Median	Alt. 2 - TWLTL
Benefits	Pedestrian Accommodations	Sidewalk gap	Sidewalks	Sidewalks
	Bicycle Accommodations	On-road	Buffered bike lanes and shared use path	On-road or shared use path
	Traffic	2-lane	4-lane	4-lane
	Safety	No improvement	Improvement	Improvement
Environmental Impacts	Archaeological/Historical Sites (potential)	None	Low	Low
	Parks/Recreational Areas	None	1	1
	Wetlands (acres)	0	0	0
	Surface Waters (acres)	0	0.1	0
	Floodplain (acres)	0	0	0
	Threatened and Endangered Species (potential)	None	Low	Low
	Contamination Sites Ranked High/Medium Risk (number)	0	2	2
Property Impacts	Utilities Relocated	None	Water, electric	Water, electric
	Right-of-way (acres)	0	8.0	7.0
	Parcels (number)	0	33	25
	Relocations (number)	0	7	7
Cost	Bridge or Culvert Widening	No	Yes	No
	Total Estimated Project Costs* (in present day \$ Millions)	\$0	\$46.4 M	\$40.0 M

*Estimated project costs include engineering, right-of-way, and construction but do not include utility relocations, environmental permits, or contamination remediation.

4.7 Recommended Alternative

Based on the engineering and environmental analysis documented in this report, the recommended alternative for 59th Street includes a raised median, four travel lanes, curb and gutter, sidewalk, and a shared use path on one side. The recommended alternative best meets the project purpose with:

- Sidewalks for pedestrians
- Buffer space between the road and sidewalk for pedestrian comfort
- Shared-use path for cyclists
- Roundabout for traffic calming
- Raised median for improved safety
- Landscaping opportunities
- Additional through lanes for rush hour traffic

The recommended alternative provides connectivity to the existing sidewalks and continues the existing shared-use path on the east side of 59th Street. The raised median and proposed roundabout at 17th Avenue provide a traffic calming feature for speed management, safety, efficient operations, and an opportunity for landscaping. The Recommended Alternative Concept Plans are shown in **Appendix A**.

5.0 Details of the Recommended Alternative


This section contains additional details of the recommended alternative.

5.1 Typical Section

The recommended alternative typical section, shown in **Figure 42**, consists of two 11-foot lanes in each direction, 16-foot raised median, 5-foot sod buffers, 5-foot sidewalk on the east and 10-foot shared use path on the east side. The 2-feet behind the sidewalk/shared use path along both sides is to accommodate utility and light poles.

At constrained locations, the designer can consider reducing the sidewalk buffer, median, or path width. A 6-foot sidewalk at the back of curb could also be considered. The most constrained area is from 7th Avenue Drive West to Manatee Avenue.

Figure 42: Recommended Alternative Typical Section



5.2 Horizontal and Vertical Geometry

Generally, the horizontal alignment consists of series of tangents within 2-degree deflection angle. The alignment is controlled by the ROW on the west side, existing culvert crossing at Cedar Hammock Creek, and tie-ins at the Cortez Road and Manatee Avenue intersections. A roundabout is recommended at 17th Avenue West. To avoid significant impacts to the business at the southwest corner of 17th Avenue West intersection, the designer should evaluate shifting the roundabout east.

A minimum of 35-foot curb return radius is proposed at the signalized intersections. A 25-foot minimum curb return radius is proposed at intersections with local road. For left-turn control radii, 75-foot control radii were used at industrial/commercial locations, and 50-foot control radii were used at residential areas.

To facilitate drainage on a curb and gutter facility, vertical alignment will require a minimum of 0.3% longitudinal slope to be maintained for a minimum 250 feet between high point and low points. Gravity walls or temporary harmonization easements may be needed where back-of-sidewalk elevations differ from existing grade.

5.3 Project Traffic Volumes

Table 22 summarizes the AADT volumes as well as the peak hour factor (K), directional (D) factor, and Truck (T) factor for the 59th Street corridor. Traffic volume projections are rounded to the nearest 500 vehicles per day.

Table 22: Project Traffic Summary

Current Year (2021) AADT	18,000
Opening Year (2025) AADT	19,000
Design Year (2045) AADT	23,500
Standard K	0.09
D Factor	0.55 (SB)
T Daily	3.6%
Design Hour T	1.8%

5.4 Intersection Concepts

The proposed intersection features are shown in **Table 23**. The existing signalized intersections of Manatee Avenue and Cortez Road are not anticipated to be impacted by the recommended alternative. The remaining four existing signalized intersections will require reconstruction. New signals are recommended to have mast arm supports because the project limits are within the mast arm policy area,⁹ west of I-75. Additionally, the existing underground fiber optic conduit, splice vaults and pull boxes will need to be relocated. The designer should evaluate adding an Automated Traffic Monitoring Site as part of a smart traffic signal or as a standalone device.

Table 23: Proposed Intersection Features

Side Street Roadway	Impacted by Widening	Future Structure	ROW Needed
Manatee Ave	No	N/A	N/A
11th Ave W	Yes	Mast Arm Signal	Yes (NW Corner)
17th Ave W	Yes	Roundabout	Yes (NW, NE, SE, SW)
21st Ave W	Yes	Mast Arm Signal	Yes (NW, SE, SW)
29th Ave W	Yes	Mast Arm Signal	Yes (NW & SW)
Cortez Rd W	No	N/A	N/A

Features to enhance safety and operations will be considered at all of the existing intersections. The most common intersection deficiency is a lack of pedestrian crossings. Only two of the existing signalized intersections in the project corridor provide pedestrian crosswalks on all approaches. Marked crosswalks are recommended on all approaches at signalized intersections to improve pedestrian connectivity and safety. The four-section flashing yellow arrow (FYA) and retroreflective backplates on signal heads, should be incorporated as best practice. The designer should evaluate

⁹ FDOT. 2009. *Mast Arm Structures Boundary Map*. District 1. Accessed August. 31, 2021 from <https://fdotwww.blob.core.windows.net/sitefinity/docs/default-source/traffic/trafficservices/pdfs/d1.pdf>

traffic signals at the 36th Avenue West and 40th Avenue West intersections or a Hybrid Pedestrian Beacons near 38th Avenue West to facilitate the school crossing.

5.5 Access Management Plan

Currently there is unrestricted access to properties on both sides of the existing roadway except between the roadway segments from Cortez Road to 42nd Avenue West and from 7th Avenue West to Manatee Avenue. The proposed raised median will restrict access to existing properties, driveway entrances, and intersections. Median openings are proposed at locations that can provide reasonable and safe access (Table 24). Connection spacing for Roadway Class 7 is recommended for new connections.

Table 24: Access Management

Intersection	Access	Remarks
Shopping center	SB Directional	
42 nd Ave	Directionals	
40 th Ave	Full	
38 th Ave	SB Directional	School
36 th Ave	Full	School
31 st /33 rd Ave Dr	Directionals	Park
29 th Ave	Full – Signal	Fire Station
Pointe W Blvd W	Directionals	
21 st Ave	Full - Signal	ER entrance
Hospital Entrance	Directionals	
17 th Ave W	Roundabout	
Oaks Blvd/15 th Ave	Directionals	
11 th Ave	Full – Signal	
9 th Ave Dr	SB Directional	
8 th Ave Dr	SB Directional	
Shopping Center/Apts	Directionals	

5.6 Bicycle and Pedestrian Accommodations

In addition to improving overall traffic operations, one of the key drivers of this project is to accommodate bicycle and pedestrian facilities that improve safety. Bicycle and pedestrian facilities are given full consideration in the recommended alternative. A 10-foot shared use is included in the recommended alternative to support bicycle travel and pedestrian activities. The designer should consider supplemental green pavement markings to differentiate shared use path crosswalks.

A 5-foot continuous sidewalk is proposed on the west side of the project. Existing sidewalk segments that comply with ADA standards can remain, but deficient segments will be reconstructed. Pedestrian pipe railing may be needed at drop-offs. Curb ramps will be reconstructed to meet current ADA standards. The existing school crossings are to remain, unless the school district or a Safe Routes to School Study dictates a new crossing location. This also applies to the School Zone reduced speed limit.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

5.7 Right-of-Way Requirements

The recommended alternative requires additional ROW at pinch points along 59th Street corridor, at intersections, and for stormwater ponds. An additional 7.4 acres of ROW are required, and 7 relocations are anticipated. Some of the impacted parcels are publicly owned by the County or City of Bradenton.

5.8 Lighting

The existing lighting on the east side of the roadway will likely be impacted by the proposed roadway improvements. The light poles impacted by the roadway widening will need to be replaced with a new lighting system. This new system may consist of freestanding poles on the east side, and luminaires collocated on existing power poles on the west side. There is a potential for cost savings by adding luminaires to existing power poles. Using a 268-watt LED ATB2 fixture from Florida Power and Light (FPL)'s LED Lighting Catalog, a spacing of approximately 200 feet is recommended for the recommended alternative per the Roadway Optimizer tool in AGI32.

Luminaires will likely need to be placed on both sides of the roadway to meet Florida Greenbook and FDOT lighting criteria for the recommended roadway typical section. Due to the existing overhead utilities on the west side, placement of luminaires may be limited to existing power pole locations, however, coordination with FPL will be necessary to discuss different lighting opportunities. These lighting opportunities could include placement of an additional in-line overhead electric pole with a luminaire to properly light the roadway from the west side or verifying the existing structural capacity of power poles to confirm whether they can accommodate a luminaire. In locations where existing lighting is not impacted, it is recommended that any older light fixtures are replaced with new LED fixtures.

Due to the residential nature of the corridor, house shields are recommended on luminaires in the immediate vicinity of homes to prevent light spillback into windows and private residences. Fixture choice, mounting height, bracket arm length, and light pole preferences should be coordinated with FPL and the County to ensure the lighting design meets aesthetic and operational preferences.

The proposed typical section also includes a shared use path along the east side of the roadway. Pedestrian lighting could be included along the shared use path if there proves to be a significant number of nighttime bicycle and pedestrian users.

Pedestrian crosswalks at signalized intersections, roundabouts, or mid-block will be properly illuminated for enhanced safety of vulnerable users. Lighting at these intersections could consist of adding supplemental light poles to ensure that pedestrian crosswalks meet FDOT lighting standards and replacing any older HPS fixtures at intersections with new LED fixtures.

5.9 Utilities

For this study, utilities were located by utility records (quality level D) and were not field verified. Verified vertical and horizontal locations are recommended during the design phase to identify or avoid utility conflicts with the proposed design.

Generally, utilities along the existing ROW will remain but impacts are anticipated where ROW is being acquired. Fire hydrants in conflict with the proposed roadway widening will need to be relocated. Overhead electric poles in conflict with the proposed roundabout at 17th Avenue West will need to be relocated as well.

5.10 Preliminary Drainage Analysis

The recommended alternative will utilize curb and gutter and a closed drainage system to convey runoff to the recommended stormwater management ponds (**Table 25**). Most of the adjacent properties drain towards the 59th Street ROW, so back of sidewalk inlets are anticipated to convey off-site flows and maintain existing drainage patterns. Most of the project area outfalls to Cedar Hammock Creek. The basins that outfall to Cortez Road and Manatee Avenue will need a FDOT connection permit.

Table 25: Recommended Ponds

Basin 1	Pond 1B
Basin 2	Pond 2B
Basin 3	Pond 3A
Basin 4	Pond 4

5.11 Floodplain Analysis

The only portion of the project within the FEMA floodplain is the Cedar Hammock Creek. Floodplain impacts are not anticipated because the recommended alternative utilizes the existing culvert without modifications.

5.12 Structures

The existing culvert at Cedar Hammock Creek (NB1016) does not need to be widened with the recommended alternative. The existing guardrail shielding the drop-off should be brought up to current standards and the concrete barrier evaluated for structural adequacy.

Project Development and Corridor Study Report

59th Street West – Cortez Rd to Manatee Ave

5.13 Cost Estimates

The estimate of probable project costs was based on limited quantity take-offs from the conceptual plans. FDOT historic unit cost averages were used from Area 10, which includes Manatee County. The construction cost estimate is included in **Table 26**. A high percentage of project unknowns is appropriate at this conceptual stage but will be reduced as the concept is further refined in the design phase.

Table 26: Recommended Alternative Construction Cost Estimate

Item	Cost
Structures	-
Roadway and Drainage	\$ 10,376,364
Signing & Pavement Markings	\$ 97,686
Lighting	\$ 1,306,230
Signalization	\$ 1,500,000
Landscape	\$ 2,100,000
MOT (10%)	\$ 1,538,028
Mobilization (10%)	\$ 1,691,831
Project Unknowns (50%)	\$ 9,305,069
Initial Contingency	\$ 84,792
Construction Cost Total (2021 Cost)	\$ 28,000,000

The estimated total project costs of the recommended alternative are shown in **Table 27**. Professional Services and ROW costs used in this analysis are approximate. Actual ROW values will be determined during the appraisal phase of the project.

Table 27: Recommended Alternative Cost Estimate

Item	Cost
Professional Services (Engineering, Legal, CEI = 27%)	\$ 7,600,000
Wetland Mitigation	\$ -
ROW costs	\$ 8,600,000
Construction Costs	\$ 28,000,000
Estimated Total Project Costs (2021 Cost)	\$ 44,200,000

6.0 Summary of Permits and Mitigation

This section summarizes the permits and mitigation needed for this project alternative.

6.1 Stormwater

SWFWMD requires an ERP when construction of any project results in the creation of a new or modification of an existing surface water management system or results in impacts to waters of the state. There is no existing ERP for 59th Street within the project limits. Under current state rules, SWFWMD will require an Individual ERP. Pre-application meeting minutes are included in **Appendix F**. A FDOT drainage connection permit is also anticipated for runoff to Cortez Road and Manatee Avenue. The FDOT permit requires no adverse impacts to the FDOT drainage system.

6.2 Natural Resources

Both the Florida Department of Environmental Protection (FDEP) and SWFWMD regulate impacts to wetlands within the project area. Other agencies, including the United States Fish and Wildlife Service (USFWS), National Marine Fisheries Service (NMFS), Environmental Protection Agency (EPA), and the Florida Fish and Wildlife Conservation Commission (FWC), review and comment on wetland permit applications. If needed, wetland mitigation credits are available from the Long Bar Pointe or Manatee Mitigation Banks.

Manatee County will need to perform updated wildlife surveys during the project Design phase to ascertain the involvement, if any, of listed species. If needed, the FWC issues permit for gopher tortoise relocation activities and incidental takes for state protected avian species and the USFWS is the lead agency for eagle nest take permitting or coordination.

6.3 Cultural Resources

Based on a review of the Florida Master Site File, there are no currently listed National Register of Historic Places within the APE boundaries of the study roadway. There are 144 structures within the APE that are at or near historic age and should be evaluated for eligibility during the design phase. These findings should be coordinated with SHPO for concurrence.

6.4 Potential Contamination

Based on available information, there are two medium risk sites adjacent to the project limits with existing groundwater plumes:

- 5904 Cortez Rd West Bradenton, FL, 34210-2705 – Amoco Gas Station – LST/ UST
- 5818 Manatee Avenue West Bradenton, FL, 34209-2541 – Westway Services LLC – LST/UST

Further assessment/review for contamination may be warranted if underground work is proposed near the above sites. Any dewatering operations must obtain a National Pollutant Discharge Elimination System (NPDES) Generic Permit for Discharge of Groundwater. Dewatering operations in areas identified with contamination issues require treatment of effluent to limits and requirements specified in the NPDES Generic Permit.

Appendices

Appendix A – Recommended Alternative Concept Plans

CONCEPT PLANS FOR 59TH STREET WEST

FROM CORTEZ ROAD (SR 684) TO MANATEE AVENUE (SR 64)

MANATEE COUNTY PROJECT # 6108360




PROJECT TEAM:

OWNER:
MANATEE COUNTY
1022 26TH AVE. E.
BRADENTON, FL 34206
CONTACT: ERIC SHROYER, P.E.
941-708-7450 ext. 7344

ENGINEER:
KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200
SARASOTA, FL 34236
CONTACT: CRIS SCHOOLEY, P.E.
941-379-7600

END PROJECT
Q CONST. 59TH STREET
STA. 221+00.00

BEGIN PROJECT
Q CONST. 59TH STREET
STA. 100+60.00



PROJECT VICINITY MAP

N.T.S.

INDEX OF CONCEPT PLANS

SHEET NO.	SHEET DESCRIPTION
1	KEY SHEET
2 - 6	DRAINAGE MAP
7	TYPICAL SECTION 59TH STREET WEST
8 - 26	RECOMMENDED ALTERNATIVE


OCTOBER 14, 2021
NOT FOR CONSTRUCTION

PREPARED BY
Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200,
SARASOTA, FL 34236
PHONE (941) 379-7600
WWW.KIMLEY-HORN.COM

No.	REVISIONS	DATE	BY

THIS DOCUMENT IS PROTECTED BY SECTION 106 OF THE "UNITED STATES COPYRIGHT ACT". REPRODUCTION OR ALTERATION OF THIS DOCUMENT OR THE INFORMATION CONTAINED HEREON BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF KIMLEY-HORN AND ASSOCIATES, INC. CONSENT IS HEREBY GRANTED SPECIFICALLY TO GOVERNMENTAL AGENCIES TO REPRODUCE THIS DOCUMENT IN COMPLIANCE WITH F.S. CHAPTER 119.	CRIS SCHOOLEY, P.E. FLORIDA LICENSE NUMBER: 74018 DATE:	DATE OCTOBER 2021
		KHA CIP NO. 6107860
SHEET NUMBER		1



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696


KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY


59TH STREET WEST
 MANATEE COUNTY
 FL DATE:

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

DRAINAGE MAP

SHEET NUMBER
2



MATCH LINE STA. 119+30.00

MATCH LINE STA. 148+80.00

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL DATE:

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

DRAINAGE MAP

SHEET NUMBER 3

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
148400070
 DATE
7/14/2021
 SCALE AS SHOWN
 DESIGNED BY
 DRAWN BY
 CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
74018

DRAINAGE MAP

SHEET NUMBER
4

MATCH LINE STA.178+30.00

MATCH LINE STA.207+80.00



No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

DRAINAGE MAP

SHEET NUMBER
5

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

Manatee County

59TH STREET WEST


MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

DRAINAGE MAP

SHEET NUMBER
 6



TYPICAL SECTION RECOMMENDED ALTERNATIVE
 59TH STREET WEST
 FROM CORTEZ ROAD W TO MANATEE AVENUE W

DESIGN SPEED = 40 MPH

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
 148400070
 DATE
 7/14/2021
 SCALE AS SHOWN
 DESIGNED BY ---
 DRAWN BY ---
 CHECKED BY ---


 59TH STREET WEST



MANATEE COUNTY

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

FL DATE:

**TYPICAL SECTION
 59TH STREET WEST**

SHEET NUMBER
 7



LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST

MANATEE COUNTY


LICENSED PROFESSIONAL

CRIS S. SCHOOLLEY, P.E.
 FL LICENSE NUMBER 74018

RECOMMENDED ALTERNATIVE


SHEET NUMBER
8

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



MATCH LINE STA. 105+69.00

MATCH LINE STA. 112+69.00



MATCH EXIST. CURB & GUTTER

MATCH EXIST. CURB & GUTTER

N 0° 41' 18" E

59TH ST W

☉ CONST. 59TH STREET

TODAY'S TOURS

SOLANA VISTA

LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST


MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S. SCHOOLLEY, P.E.
 FL LICENSE NUMBER 74018

RECOMMENDED ALTERNATIVE

SHEET NUMBER
9



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
 148400070

DATE
 7/14/2021

SCALE AS SHOWN

DESIGNED BY

DRAWN BY

CHECKED BY

59TH STREET WEST

MANATEE COUNTY

FL DATE:


LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER 74018

RECOMMENDED ALTERNATIVE


SHEET NUMBER

10



MATCH LINE STA. 120+03.00

MATCH LINE STA. 127+20.00



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
148400070

DATE
7/14/2021

SCALE AS SHOWN

DESIGNED BY

DRAWN BY

CHECKED BY

59TH STREET WEST

MANATEE COUNTY

LICENSED PROFESSIONAL


CRIS S.
SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

FL DATE:

**RECOMMENDED
ALTERNATIVE**

SHEET NUMBER

11



MATCH LINE STA. 127+20.00

MATCH LINE STA. 133+69.00

LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER 74018
 DATE:

RECOMMENDED ALTERNATIVE

SHEET NUMBER 12




SUN CHASE APARTMENT HOMES

31ST AVE W

MATCH LINE STA. 133+69.00

MATCH LINE STA. 140+69.00



59TH ST W

EXIST. 9' PATH (TO REMAIN)

G.T. BRAY PARK

CONNECT TO EXIST. 9' PATH

33RD AVE DR W

LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696


KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST
 MANATEE COUNTY

LICENSED PROFESSIONAL
 CRIS S. SCHOOLLEY, P.E.
 FL LICENSE NUMBER
 74018

RECOMMENDED ALTERNATIVE

SHEET NUMBER
13



MATCH LINE STA. 140+69.00

MATCH LINE STA. 147+69.00

LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST

MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S.
SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

**RECOMMENDED
ALTERNATIVE**

SHEET NUMBER

14



PRESERVE AT HAMPTON BAY

G.T. BRAY PARK

MATCH LINE STA. 147+69.00

MATCH LINE STA. 154+69.00

148

149

150

151

152

153

154

N 0° 03' 27" W

☉ CONST. 59TH STREET

59TH ST W

LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST



MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S.
SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

**RECOMMENDED
ALTERNATIVE**

SHEET NUMBER
15



LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

MATCH LINE STA. 154+69.00

MATCH LINE STA. 161+69.00

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696


KHA PROJECT
148400070
 DATE
7/14/2021
 SCALE AS SHOWN
 DESIGNED BY
 DRAWN BY
 CHECKED BY

59TH STREET WEST
 MANATEE COUNTY
 FL

LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
74018

**RECOMMENDED
ALTERNATIVE**

SHEET NUMBER
16



MATCH LINE STA. 161+69.00

MATCH LINE STA. 168+69.00



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT	148400070
DATE	7/14/2021
SCALE	AS SHOWN
DESIGNED BY	
DRAWN BY	
CHECKED BY	

59TH STREET WEST

MANATEE COUNTY

LICENSED PROFESSIONAL


CRIS S.
SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

RECOMMENDED
ALTERNATIVE

SHEET NUMBER

17

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.




BLAKE MEDICAL CENTER

BISHOP ANIMAL SHELTER

MATCH LINE STA. 168+69.00

MATCH LINE STA. 175+69.00



CONST. 59TH STREET

N 0° 25' 38" E

59TH ST W

LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT
148400070

DATE
7/14/2021

SCALE AS SHOWN

DESIGNED BY

DRAWN BY

CHECKED BY

59TH STREET WEST

MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
FL LICENSE NUMBER
74018


FL DATE:

RECOMMENDED ALTERNATIVE

SHEET NUMBER

18

SEE SHEET 26 FOR CONTINUATION



CONNECT TO EXIST. SIDEWALK

MATCH LINE STA. 175+69.00

MATCH LINE STA. 182+69.00

CL CONST. 59TH STREET

176

177

178

179

180

181

182

N 0° 25' 38" E

59TH ST W

17TH AVE W

LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

SEE SHEET 26 FOR CONTINUATION

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST

MANATEE COUNTY


LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER 74018

FL DATE:


RECOMMENDED ALTERNATIVE

SHEET NUMBER
19



MATCH LINE STA. 182+69.00

MATCH LINE STA. 189+69.00



LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
148400070
 DATE
7/14/2021
 SCALE AS SHOWN
 DESIGNED BY
 DRAWN BY
 CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL




LICENSED PROFESSIONAL
 CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER 74018

RECOMMENDED ALTERNATIVE

SHEET NUMBER
20

MATCH LINE STA. 189+69.00

MATCH LINE STA. 196+69.00



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT
148400070
DATE
7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

59TH STREET WEST

MANATEE COUNTY


LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

FL DATE:


RECOMMENDED ALTERNATIVE

SHEET NUMBER
21



MATCH LINE STA. 196+69.00

MATCH LINE STA. 203+69.00



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT	148400070
DATE	7/14/2021
SCALE	AS SHOWN
DESIGNED BY	
DRAWN BY	
CHECKED BY	

MANATEE COUNTY

59TH STREET WEST

FL DATE:

LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
FL LICENSE NUMBER
74018

*RECOMMENDED
ALTERNATIVE*

SHEET NUMBER


22

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



MATCH LINE STA. 203+69.00

MATCH LINE STA. 210+69.00



FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5818 10TH AVENUE DR W
BRADENTON FL 34209-3623
PARCEL NO. 3818800009

FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5817 9TH AVENUE DR W
BRADENTON FL 34209-3614
PARCEL NO. 3816100006

FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5818 9TH AVENUE DR W
BRADENTON FL 34209-3615
PARCEL NO. 3816000008

FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5817 8TH AVENUE DR W
BRADENTON FL 34209-3607
PARCEL NO. 3813600008

LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- ▲ MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT 148400070	LICENSED PROFESSIONAL
DATE 7/14/2021	CRIS S. SCHOOLEY, P.E.
SCALE AS SHOWN	FL LICENSE NUMBER 74018
DESIGNED BY	
DRAWN BY	
CHECKED BY	

59TH STREET WEST

MANATEE COUNTY


RECOMMENDED
ALTERNATIVE

SHEET NUMBER
23



MATCH LINE STA. 210+69.00

MATCH LINE STA. 217+69.00



FULL PARCEL TAKE
DUE TO SUBSTANDARD
SETBACK
5818 8TH AVENUE DR W
BRADENTON FL 34209-3608
PARCEL NO. 3813500000

FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5815 7TH AVENUE DR W
BRADENTON FL 34209-3639
PARCEL NO. 3810900005

FULL PARCEL TAKE
DUE TO SUBSTANDARD SETBACK
5818 7TH AVENUE DR W
BRADENTON FL 34209-3639
PARCEL NO. UNKNOWN

LEGEND	
	PARCEL BOUNDARY
	EXISTING RIGHT-OF-WAY
	PROPOSED RIGHT-OF-WAY
	EXISTING BUS STOP
	MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn
 © 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696


KHA PROJECT 148400070
DATE 7/14/2021
SCALE AS SHOWN
DESIGNED BY
DRAWN BY
CHECKED BY

Manatee County
 59TH STREET WEST
 MANATEE COUNTY
 FL


LICENSED PROFESSIONAL
 CRIS S. SCHOOLLEY, P.E.
 FL LICENSE NUMBER
 74018

**RECOMMENDED
 ALTERNATIVE**

SHEET NUMBER
 24



MATCH LINE STA. 217+69.00



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
PHONE: 941-379-7600
WWW.KIMLEY-HORN.COM
VENOR NO. 696

KHA PROJECT	148400070
DATE	7/14/2021
SCALE	AS SHOWN
DESIGNED BY	
DRAWN BY	
CHECKED BY	

59TH STREET WEST

MANATEE COUNTY



LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
FL LICENSE NUMBER 74018

RECOMMENDED ALTERNATIVE

SHEET NUMBER

25



LEGEND

- PARCEL BOUNDARY
- EXISTING RIGHT-OF-WAY
- PROPOSED RIGHT-OF-WAY
- EXISTING BUS STOP
- MED/HIGH RISK POTENTIAL CONTAMINATION SITE

17TH AVE W DETAIL SHEET

No.	REVISIONS	DATE	BY

Kimley»Horn

© 2021 KIMLEY-HORN AND ASSOCIATES, INC.
 1777 MAIN STREET, SUITE 200, SARASOTA, FL 34236
 PHONE: 941-379-7600
 WWW.KIMLEY-HORN.COM
 VENOR NO. 696

KHA PROJECT
 148400070
 DATE
 7/14/2021
 SCALE AS SHOWN
 DESIGNED BY
 DRAWN BY
 CHECKED BY

59TH STREET WEST

MANATEE COUNTY

LICENSED PROFESSIONAL

CRIS S. SCHOOLEY, P.E.
 FL LICENSE NUMBER
 74018

RECOMMENDED ALTERNATIVE

SHEET NUMBER
26

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

**Appendix B –
Design Traffic Memorandum**



Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

CIP #: 6108360

REVISION ONE December 1, 2021



CONTENTS

1.0	Introduction.....	4
1.1	Memo Purpose	4
2.0	Existing Traffic.....	6
2.1	Corridor Characteristics Roadway Geometry	6
2.1.1	Cross Section Elements	6
2.1.2	Horizontal and Vertical Elements	6
2.1.3	Intersection Configurations.....	6
2.1.4	Speed Limit.....	6
2.2	Existing Traffic Analysis	9
2.2.1	Manatee County LOS Standards	9
2.2.2	Segment Volumes.....	9
2.2.3	Turning Movement Counts.....	9
2.2.4	Segment Analysis.....	9
2.2.5	Intersection Analysis	10
3.0	Crash and Safety Analysis.....	12
3.1	Crash Severity	12
3.2	Crash Rate Analysis – Intersections.....	15
3.3	Crash Conditions	17
3.4	Crash Types.....	18
4.0	Traffic Forecasting Methodology.....	19
4.1	Historical Growth.....	19
4.2	BEBR Population Projections.....	19
4.3	Model Growth Rates.....	20
4.4	Applied Growth Rate.....	20
5.0	Future Traffic Projections.....	21
5.1	Forecasted AADT Volumes	21
5.2	Traffic Factors.....	21
5.3	Design Hour Volume	23
5.4	Design Turning Movement Volumes	23
6.0	Future Traffic Analysis.....	24
6.1	Future No Build	24
6.2	Intersection Control Evaluation	25
6.3	Build Scenario	26
7.0	Recommendations.....	28

FIGURES

Figure 1: Project Location Map	5
Figure 2: Intersection Configuration (Cortez Rd W to Pointe West Blvd W)	7
Figure 3: Intersection Configurations (Pointe West Blvd W to Manatee Ave)	8
Figure 4: Crash History, 2016-2020 (Cortez Rd to Pointe West Blvd W)	13
Figure 5: Crash History, 2016-2020 (Pointe West Blvd W to Manatee Ave W)	14

TABLES

Table 1: Existing AADT Volumes and 2021 Estimates.....	9
Table 2: Existing (2021) Annual Average Daily Segment LOS	9
Table 3: Existing (2021) Intersection LOS and Delay	10
Table 4: Performance Measures - 59th Street and Manatee Avenue.....	10
Table 5: Five Year Crash Severity Summary.....	12
Table 6: Intersection Crash Rates, 2016 - 2020	15
Table 7: High-Crash Intersection Summary.....	16
Table 8: Contributing Factors to Crashes Summary.....	17
Table 9: Crash Summary by Crash Type.....	18
Table 10: BEBR Population Projections	20
Table 11: AADT Volume Summary.....	21
Table 12: Calculated K-factors.....	22
Table 13: Calculated D-Factors	22
Table 14: Calculated DHT and T-Factor.....	22
Table 15: DHV Summary.....	23
Table 16: No Build Scenario Segment LOS	24
Table 17: No Build Scenario Intersection LOS and Delay	25
Table 18: ICE Benefit-Cost Summary.....	26
Table 19: Build Scenario Segment LOS	27
Table 20: Build Scenario Intersection LOS and Delay	27

ATTACHMENTS

- Attachment A: Turning Movement Count Data
- Attachment B: Intersection Volume Development Worksheets
- Attachment C: Signal Timing Worksheets
- Attachment D: Synchro Outputs
- Attachment E: Intersection Control Evaluation

1.0 Introduction

Manatee County is conducting a Project Development & Corridor Study to evaluate a 2.3-mile segment of 59th Street West (59th Street) from Cortez Road/State Road (SR) 684 to Manatee Avenue/SR 64. The project limits are partially within the City of Bradenton and unincorporated Manatee County, Florida, as shown in **Figure 1**. The study will evaluate options for widening the existing 2-lane roadway to a 4-lane roadway with a center left turn lane and/or median in addition to providing an enhanced mobility experience for all users.

As a part of the Project Development and Corridor Study, this Design Traffic Memorandum (DTM) is provided to describe the existing corridor characteristics and existing traffic level of service (LOS) as well as to detail the methodologies employed to forecast future traffic demand, report the results of traffic projections, and evaluate the anticipated performance of the 59th Street corridor in the future. The DTM includes an analysis of the anticipated operational performance of the 59th Street Corridor under future No Build (no improvements to the study corridor) and future Build scenarios for Opening Year 2025 and Design Year 2045.

1.1 Memo Purpose

The purpose of this Design Traffic Memo is to document the existing traffic data, safety evaluation, future traffic analysis, and the recommended intersection control and geometry.


Based on anticipated deficiencies in the No Build scenario, potential corridor improvements are needed to improve safety and increase capacity along the corridor. In addition to the roadway segment capacity analysis, six major intersections along the corridor (Cortez Road, 29th Avenue, 21st Avenue, 17th Avenue, 11th Avenue, Manatee Avenue) were evaluated based on their crash history and operational performance. Operational analyses for the 59th Street study corridor are conducted for the following scenarios:

- Existing Conditions (2021): 2021 traffic volumes on the existing roadway network.
- Future No Build (2025): Projected future traffic volumes on the existing roadway network.
- Future Build (2025): Projected future traffic volumes on an improved roadway network. Improvements consist of widening 59th Street to a four-lane divided facility with two northbound lanes and two southbound lanes.
- Future No Build (2045): Projected future traffic volumes on the existing roadway network.
- Future Build (2045): Projected future traffic volumes on an improved roadway network. Improvements consist of widening 59th Street to a four-lane divided facility with two northbound lanes and two southbound lanes.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Figure 1: Project Location Map



2.0 Existing Traffic

2.1 Corridor Characteristics Roadway Geometry

2.1.1 Cross Section Elements

The majority of the 59th Street study corridor features two vehicular travel lanes and a two-way left-turn (TWLT) lane median. The corridor features four vehicular travel lanes (two in each direction) and raised medians from Cortez Road to 42nd Avenue West (approximately 700 feet), from approximately 600 feet south of 17th Avenue to approximately 600 feet north of 17th Avenue, and from 7th Avenue Drive West to Manatee Avenue (approximately 700 feet). The typical section does not feature paved shoulders.

Approximately 20% of the study corridor features curb and gutter on both sides of 59th Street, 40% features curb and gutter on one side, and 40% does not feature curb and gutter on either side of 59th Street.

2.1.2 Horizontal and Vertical Elements

The 59th Street study corridor does not feature any significant horizontal or vertical curves within the study limits.

2.1.3 Intersection Configurations

Figure 2 and **Figure 3** illustrate the existing lane configurations for the six signalized intersections along the 59th Street study corridor.

2.1.4 Speed Limit


The posted speed limit along the 59th Street study corridor is 40 miles per hour (MPH).

The marked and signed school zone for H.S. Moody Elementary School and W.D. Sugg Middle School on 59th Street starts approximately 390 feet south of 36th Avenue and terminates north of 39th Avenue. The school zone has a posted speed limit of 20 MPH and is active from 7:20 AM to 9:50 AM and from 2:45 PM to 4:40 PM.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue


Figure 2: Intersection Configuration (Cortez Rd W to Pointe West Blvd W)



Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Figure 3: Intersection Configurations (Pointe West Blvd W to Manatee Ave)



2.2 Existing Traffic Analysis

2.2.1 Manatee County LOS Standards

The Manatee County adopted LOS for 59th Street study corridor is LOS D.

2.2.2 Segment Volumes

Annual Average Daily Traffic (AADT) volumes for the study corridor were gathered from Manatee County's online Traffic Counts Geographic Information System (GIS) application. A historical growth rate of 1.04%, based on historical AADT volumes, was used to grow 2019 AADT volumes to the existing year (2021) for existing conditions analyses. Year 2020 AADT volumes were significantly less than the previous year due to the COVID-19 pandemic causing abnormal traffic patterns on roadways and were therefore disregarded from historical growth calculations. The AADT volumes for 59th Street are summarized in **Table 1**.

Table 1: Existing AADT Volumes and 2021 Estimates

Count Station No.	Location	2019 AADT	2020 AADT	2021 AADT (Estimate)
MCTE 01-09	200 ft North of Cortez Rd	17,663	14,851	18,000
MCTE 01-43	200 ft South of 17th Ave	16,222	14,884	16,500
MCTE 01-11	200 ft South of Manatee Ave	16,224	14,991	16,500

2.2.3 Turning Movement Counts

Historical turning movement counts (TMCs) were provided by Manatee County for the signalized intersections along the 59th Street study corridor. TMC data is provided in **Attachment A**. The data collected was adjusted using seasonal factors from the FDOT 2019 Peak Season Category Factor Report for Manatee County. The application of seasonal factors is illustrated in the volume development worksheets provided in **Attachment B**.

2.2.4 Segment Analysis

The 59th Street study corridor is comprised of four study segments based on Table 5-1 in Manatee County's latest Comprehensive Plan. Segment performance was analyzed using service capacities from the FDOT Quality/Level of Service (Q/LOS) Handbook (2020).

The LOS results of the existing (2021) daily conditions segment analysis are shown in **Table 2**. The southern segment of 59th Street from Cortez Road to 21st Avenue exceed their adopted LOS service capacity under existing (2021) daily conditions. The northern segments of 59th Street from 21st Avenue to Manatee Avenue operate within their adopted LOS service capacities; however, the northern segments are within 3% of the adopted LOS service capacity.

Table 2: Existing (2021) Annual Average Daily Segment LOS

Segment	AADT	LOS
---------	------	-----

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

North Limit	South Limit		Adopted Service Volume	
41st Avenue	Cortez Road	18,000	16,727	F
21st Avenue	41st Avenue	18,000		F
17th Avenue	21st Avenue	16,500		D
Manatee Avenue	17th Avenue	16,500		D

2.2.5 Intersection Analysis

The *Synchro 11* software package was utilized to evaluate existing conditions at the signalized intersections on the 59th Street corridor during the AM and PM peak hours. The latest traffic signal timings and phasing operations were provided by Manatee County (**Attachment C**) and used in the analysis. **Table 3** summarizes the overall delay, LOS, and max volume-to-capacity (v/c) ratios for the signalized intersections in the 59th Street study corridor. *Synchro* output reports are included in **Attachment D**.

Table 3: Existing (2021) Intersection LOS and Delay

Intersection	Weekday AM Peak Hour			Weekday PM Peak Hour		
	LOS	Delay (s/veh)	Max v/c	LOS	Delay (s/veh)	Max v/c
Cortez Road W	B	19.1	0.85 (SBL)	C	28.3	0.92 (SBL)
29th Avenue W	B	14.3	0.59 (EBT/R)	B	13.9	0.61 (SBT/R)
21st Avenue W	C	21.7	0.83 (WBT/R)	C	24.4	0.84 (EBT/R)
17th Avenue W	B	18.1	0.56 (WBT)	B	18.2	0.53 (EBT)
11th Avenue W	B	10.9	0.61 (EB)	A	9.7	0.62 (EB)
Manatee Avenue W	E	66.7	1.27 (EBR)	F	86.5	1.66 (NBR)

Under existing (2021) conditions, all study intersections operate with LOS C or better during the AM and PM peak hours except the intersection of 59th Street and Manatee Avenue. The intersection of 59th Street and Manatee Avenue operates with LOS E during the AM peak hour and LOS F during the PM peak hour. The analysis indicates that several minor street approaches operate at LOS E or F and several movements have peak hour volumes exceeding their capacities (v/c ratios exceed 1.00) by significant margins.

During the AM peak hour, the northbound right-turn movement exceeds its capacity. During the PM peak hour, the westbound left-turn, northbound left-turn, and northbound right-turn movements exceed their respective capacities. More detailed performance measures for the intersection of Manatee Avenue and 59th Street are shown in **Table 4**.

Table 4: Performance Measures - 59th Street and Manatee Avenue

	AM Peak Hour	PM Peak Hour
--	--------------	--------------

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

	Delay (s/veh)	LOS	v/c	95 th Percentile Queue	Delay (s/veh)	LOS	v/c	95 th Percentile Queue
Overall Intersection	66.7	E	-	-	86.5	F	-	-
Eastbound	51.9	D	-	-	44.5	D	-	-
<i>EBL</i>	96.1	F	0.51	1.0	108.1	F	0.78	3.1
<i>EBT</i>	53.4	D	0.80	25.0	45.3	D	0.81	31.9
<i>EBR</i>	41.3	D	0.34	9.5	31.7	C	0.33	10.8
Westbound	41.4	D	-	-	47.3	D	-	-
<i>WBL</i>	93.9	F	0.95	23.4	154.1	F	1.09	25.3
<i>WBT</i>	26.2	C	0.57	19.5	26.6	C	0.66	25.7
<i>WBR</i>	18.6	B	0.10	2.9	16.8	B	0.11	3.4
Northbound	140.9	F	-	-	232.4	F	-	-
<i>NBL</i>	95.1	F	0.92	17.2	144.6	F	1.08	26.0
<i>NBT</i>	70.6	E	0.56	8.1	81.3	F	0.75	13.4
<i>NBR</i>	227.0	F	1.27	22.9	388.9	F	1.66	44.0
Southbound	97.2	F	-	-	106.8	F	-	-
<i>SBL</i>	93.3	F	0.91	16.3	97.8	F	0.90	14.7
<i>SBT/R</i>	102.9	F	0.88	12.7	118.6	F	0.90	12.9

3.0 Crash and Safety Analysis

Crash data for years 2016 to 2020 were obtained from the University of Florida’s *Signal Four Analytics* web application within the 2.3-mile extents of the 59th Street study corridor. Crash details including crash location, crash type, time of crash, lighting conditions, surface conditions, and other contributing factors were assessed to identify potential high-crash locations and trends.

A total of 207 crashes including 58 injury crashes and 149 property damage only (PDO) crashes were reported over the five-year period from January 1, 2016 to December 31, 2020. The annual crash frequency generally fell during the study period, with 54 crashes reported in 2016 and 27 crashes reported in 2020. **Figure 5** and **Figure 6** illustrate the crashes locations along the 59th Street study corridor during the five-year analysis period.

3.1 Crash Severity

Crashes resulting in an injury accounted for 28% of total crashes during the analysis period. **Table 5** summarizes the crashes that occurred in the study area by severity.


Table 5: Five Year Crash Severity Summary

Crash Severity	Year					Total
	2016	2017	2018	2019	2020	
Injury	14	12	15	10	7	58
PDO	40	39	30	20	20	149
Total	54	51	45	30	27	207

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Figure 4: Crash History, 2016-2020 (Cortez Rd to Pointe West Blvd W)



Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Figure 5: Crash History, 2016-2020 (Pointe West Blvd W to Manatee Ave W)



3.2 Crash Rate Analysis – Intersections

Crash data were summarized at prominent intersections along the corridor. The criterion used to define a high crash intersection was an intersection experiencing more than 20 crashes over the analysis period. The limits of the area of influence for each intersection were extended 250 feet in each direction along 59th Street to include crashes that were likely related to the intersection.

Table 6 summarizes the results of the crash rate analysis for signalized intersections on 59th Street. Intersection crash rates were calculated as the number of crashes per million entering vehicles (MEV). High crash intersections are denoted in **bold**.

Table 6: Intersection Crash Rates, 2016 - 2020

Intersection	Intersection Type		2016	2017	2018	2019	2020	Total
Cortez Road	Signal	Total Crashes	13	11	10	10	4	48
		Crash Rate	0.74	0.66	0.60	0.60	0.26	0.58
29th Avenue W	Signal	Total Crashes	2	1	2	0	2	7
		Crash Rate	0.30	0.15	0.30	0.00	0.30	0.21
21st Avenue W	Signal	Total Crashes	5	6	6	2	4	23
		Crash Rate	0.56	0.65	0.69	0.24	0.55	0.54
17th Avenue W	Signal	Total Crashes	2	3	1	2	0	8
		Crash Rate	0.28	0.43	0.14	0.28	0.00	0.23
11th Avenue W	Signal	Total Crashes	2	2	2	1	2	9
		Crash Rate	0.38	0.38	0.38	0.19	0.38	0.34
Manatee Avenue W	Signal	Total Crashes	14	8	9	2	7	40
		Crash Rate	0.79	0.40	0.49	0.11	0.39	0.44

The highest quantity of crashes at any one intersection over the five-year period occurred at the intersection of 59th Street and Cortez Road. Approximately 23% (48 crashes) of all study area crashes occurred at this intersection. This intersection also had the highest crash rate among all intersections in the study area at 0.58 crashes per MEV.

The intersection of 59th Street and 47th Avenue was the only unsignalized intersection to meet the criterion for a high crash intersection with 22 (10.6% of total) crashes occurring over the analysis period.

Crash histories at high-crash intersections were analyzed further to determine any trends or prominent crash types that may warrant safety improvements. **Table 7** summarizes the most common crash types at each high-crash intersection.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Table 7: High-Crash Intersection Summary

Intersection	Total Crashes	Crash Types			
		Type	Number	Percent of Intersection	Notes
Cortez Road	40	Rear End	22	46%	SB = 59% EB/WB = 41%
		Left Turn	13	27%	EBL = 92% WBU = 8%
		Other	13	27%	Sideswipe = 13% Right Turn = 10%
42 nd Avenue West	23	Left Turn	9	41%	NBL = 67% EBL = 33%
		Angle	6	27%	NE/NW = 50% SE/SW = 50%
		Other	7	32%	Off Road = 23% Rear End = 9%
21st Avenue West	22	Rear End	14	61%	NB/SB = 93% EB/WB = 7%
		Left Turn	4	17%	SBL = 75% EBL = 25%
		Other	5	22%	Angle = 13% Right Turn = 9%
Manatee Avenue	48	Rear End	13	33%	NB/SB = 62% EB/WB = 38%
		Left Turn	9	22%	WBL = 56% EBL = 22% SBL = 22%
		Other	18	45%	Sideswipe = 18% Right Turn = 13%

At the intersection of Cortez Road and 59th Street, rear-end crashes were the most common crash type, accounting for approximately 46% of crashes at the intersection. Nearly 60% of those crashes occurred on the southbound 59th Street approach. The second most common collision type was left-turn crashes, which accounted for 27% of crashes at the intersection. Twelve of the 13 left-turn crashes involved an eastbound left-turning vehicle.

At the intersection of 42nd Avenue West and 59th Street, left-turn crashes were the most common crash type, accounting for approximately 41% of total crashes at the intersection. Two-thirds of the left-turn crashes involved a northbound left-turning vehicle. The second most common crash type at the intersection was angle crashes, which comprised 27% of crashes at the intersection.

At the intersection of 21st Avenue West and 59th Street, rear-end crashes were the most common crash type, accounting for approximately 61% of total crashes at the intersection. Thirteen of 14 rear-end crashes at the intersection occurred on the northbound and southbound approaches. The second most common crash type was left-turns crashes, accounting for 17% of total crashes at the intersection.

At the intersection of Manatee Avenue and 59th Street, rear-end crashes were the most common crash type, accounting for approximately 33% of total crashes at the intersection. Of these crashes,

62% occurred on 59th Street on the northbound and southbound approaches. The second most common crash type was left-turn crashes, which accounted for approximately 23% of total crashes at the intersection; the majority of left-turn crashes involved a westbound left-turning vehicle.

3.3 Crash Conditions

Crashes that occurred during dark conditions (including dawn and dusk conditions) accounted for 15% of crashes, crashes that occurred on wet surface conditions accounted for 10% of crashes, and alcohol was involved in 2% of all crashes. **Table 8** summarizes these crash conditions in the study area.

Table 8: Contributing Factors to Crashes Summary

Year	Total Crashes	Dark	Wet	Alcohol
2016	54	8	6	0
2017	51	6	5	2
2018	45	5	4	0
2019	30	6	5	1
2020	27	6	1	1
Total	207	31	21	4
Percent of Total		15%	10%	2%

3.4 Crash Types

Rear end crashes were the most common crash type on 59th Street, accounting for 80 crashes (38.6%) during the analysis period. The frequency of rear end crashes dropped significantly within the five-year period, most noticeably on the eastbound and westbound approaches of Cortez Road and Manatee Avenue.

Left-turn crashes were the second most common crash type, with 50 crashes (24.2%). Of the crashes resulting in injuries, 35% were left-turn crashes and 31% were rear-end crashes. **Table 9** details the crash data for each year by crash type.

Table 9: Crash Summary by Crash Type

Crash Type	Year					Total	Percentage
	2016	2017	2018	2019	2020		
Rear End	29	20	15	8	9	80	39%
Left Turn	11	12	12	10	5	50	24 %
Sideswipe	4	7	5	3	3	22	11%
Right Turn	3	1	4	2	5	15	7%
Angle	5	4	1	3	2	15	7%
Off Road	2	3	5	2	2	14	7%
Bicycle	0	1	2	1	1	5	2%
Other	1	1	0	1	0	3	1%
Head On	0	2	0	0	0	2	<1%
Rollover	0	0	1	0	0	1	<1%

Of the five bicycle crashes reported in the study corridor, all resulted in the in injury to the bicyclist, with one classified as an incapacitating injury. Two crashes occurred while the bicyclist was within a crosswalk and three crashes occurred while the bicyclist occupied a travel lane on 59th Street. No two bicycle crashes occurred in the same location. The incapacitating crash was a result of a bicyclist attempting to cross 59th Street from west to east approximately 150 feet south of the intersection of 59th Street and 40th Avenue during dark unlighted conditions and being struck by a northbound vehicle.

4.0 Traffic Forecasting Methodology

This section describes the methodologies employed to forecast future traffic demand.

Consistent with the FDOT *2019 Project Traffic Forecasting Handbook*, several tools were utilized to forecast future traffic projections. Historical trends, Manatee County population projections, and travel demand modeling were each reviewed to determine the most appropriate growth rates for forecasting future traffic projections.

4.1 Historical Growth

Historical AADT volumes on 59th Street were utilized to calculate a historical growth rate. Manatee County collects traffic data in several locations along 59th Street. Three count stations exist along 59th Street W: one 200 feet south of Manatee Avenue, one 200 feet south of 17th Avenue, and one 200 feet north of Cortez Road. Daily traffic volumes were collected each year from 2010 to 2020. Historical AADT volumes for a five-year period (2015 – 2019) and a ten-year period (2010-2019) were input into the FDOT *Trend* worksheet to calculate trend growth rates through the Design Year (2045). Traffic data from the year 2020 was not used due to COVID-19 causing abnormal traffic patterns throughout the year.

The ten-year historical traffic trend yielded a higher R-squared value than the five-year historical traffic trend, indicating that the ten-year traffic trend analysis annual growth rate estimate more closely fits the data; therefore, the ten-year historical traffic growth of 1.04% was assumed on 59th Street.

4.2 BEBR Population Projections

The University of Florida's Bureau of Economic and Business Research (BEBR) analyzes the population growth in every county throughout Florida. Annually, BEBR publishes a range of projected county populations for each fifth year from 2025 to 2045. The growth rate implied by the BEBR projections for Manatee County through the Design Year (2045) were considered in determining growth rates for the study corridor.

Table 10 depicts the low, medium, and high population predictions for Manatee County, as well as the associated annual growth rates. For the purposes of this DTM, the BEBR low and high population growth rates are treated as bounds within which the selected growth rates should fall.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Table 10: BEBR Population Projections

2020	Projection	Year					Annual Percentages
		2025	2030	2035	2040	2045	
398,503	Low	401,400	419,000	431,900	442,600	449,600	0.46%
	Medium	437,600	470,000	498,000	522,600	522,600	1.21%
	High	470,200	520,600	566,100	611,400	611,400	1.92%

4.3 Model Growth Rates

The most recently adopted version of the District 1 Regional Planning Model (D1RPM) was utilized to determine model growth rates based on the anticipated future roadway network and planned developments through the Design Year (2045). Socioeconomic data provided by Manatee County was input into the future year (2045) ZDATA to reflect planned development within the county, and both a No Build (two-lane) and Build (four-lane) scenario were modeled for the 59th Street study corridor. Model AADT volumes for future year 2045 were compared to those of the model base year (2015) to calculate the implied growth rate of 59th Street for each scenario.

The average annual growth rate based on the No Build model scenario was 0.42% and the average annual growth rate based on the Build model scenario was 1.13%. The difference in growth rates indicates unmet demand on the 59th Street study corridor when its capacity is constrained to the existing two-lane capacity in the Design Year (2045).

4.4 Applied Growth Rate

Upon reviewing historical trends, Manatee County population projections, and the travel demand model with and without the widening of the 59th Street study corridor, the model growth rate of 1.13% was selected for the forecasting of future traffic demand. The 1.13% growth rate is within the bounds of the BEBR low and high population growth rates and is relatively consistent with the historical traffic growth trend of the study corridor.

5.0 Future Traffic Projections

Future traffic projections were developed as detailed in the following sections.

5.1 Forecasted AADT Volumes

Existing (2021) AADT volumes were grown from 2019 AADT volumes collected by Manatee County Traffic Engineering. 2021 AADT volumes were then used to forecast 2025 and 2045 AADT volume projections.

Table 11 summarizes the 2021 AADT volumes as well as the Opening Year 2025 and Design Year 2045 forecasted AADT volumes for the 59th Street study corridor. These volume projections are rounded to the nearest five hundred vehicles per day.

Table 11: AADT Volume Summary

Segment		2021 AADT	2025 AADT	2045 AADT
North	South			
D1RPM Build Growth Rate: 1.13%				
41st Avenue	Cortez Road	18,000	19,000	23,500
21st Avenue	41st Avenue	18,000	19,000	23,500
17th Avenue	21st Avenue	16,500	17,500	21,500
Manatee Avenue	17th Avenue	16,500	17,500	21,500

5.2 Traffic Factors

The Standard K factor was applied to the projected AADT to calculate design hour volumes (DHV) per the FDOT *2019 Project Traffic Forecasting Handbook*. The Standard K for urban major collectors, 9.0, will be used for the forecasting of the DHVs.

For comparison, the existing K factor was determined by calculating the proportion of daily traffic that occurs during the peak hour of the day. Using continuous 24-hour counts, existing K factors for the 59th Street study corridor were calculated and are summarized in **Table 12**. The existing K factors were found to generally be lower than the 9.0 Standard K, indicating that daily traffic volumes on 59th Street are less concentrated during the PM peak hour than might typically be expected on an urban major collector. In the future design hour analysis, the Standard K is applied, based on the assumption that traffic patterns will shift slightly to make the peak hour more consistent with other urban major collectors.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Table 12: Calculated K-factors

Intersecting Street	NB Approach	SB Approach	Combined Approaches
Cortez Road	N/A	N/A	N/A
29th Avenue W	7.7%	N/A	N/A
21st Avenue W	9.0%	8.2%	8.4%
17th Avenue W	9.5%	7.6%	8.5%
11th Avenue W	9.2%	N/A	N/A
Manatee Avenue	N/A	N/A	N/A

N/A: 24-hour traffic counts were not available

The D-factor applied to future volumes is representative of the peak directional distribution of traffic during the peak hour on a given roadway segment. D-factors were calculated for the 59th Street study corridor using the peak hour TMCs and are summarized in **Table 13**.

Table 13: Calculated D-Factors

Intersecting Street	Peak Direction	Calculated D-Factor
Cortez Road	SB	0.55
29th Avenue	SB	0.56
21st Avenue	SB	0.51
17th Avenue	NB	0.52
17th Avenue	NB	0.52
Manatee Avenue	NB	0.53

The percentage of trucks using a corridor during the peak hour is the design hour truck (DHT) factor and the percentage of trucks using a corridor during a 24-hour period is the T-factor. DHT factors and T-factors were calculated from the TMC data provided by Manatee County Traffic Engineering. The calculated DHT factors and T-factors at each signalized intersection along the 59th Street study corridor can be found in **Table 14**.

Table 14: Calculated DHT and T-Factor

Intersecting Street	DHT	T-Factor
Cortez Road	1.2%	2.3%
29th Avenue W	1.1%	2.2%
21st Avenue W	1.1%	2.2%
17th Avenue W	1.8%	3.6%
11th Avenue W	0.7%	1.5%
Manatee Avenue	1.1%	2.1%

5.3 Design Hour Volume

For future year forecasts, DHVs are calculated based on the forecasted AADT volumes multiplied by the Standard K factor (0.09). DHVs for the Opening Year 2025 and Design Year 2045 conditions are summarized in **Table 15**. Volumes are rounded to the nearest 50 vehicles per hour.

Table 15: DHV Summary

Limits		2021 DHV	2025 DHV	2045 DHV
North	South			
D1RPM Build Growth Rate: 1.13%				
41st Avenue	Cortez Road	1,600	1,700	2,050
21st Avenue	41st Avenue	1,600	1,700	2,050
17th Avenue	21st Avenue	1,500	1,550	1,900
Manatee Avenue	17th Avenue	1,500	1,550	1,900

5.4 Design Turning Movement Volumes

The turning movement counts provided by Manatee County Traffic Engineering were grown to Existing (2021) year turning movement volumes using seasonal factors and the average historical growth rate of 1.04%. The Opening Year (2025) and Design Year (2045) turning movement volumes were then forecasted using the growth rate of 1.13%. Forecasted turning movement volumes are provided in **Attachment B**.

6.0 Future Traffic Analysis

The future traffic analyses were performed initially with the existing roadway facility (No Build condition) as a baseline for comparison of corridor improvement alternatives and to illustrate the impact of the anticipated background traffic growth. Corridor improvement alternatives to address deficiencies were then evaluated. In addition to the 59th Street segment capacity, signalized intersections along the corridor were evaluated for operational performance, and improvements are recommended for the intersections where necessary.

The FDOT Generalized Level of Service Tables were used to evaluate the capacity of the roadway and TrafficWare’s *Synchro 11* software was used to evaluate the intersection operations of projected Opening Year 2025 and Design Year 2045 scenarios. Operational analyses were performed for a future No Build and a future four-lane Build scenario.

6.1 Future No Build

For the future No Build scenario, all intersection geometry and timing characteristics were considered consistent with existing conditions. The results of the segment analysis for the Opening Year and Design Year No Build scenario are shown in **Table 16**. The entirety of the study corridor is expected to operate at LOS F through the Design Year (2045) if no capacity improvements are implemented. The service volume threshold is based on the daily LOS D service volume from the FDOT Q/LOS Handbook of 16,727 vehicles per day for an urban two-lane, interrupted flow, non-state facility with left-turn lanes.

Table 16: No Build Scenario Segment LOS

Segment		Opening Year, 2025		Design Year, 2045	
South Limit	North Limit	AADT	LOS	AADT	LOS
41st Avenue	Cortez Road	19,000	F	23,500	F
21st Avenue	41st Avenue	19,000	F	23,500	F
17th Avenue	21st Avenue	17,500	F	21,500	F
Manatee Avenue	17th Avenue	17,500	F	21,500	F

The results of the Synchro intersection analyses for the Opening Year and Design Year No Build scenario are shown in **Table 17**. Detailed Synchro reports for each intersection are included in **Attachment D**.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Table 17: No Build Scenario Intersection LOS and Delay

Intersection	Opening Year 2025 Design Hour			Design Year 2045 Design Hour		
	LOS	Delay (s)	Max v/c	LOS	Delay (s)	Max v/c
Cortez Road W	C	29.5	0.93 (SBL)	D	40.0	1.10 (SBL)
29th Avenue W	B	14.6	0.64 (SBT/R)	B	17.7	0.84 (SBT/R)
21st Avenue W	C	24.7	0.84 (EBT/R)	C	29.2	0.85 (EBT/R)
17th Avenue W	B	18.2	0.54 (EBT)	B	17.7	0.60 (NBT)
11th Avenue W	B	10.1	0.63 (EB)	B	14.1	0.66 (EB)
Manatee Avenue W	F	97.8	1.84 (NBR)	F	167.1	2.85 (NBR)

The intersection of Manatee Avenue and 59th Street is anticipated to perform at LOS F during the Design Hour in the Opening Year 2025 and Design Year 2045 No Build scenarios. The northbound left-turn, northbound right-turn, and westbound left-turn movements are expected to exceed their respective capacities under Opening Year 2025 Design Hour conditions. The westbound left-turn, all northbound movements, southbound through, and southbound right-turn movements are expected to exceed their respective capacities under Design Year 2045 Design Hour conditions.

6.2 Intersection Control Evaluation

An Intersection Control Evaluation (ICE) was undertaken at each of the signalized intersections along the 59th Street corridor except the termini at Manatee Avenue and Cortez Road, which are FDOT-maintained. Alternative intersection controls were eliminated at the intersection of 59th Street and 29th Avenue because the east leg serves Fire Station 3 and roundabouts were not considered to be a context sensitive solution. The ICE process considers the safety and capacity benefits of various alternative intersection control types for comparison with the existing conditions on the study corridor and provides a mechanism for evaluating the associated benefit-to-cost (B/C) ratio. The ICE worksheets available from FDOT were utilized to analyze the viability and potential benefit of signal improvements and roundabouts along the study corridor.

A comparison of the safety and delay benefit-to-cost ratios for each alternative is summarized in **Table 18**. Within the ICE framework monetary costs are assigned to aspects such as construction and design, right-of-way acquisition, vehicle delay, and crashes. Benefits are calculated in terms of reduced costs of delay and crashes relative to the base case. Costs are calculated in a similar manner in terms of the difference in design, construction, and right-of-way costs of the alternative as compared to the base case. The B/C ratio is then calculated by comparing the monetary benefits of delay reduction and crash reduction to the cost of construction and right-of-way acquisition of implementing that alternative.

Three alternatives were compared at each intersection within the ICE framework: the existing signal as no build scenario and base comparison case, a two by one roundabout, and a signalized intersection with an additional through lane in each direction.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Based on the Safety Performance Intersection Control Evaluation (SPICE) analysis, the improved signalized intersection alternatives are not anticipated to have significant safety benefits at any of the intersections. However, all alternatives are expected to reduce delay experienced at the intersections.

Table 18: ICE Benefit-Cost Summary

Intersection	Alternative	Delay B/C	Safety B/C	Total B/C
21st Avenue	No Build	Base	Base	Base
	2 x 1 Roundabout	8.02	0.28	8.30
	2 x 1 Signal	8.94	-0.08	8.86
17th Avenue	No Build	Base	Base	Base
	2 x 1 Roundabout	10.54	0.03	10.57
	2 x 1 Signal	3.65	-0.14	3.51
11th Avenue	No Build	Base	Base	Base
	2 x 1 Roundabout	1.17	0.72	1.90
	2 x 1 Signal	1.15	-0.07	1.08

Although the roundabout alternative at 11th Avenue has a slightly higher B/C ratio than the improved signal alternative, the right-of-way costs are considered cost-prohibitive since the two alternatives provide similar reductions in delay. The recommended improvements are an improved signal at 59th Street and 11th Avenue, a two-by-one roundabout at 59th Street and 17th Avenue, and an improved signal at 59th Street and 21st Avenue. The ICE forms and supporting documentation are provided in **Attachment E**.

6.3 Build Scenario

For the future four-lane Build scenario, intersection geometries along the study corridor were modified to reflect the widening of 59th Street to include two through lanes in both the northbound and southbound directions for all intersections and the results the ICE recommendations above. The results of the segment analysis for the 59th Street study corridor segments are shown below in **Table 19**.

Design Traffic Memorandum

59th Street West – Cortez Rd to Manatee Avenue

Table 19: Build Scenario Segment LOS

Segment		Opening Year, 2025		Design Year, 2045	
South Limit	North Limit	AADT	LOS	AADT	LOS
41st Avenue	Cortez Road	19,000	C	23,500	C
21st Avenue	41st Avenue	19,000	C	23,500	C
17th Avenue	21st Avenue	17,500	C	21,500	C
Manatee Avenue	17th Avenue	17,500	C	21,500	C

The results of the Synchro intersection analysis for the 59th Street study corridor intersections in the four-lane future Build scenario are shown in Table 20: Build Scenario Intersection LOS and Delay **Table 20**.

Table 20: Build Scenario Intersection LOS and Delay

Intersection	Opening Year 2025 Peak Hour			Design Year 2045 Peak Hour		
	LOS	Delay (s)	Max v/c	LOS	Delay (s)	Max v/c
Cortez Road W	C	30.2	0.93 (SBL)	D	42.0	1.10 (SBL)
29th Avenue W	B	11.7	0.60 (EBL)	B	11.8	0.62 (EBL)
21st Avenue W	C	23.2	0.84 (EBT/R)	C	22.5	0.85 (EBT/R)
17th Avenue W	A	6.6	0.34 (NBT/R)	A	7.9	0.43 (NBT/R)
11th Avenue W	B	11.3	0.63 (EB)	B	11.6	0.66 (EB)
Manatee Avenue W	F	98.2	1.84 (NBR)	F	167.7	2.85 (NBR)

Operational analyses of the Four-Lane Build scenario indicate that all intersections except for the intersection of Manatee Avenue with 59th Street are expected to operate at an acceptable LOS with only the movements at the Manatee Avenue and Cortez Road intersections exceeding capacity.

No changes were made at the intersections of 59th Street with Manatee Avenue or Cortez Road, since 59th Street already has two lanes per direction at those intersections. Significant improvements along the Manatee Avenue corridor mainline or Cortez Road mainline would be required to improve operations to LOS D or better and reduce v/c ratios to less than 1.00 through Design Year 2045. Since Manatee Avenue and Cortez Road are FDOT roadways, these improvements are considered outside the scope of this Manatee County study. Intersection geometry and signal timings at the intersections of 59th Street with Manatee Avenue and Cortez Road are assumed to be consistent with existing conditions throughout this analysis.

7.0 Recommendations

Due to congestion on Manatee Avenue, the intersection of Manatee Avenue and 59th Street is anticipated to operate at LOS F under Opening Year 2025 and Design Year 2045 conditions, even if 59th Street is widened. Addressing the intersection congestion would require FDOT to design and construct major capacity improvements to Manatee Avenue, which are beyond the scope of this Manatee County study. All other intersections along 59th Street are anticipated to operate at LOS D or better.

South of Manatee Avenue, future congestion justifies widening the corridor to a four-lane facility. The corridor is anticipated to operate acceptably under this Build scenario, which includes converting the intersection of 59th Street and 17th Avenue to a two-by-one roundabout. The existing dedicated turn lane lengths at each of the signalized intersections along the 59th Street corridor are sufficient to accommodate Design Year 2045 queues and should be replicated under the Build scenario.

Attachments

Attachment A: Turning Movement Count Data


FDOT D1
 TWO #18 - SR684
 Int Name: SR 684
 Weekday TMC

Vanasse Hangen Brustlin, Inc.
 225 East Robinson Street, Suite 300
 Landmark Center Two
 Orlando, Florida, United States 32801
 407-839-4006 gbroadfoot@vhb.com

Count Name: 16t - SR 684 at
 59th Street W /Weekday
 Site Code:
 Start Date: 01/18/2018
 Page No: 1

Turning Movement Data

Start Time	SR 684 Eastbound					SR 684 Westbound					59th Street W Southbound					Int. Total
	U-Turn	Left	Thru	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Left	Right	Peds	App. Total	
7:00 AM	0	20	127	0	147	0	94	62	0	156	0	79	24	0	103	406
7:15 AM	1	14	155	0	170	0	129	68	0	197	0	89	29	0	118	485
7:30 AM	2	26	171	0	199	0	164	68	0	232	0	97	32	0	129	560
7:45 AM	0	24	177	2	201	0	221	121	0	342	0	94	18	2	112	655
Hourly Total	3	84	630	2	717	0	608	319	0	927	0	359	103	2	462	2106
8:00 AM	0	28	178	0	206	0	200	92	0	292	0	69	18	0	87	585
8:15 AM	1	30	185	3	216	0	197	102	0	299	0	98	28	3	126	641
8:30 AM	0	36	198	1	234	0	182	107	0	289	0	82	37	1	119	642
8:45 AM	0	33	202	1	235	0	151	110	0	261	0	87	21	0	108	604
Hourly Total	1	127	763	5	891	0	730	411	0	1141	0	336	104	4	440	2472
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11:30 AM	0	32	237	0	269	0	228	76	0	304	0	130	54	0	184	757
11:45 AM	1	28	293	0	322	0	260	79	1	339	0	97	32	0	129	790
Hourly Total	1	60	530	0	591	0	488	155	1	643	0	227	86	0	313	1547
12:00 PM	0	35	270	0	305	0	223	75	0	298	0	112	51	0	163	766
12:15 PM	2	43	276	0	321	0	241	96	0	337	0	114	34	0	148	806
12:30 PM	0	36	275	0	311	0	206	85	0	291	0	100	34	0	134	736
12:45 PM	0	33	274	0	307	0	236	113	0	349	0	102	43	0	145	801
Hourly Total	2	147	1095	0	1244	0	906	369	0	1275	0	428	162	0	590	3109
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:00 PM	0	27	276	0	303	0	262	99	0	361	0	114	36	0	150	814
2:15 PM	1	38	263	0	302	0	235	87	0	322	0	108	35	1	143	767
2:30 PM	1	33	261	0	295	2	261	87	0	350	0	101	41	2	142	787
2:45 PM	3	34	280	3	317	0	269	92	1	361	0	103	38	1	141	819
Hourly Total	5	132	1080	3	1217	2	1027	365	1	1394	0	426	150	4	576	3187
3:00 PM	1	32	306	0	339	0	257	90	0	347	0	134	46	3	180	866
3:15 PM	1	32	262	0	295	0	265	93	0	358	0	123	40	0	163	816
3:30 PM	0	53	325	0	378	0	281	97	0	378	0	110	39	2	149	905
3:45 PM	5	40	263	7	308	0	263	106	0	369	0	125	46	7	171	848
Hourly Total	7	157	1156	7	1320	0	1066	386	0	1452	0	492	171	12	663	3435
4:00 PM	0	40	244	6	284	0	220	71	0	291	0	126	41	1	167	742
4:15 PM	0	30	234	4	264	0	240	96	0	336	0	98	41	1	139	739
4:30 PM	1	25	232	0	258	0	247	87	0	334	0	108	40	0	148	740
4:45 PM	1	39	222	0	262	0	215	74	0	289	0	110	40	0	150	701
Hourly Total	2	134	932	10	1068	0	922	328	0	1250	0	442	162	2	604	2922
5:00 PM	0	35	231	0	266	0	203	101	0	304	0	126	43	1	169	739
5:15 PM	1	37	230	0	268	0	237	110	0	347	0	112	37	2	149	764
5:30 PM	1	29	215	0	245	0	223	93	0	316	0	117	35	4	152	713
5:45 PM	2	37	212	0	251	0	192	94	0	286	0	108	31	0	139	676
Hourly Total	4	138	888	0	1030	0	855	398	0	1253	0	463	146	7	609	2892
6:00 PM	2	21	184	1	207	0	226	90	0	316	0	107	30	1	137	660
6:15 PM	1	32	191	0	224	0	199	83	0	282	0	84	20	0	104	610
Grand Total	28	1032	7449	28	8509	2	7027	2904	2	9933	0	3364	1134	32	4498	22940
Approach %	0.3	12.1	87.5	-	-	0.0	70.7	29.2	-	-	0.0	74.8	25.2	-	-	-
Total %	0.1	4.5	32.5	-	37.1	0.0	30.6	12.7	-	43.3	0.0	14.7	4.9	-	19.6	-
Lights	28	997	7285	-	8310	2	6917	2807	-	9726	0	3276	1102	-	4378	22414
% Lights	100.0	96.6	97.8	-	97.7	100.0	98.4	96.7	-	97.9	-	97.4	97.2	-	97.3	97.7
Other Vehicles	0	35	164	-	199	0	110	97	-	207	0	88	32	-	120	526
% Other Vehicles	0.0	3.4	2.2	-	2.3	0.0	1.6	3.3	-	2.1	-	2.6	2.8	-	2.7	2.3
Bicycles on Crosswalk	-	-	-	1	-	-	-	-	0	-	-	-	-	0	-	-
% Bicycles on Crosswalk	-	-	-	3.6	-	-	-	-	0.0	-	-	-	-	0.0	-	-
Pedestrians	-	-	-	27	-	-	-	-	2	-	-	-	-	32	-	-
% Pedestrians	-	-	-	96.4	-	-	-	-	100.0	-	-	-	-	100.0	-	-



Turning Movement Data Plot


FDOT D1
 TWO #18 - SR684
 Int Name: SR 684
 Weekday TMC

Vanasse Hangen Brustlin, Inc.
 225 East Robinson Street, Suite 300
 Landmark Center Two
 Orlando, Florida, United States 32801
 407-839-4006 gbroadfoot@vhb.com

Count Name: 16t - SR 684 at
 59th Street W /Weekday
 Site Code:
 Start Date: 01/18/2018
 Page No: 3

Turning Movement Peak Hour Data (7:45 AM)

Start Time	SR 684 Eastbound					SR 684 Westbound					59th Street W Southbound					Int. Total
	U-Turn	Left	Thru	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Left	Right	Peds	App. Total	
7:45 AM	0	24	177	2	201	0	221	121	0	342	0	94	18	2	112	655
8:00 AM	0	28	178	0	206	0	200	92	0	292	0	69	18	0	87	585
8:15 AM	1	30	185	3	216	0	197	102	0	299	0	98	28	3	126	641
8:30 AM	0	36	198	1	234	0	182	107	0	289	0	82	37	1	119	642
Total	1	118	738	6	857	0	800	422	0	1222	0	343	101	6	444	2523
Approach %	0.1	13.8	86.1	-	-	0.0	65.5	34.5	-	-	0.0	77.3	22.7	-	-	-
Total %	0.0	4.7	29.3	-	34.0	0.0	31.7	16.7	-	48.4	0.0	13.6	4.0	-	17.6	-
PHF	0.250	0.819	0.932	-	0.916	0.000	0.905	0.872	-	0.893	0.000	0.875	0.682	-	0.881	0.963
Lights	1	112	722	-	835	0	776	405	-	1181	0	333	99	-	432	2448
% Lights	100.0	94.9	97.8	-	97.4	-	97.0	96.0	-	96.6	-	97.1	98.0	-	97.3	97.0
Other Vehicles	0	6	16	-	22	0	24	17	-	41	0	10	2	-	12	75
% Other Vehicles	0.0	5.1	2.2	-	2.6	-	3.0	4.0	-	3.4	-	2.9	2.0	-	2.7	3.0
Bicycles on Crosswalk	-	-	-	0	-	-	-	-	0	-	-	-	-	0	-	-
% Bicycles on Crosswalk	-	-	-	0.0	-	-	-	-	-	-	-	-	-	0.0	-	-
Pedestrians	-	-	-	6	-	-	-	-	0	-	-	-	-	6	-	-
% Pedestrians	-	-	-	100.0	-	-	-	-	-	-	-	-	-	100.0	-	-



Turning Movement Peak Hour Data Plot (7:45 AM)


FDOT D1
 TWO #18 - SR684
 Int Name: SR 684
 Weekday TMC

Vanasse Hangen Brustlin, Inc.
 225 East Robinson Street, Suite 300
 Landmark Center Two
 Orlando, Florida, United States 32801
 407-839-4006 gbroadfoot@vhb.com

Count Name: 16t - SR 684 at
 59th Street W /Weekday
 Site Code:
 Start Date: 01/18/2018
 Page No: 7

Turning Movement Peak Hour Data (3:00 PM)

Start Time	SR 684 Eastbound					SR 684 Westbound					59th Street W Southbound					Int. Total
	U-Turn	Left	Thru	Peds	App. Total	U-Turn	Thru	Right	Peds	App. Total	U-Turn	Left	Right	Peds	App. Total	
3:00 PM	1	32	306	0	339	0	257	90	0	347	0	134	46	3	180	866
3:15 PM	1	32	262	0	295	0	265	93	0	358	0	123	40	0	163	816
3:30 PM	0	53	325	0	378	0	281	97	0	378	0	110	39	2	149	905
3:45 PM	5	40	263	7	308	0	263	106	0	369	0	125	46	7	171	848
Total	7	157	1156	7	1320	0	1066	386	0	1452	0	492	171	12	663	3435
Approach %	0.5	11.9	87.6	-	-	0.0	73.4	26.6	-	-	0.0	74.2	25.8	-	-	-
Total %	0.2	4.6	33.7	-	38.4	0.0	31.0	11.2	-	42.3	0.0	14.3	5.0	-	19.3	-
PHF	0.350	0.741	0.889	-	0.873	0.000	0.948	0.910	-	0.960	0.000	0.918	0.929	-	0.921	0.949
Lights	7	152	1134	-	1293	0	1055	374	-	1429	0	479	162	-	641	3363
% Lights	100.0	96.8	98.1	-	98.0	-	99.0	96.9	-	98.4	-	97.4	94.7	-	96.7	97.9
Other Vehicles	0	5	22	-	27	0	11	12	-	23	0	13	9	-	22	72
% Other Vehicles	0.0	3.2	1.9	-	2.0	-	1.0	3.1	-	1.6	-	2.6	5.3	-	3.3	2.1
Bicycles on Crosswalk	-	-	-	1	-	-	-	-	0	-	-	-	-	0	-	-
% Bicycles on Crosswalk	-	-	-	14.3	-	-	-	-	-	-	-	-	-	0.0	-	-
Pedestrians	-	-	-	6	-	-	-	-	0	-	-	-	-	12	-	-
% Pedestrians	-	-	-	85.7	-	-	-	-	-	-	-	-	-	100.0	-	-



Turning Movement Peak Hour Data Plot (3:00 PM)


Intersection Turning Movement Count

59th St W @ 29th Ave W
Manatee County, FL

File Name : 21003-17 Thu
Site Code : 21003-17
Start Date : 3/25/2021
Page No : 2

Groups Printed- Automobiles - Trucks - Buses

	59th St W Southbound					Private Driveway Westbound					59th St W Northbound					29th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Automobiles	1	4161	612	1	4775	0	0	3	0	3	447	3665	2	1	4115	701	0	512	11	1224	10117
% Automobiles	5.9	98.1	99.2	100	97.9	0	0	100	0	100	98.9	97.2	100	100	97.4	99	0	98.5	100	98.8	97.8
Trucks	16	42	4	0	62	0	0	0	0	0	3	60	0	0	63	6	0	5	0	11	136
% Trucks	94.1	1	0.6	0	1.3	0	0	0	0	0	0.7	1.6	0	0	1.5	0.8	0	1	0	0.9	1.3
Buses	0	39	1	0	40	0	0	0	0	0	2	45	0	0	47	1	0	3	0	4	91
% Buses	0	0.9	0.2	0	0.8	0	0	0	0	0	0.4	1.2	0	0	1.1	0.1	0	0.6	0	0.3	0.9



Intersection Turning Movement Count

59th St W @ 29th Ave W
Manatee County, FL

File Name : 21003-17 Thu
Site Code : 21003-17
Start Date : 3/25/2021
Page No : 3

Start Time	59th St W Southbound					Private Driveway Westbound					59th St W Northbound					29th Ave W Eastbound					Int. Total
	Left	Thru	Right	Utms	App. Total	Left	Thru	Right	Utms	App. Total	Left	Thru	Right	Utms	App. Total	Left	Thru	Right	Utms	App. Total	
Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 07:30																					
07:30	0	127	21	0	148	0	0	0	0	0	6	117	0	0	123	27	0	18	0	45	316
07:45	0	91	23	0	114	0	0	0	0	0	10	125	0	0	135	41	0	23	1	65	314
08:00	0	94	18	0	112	0	0	0	0	0	14	124	0	0	138	20	0	22	0	42	292
08:15	0	109	13	0	122	0	0	0	0	0	11	134	0	0	145	35	0	20	0	55	322
Total Volume	0	421	75	0	496	0	0	0	0	0	41	500	0	0	541	123	0	83	1	207	1244
% App. Total	0	84.9	15.1	0		0	0	0	0	0	7.6	92.4	0	0		59.4	0	40.1	0.5		
PHF	.000	.829	.815	.000	.838	.000	.000	.000	.000	.000	.732	.933	.000	.000	.933	.750	.000	.902	.250	.796	.966
Automobiles	0	411	74	0	485	0	0	0	0	0	41	484	0	0	525	122	0	81	1	204	1214
% Automobiles	0	97.6	98.7	0	97.8	0	0	0	0	0	100	96.8	0	0	97.0	99.2	0	97.6	100	98.6	97.6
Trucks	0	6	1	0	7	0	0	0	0	0	0	8	0	0	8	0	0	2	0	2	17
% Trucks	0	1.4	1.3	0	1.4	0	0	0	0	0	0	1.6	0	0	1.5	0	0	2.4	0	1.0	1.4
Buses	0	4	0	0	4	0	0	0	0	0	0	8	0	0	8	1	0	0	0	1	13
% Buses	0	1.0	0	0	0.8	0	0	0	0	0	0	1.6	0	0	1.5	0.8	0	0	0	0.5	1.0

Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1
Peak Hour for Each Approach Begins at:

	07:30					07:00					07:30					07:30				
+0 mins.	0	127	21	0	148	0	0	0	0	0	6	117	0	0	123	27	0	18	0	45
+15 mins.	0	91	23	0	114	0	0	0	0	0	10	125	0	0	135	41	0	23	1	65
+30 mins.	0	94	18	0	112	0	0	0	0	0	14	124	0	0	138	20	0	22	0	42
+45 mins.	0	109	13	0	122	0	0	0	0	0	11	134	0	0	145	35	0	20	0	55
Total Volume	0	421	75	0	496	0	0	0	0	0	41	500	0	0	541	123	0	83	1	207
% App. Total	0	84.9	15.1	0		0	0	0	0	0	7.6	92.4	0	0		59.4	0	40.1	0.5	
PHF	.000	.829	.815	.000	.838	.000	.000	.000	.000	.000	.732	.933	.000	.000	.933	.750	.000	.902	.250	.796
Automobiles	0	411	74	0	485	0	0	0	0	0	41	484	0	0	525	122	0	81	1	204
% Automobiles	0	97.6	98.7	0	97.8	0	0	0	0	0	100	96.8	0	0	97	99.2	0	97.6	100	98.6
Trucks	0	6	1	0	7	0	0	0	0	0	0	8	0	0	8	0	0	2	0	2
% Trucks	0	1.4	1.3	0	1.4	0	0	0	0	0	0	1.6	0	0	1.5	0	0	2.4	0	1
Buses	0	4	0	0	4	0	0	0	0	0	0	8	0	0	8	1	0	0	0	1
% Buses	0	1	0	0	0.8	0	0	0	0	0	0	1.6	0	0	1.5	0.8	0	0	0	0.5

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1
Peak Hour for Entire Intersection Begins at 11:30

11:30	2	131	20	0	153	0	0	0	0	0	16	131	0	0	147	26	0	16	0	42	342
11:45	1	130	22	0	153	0	0	0	0	0	18	121	0	0	139	19	0	16	0	35	327
12:00	0	163	18	0	181	0	0	1	0	1	14	125	1	0	140	21	0	15	0	36	358
12:15	1	129	16	0	146	0	0	0	0	0	15	124	0	0	139	22	0	18	0	40	325
Total Volume	4	553	76	0	633	0	0	1	0	1	63	501	1	0	565	88	0	65	0	153	1352
% App. Total	0.6	87.4	12	0		0	0	100	0	0	11.2	88.7	0.2	0		57.5	0	42.5	0		
PHF	.500	.848	.864	.000	.874	.000	.000	.250	.000	.250	.875	.956	.250	.000	.961	.846	.000	.903	.000	.911	.944
Automobiles	0	549	76	0	625	0	0	1	0	1	62	480	1	0	543	87	0	64	0	151	1320
% Automobiles	0	99.3	100	0	98.7	0	0	100	0	100	98.4	95.8	100	0	96.1	98.9	0	98.5	0	98.7	97.6
Trucks	4	1	0	0	5	0	0	0	0	0	1	17	0	0	18	1	0	1	0	2	25
% Trucks	100	0.2	0	0	0.8	0	0	0	0	0	1.6	3.4	0	0	3.2	1.1	0	1.5	0	1.3	1.8
Buses	0	3	0	0	3	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	7
% Buses	0	0.5	0	0	0.5	0	0	0	0	0	0	0.8	0	0	0.7	0	0	0	0	0	0.5

Intersection Turning Movement Count

59th St W @ 29th Ave W
Manatee County, FL

File Name : 21003-17 Thu
Site Code : 21003-17
Start Date : 3/25/2021
Page No : 1

Groups Printed- Trucks - Buses

Start Time	59th St W Southbound					Private Driveway Westbound					59th St W Northbound					29th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
07:00	0	1	0	0	1	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	3
07:15	0	5	1	0	6	0	0	0	0	0	0	7	0	0	7	0	0	0	0	0	13
07:30	0	4	1	0	5	0	0	0	0	0	0	3	0	0	3	1	0	0	0	1	9
07:45	0	3	0	0	3	0	0	0	0	0	0	4	0	0	4	0	0	1	0	1	8
Total	0	13	2	0	15	0	0	0	0	0	0	16	0	0	16	1	0	1	0	2	33
08:00	0	2	0	0	2	0	0	0	0	0	0	4	0	0	4	0	0	1	0	1	7
08:15	0	1	0	0	1	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	6
08:30	0	5	0	0	5	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	7
08:45	0	3	0	0	3	0	0	0	0	0	2	0	0	2	1	0	0	0	0	1	6
Total	0	11	0	0	11	0	0	0	0	0	2	11	0	0	13	1	0	1	0	2	26
Break																					
11:30	2	1	0	0	3	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	9
11:45	1	2	0	0	3	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	6
Total	3	3	0	0	6	0	0	0	0	0	0	9	0	0	9	0	0	0	0	0	15
12:00	0	0	0	0	0	0	0	0	0	0	0	6	0	0	6	1	0	1	0	2	8
12:15	1	1	0	0	2	0	0	0	0	0	1	6	0	0	7	0	0	0	0	0	9
12:30	4	2	0	0	6	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	12
12:45	1	1	0	0	2	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	4
Total	6	4	0	0	10	0	0	0	0	0	1	20	0	0	21	1	0	1	0	2	33
13:00	5	0	0	0	5	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	6
13:15	2	0	0	0	2	0	0	0	0	0	0	5	0	0	5	1	0	0	0	1	8
Break																					
Total	7	0	0	0	7	0	0	0	0	0	0	6	0	0	6	1	0	0	0	1	14
Break																					
14:30	0	5	0	0	5	0	0	0	0	0	1	2	0	0	3	0	0	0	0	0	8
14:45	0	2	1	0	3	0	0	0	0	0	0	3	0	0	3	0	0	1	0	1	7
Total	0	7	1	0	8	0	0	0	0	0	1	5	0	0	6	0	0	1	0	1	15
15:00	0	2	0	0	2	0	0	0	0	0	0	3	0	0	3	0	0	1	0	1	6
15:15	0	6	2	0	8	0	0	0	0	0	0	3	0	0	3	1	0	0	0	1	12
15:30	0	6	0	0	6	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	9
15:45	0	3	0	0	3	0	0	0	0	0	0	6	0	0	6	0	0	1	0	1	10
Total	0	17	2	0	19	0	0	0	0	0	0	15	0	0	15	1	0	2	0	3	37
16:00	0	8	0	0	8	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	12
16:15	0	1	0	0	1	0	0	0	0	0	1	8	0	0	9	1	0	0	0	1	11
16:30	0	5	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	6
16:45	0	5	0	0	5	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	7
Total	0	19	0	0	19	0	0	0	0	0	1	14	0	0	15	1	0	1	0	2	36
17:00	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1
17:15	0	3	0	0	3	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	5
17:30	0	3	0	0	3	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	5
17:45	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2
Total	0	7	0	0	7	0	0	0	0	0	0	5	0	0	5	1	0	0	0	1	13
18:00	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	1	0	1	3
18:15	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	2
Grand Total	16	81	5	0	102	0	0	0	0	0	5	105	0	0	110	7	0	8	0	15	227
Apprch %	15.7	79.4	4.9	0		0	0	0	0		4.5	95.5	0	0		46.7	0	53.3	0		
Total %	7	35.7	2.2	0	44.9	0	0	0	0	0	2.2	46.3	0	0	48.5	3.1	0	3.5	0	6.6	
Trucks	16	42	4	0	62	0	0	0	0	0	3	60	0	0	63	6	0	5	0	11	136
% Trucks	100	51.9	80	0	60.8	0	0	0	0	0	60	57.1	0	0	57.3	85.7	0	62.5	0	73.3	59.9
Buses	0	39	1	0	40	0	0	0	0	0	2	45	0	0	47	1	0	3	0	4	91
% Buses	0	48.1	20	0	39.2	0	0	0	0	0	40	42.9	0	0	42.7	14.3	0	37.5	0	26.7	40.1

Intersection Turning Movement Count

59th St W @ 29th Ave W
Manatee County, FL

File Name : 21003-17 Thu peds
Site Code : 21003-17
Start Date : 3/25/2021
Page No : 1

Groups Printed- Peds - Bikes

Start Time	59th St W Southbound Peds	Private Driveway Westbound Peds	59th St W Northbound Peds	29th Ave W Eastbound Peds	Int. Total
07:00	0	0	1	0	1
07:15	0	0	1	2	3
07:30	0	0	3	1	4
07:45	0	0	0	1	1
Total	0	0	5	4	9
08:00	0	1	3	0	4
08:15	0	0	2	2	4
08:30	0	2	5	4	11
08:45	0	0	6	2	8
Total	0	3	16	8	27
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
Total	0	0	0	0	0
10:00	0	0	0	0	0
10:15	0	0	0	0	0
10:30	0	0	0	0	0
10:45	0	0	0	0	0
Total	0	0	0	0	0
11:00	0	0	0	0	0
11:15	0	0	0	0	0
11:30	0	0	4	2	6
11:45	0	0	1	0	1
Total	0	0	5	2	7
12:00	0	0	7	1	8
12:15	1	0	0	0	1
12:30	0	0	4	0	4
12:45	0	0	1	0	1
Total	1	0	12	1	14
13:00	0	0	1	0	1
13:15	0	0	1	0	1
13:30	0	0	0	0	0
13:45	0	0	0	0	0
Total	0	0	2	0	2
14:00	0	0	0	0	0
14:15	0	0	0	0	0
14:30	1	1	0	1	3
14:45	0	0	2	2	4
Total	1	1	2	3	7
15:00	0	0	0	1	1
15:15	0	0	1	0	1
15:30	1	0	0	1	2
15:45	0	0	0	1	1
Total	1	0	1	3	5

Intersection Turning Movement Count

59th St W @ 29th Ave W
Manatee County, FL

File Name : 21003-17 Thu peds
Site Code : 21003-17
Start Date : 3/25/2021
Page No : 2

Groups Printed- Peds - Bikes

	59th St W Southbound	Private Driveway Westbound	59th St W Northbound	29th Ave W Eastbound	
Start Time	Peds	Peds	Peds	Peds	Int. Total
16:00	0	0	2	3	5
16:15	0	0	3	0	3
16:30	0	0	2	2	4
16:45	1	0	1	0	2
Total	1	0	8	5	14
17:00	0	0	0	0	0
17:15	0	0	0	1	1
17:30	0	0	0	0	0
17:45	0	0	0	0	0
Total	0	0	0	1	1
18:00	0	0	3	1	4
18:15	0	0	0	1	1
Grand Total	4	4	54	29	91
Apprch %	100	100	100	100	
Total %	4.4	4.4	59.3	31.9	
Peds	3	4	32	15	54
% Peds	75	100	59.3	51.7	59.3
Bikes	1	0	22	14	37
% Bikes	25	0	40.7	48.3	40.7


Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 2

Groups Printed- Automobiles - Trucks - Buses

	59th St W Southbound					21st Ave W Westbound					59th St W Northbound					21st Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Automobiles	568	3401	221	0	4190	827	355	447	0	1629	358	3091	698	0	4147	489	502	352	0	1343	11309
% Automobiles	98.1	98	97.8	0	98	97.3	98.1	98	0	97.7	91.1	98.7	96.9	0	97.7	97.8	97.9	97	0	97.6	97.8
Trucks	4	45	5	0	54	5	6	6	0	17	15	34	8	0	57	9	6	11	0	26	154
% Trucks	0.7	1.3	2.2	0	1.3	0.6	1.7	1.3	0	1	3.8	1.1	1.1	0	1.3	1.8	1.2	3	0	1.9	1.3
Buses	7	26	0	0	33	18	1	3	0	22	20	8	14	0	42	2	5	0	0	7	104
% Buses	1.2	0.7	0	0	0.8	2.1	0.3	0.7	0	1.3	5.1	0.3	1.9	0	1	0.4	1	0	0	0.5	0.9



Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 3

Start Time	59th St W Southbound					21st Ave W Westbound					59th St W Northbound					21st Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 07:30																					
07:30	21	99	16	0	136	30	22	18	0	70	14	72	23	0	109	14	21	15	0	50	365
07:45	27	119	21	0	167	22	24	21	0	67	20	88	30	0	138	4	15	3	0	22	394
08:00	13	85	10	0	108	40	22	20	0	82	10	79	12	0	101	10	11	11	0	32	323
08:15	11	117	13	0	141	20	11	13	0	44	19	108	22	0	149	9	6	6	0	21	355
Total Volume	72	420	60	0	552	112	79	72	0	263	63	347	87	0	497	37	53	35	0	125	1437
% App. Total	13	76.1	10.9	0		42.6	30	27.4	0		12.7	69.8	17.5	0		29.6	42.4	28	0		
PHF	.667	.882	.714	.000	.826	.700	.823	.857	.000	.802	.788	.803	.725	.000	.834	.661	.631	.583	.000	.625	.912
Automobiles	71	412	60	0	543	107	79	71	0	257	60	341	82	0	483	36	50	33	0	119	1402
% Automobiles	98.6	98.1	100	0	98.4	95.5	100	98.6	0	97.7	95.2	98.3	94.3	0	97.2	97.3	94.3	94.3	0	95.2	97.6
Trucks	0	5	0	0	5	3	0	0	0	3	2	4	2	0	8	1	1	2	0	4	20
% Trucks	0	1.2	0	0	0.9	2.7	0	0	0	1.1	3.2	1.2	2.3	0	1.6	2.7	1.9	5.7	0	3.2	1.4
Buses	1	3	0	0	4	2	0	1	0	3	1	2	3	0	6	0	2	0	0	2	15
% Buses	1.4	0.7	0	0	0.7	1.8	0	1.4	0	1.1	1.6	0.6	3.4	0	1.2	0	3.8	0	0	1.6	1.0

Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1
Peak Hour for Each Approach Begins at:

	07:30					07:30					07:30					07:30					
+0 mins.	21	99	16	0	136	30	22	18	0	70	14	72	23	0	109	14	21	15	0	50	365
+15 mins.	27	119	21	0	167	22	24	21	0	67	20	88	30	0	138	4	15	3	0	22	394
+30 mins.	13	85	10	0	108	40	22	20	0	82	10	79	12	0	101	10	11	11	0	32	323
+45 mins.	11	117	13	0	141	20	11	13	0	44	19	108	22	0	149	9	6	6	0	21	355
Total Volume	72	420	60	0	552	112	79	72	0	263	63	347	87	0	497	37	53	35	0	125	1437
% App. Total	13	76.1	10.9	0		42.6	30	27.4	0		12.7	69.8	17.5	0		29.6	42.4	28	0		
PHF	.667	.882	.714	.000	.826	.700	.823	.857	.000	.802	.788	.803	.725	.000	.834	.661	.631	.583	.000	.625	.912
Automobiles	71	412	60	0	543	107	79	71	0	257	60	341	82	0	483	36	50	33	0	119	1402
% Automobiles	98.6	98.1	100	0	98.4	95.5	100	98.6	0	97.7	95.2	98.3	94.3	0	97.2	97.3	94.3	94.3	0	95.2	97.6
Trucks	0	5	0	0	5	3	0	0	0	3	2	4	2	0	8	1	1	2	0	4	20
% Trucks	0	1.2	0	0	0.9	2.7	0	0	0	1.1	3.2	1.2	2.3	0	1.6	2.7	1.9	5.7	0	3.2	1.4
Buses	1	3	0	0	4	2	0	1	0	3	1	2	3	0	6	0	2	0	0	2	15
% Buses	1.4	0.7	0	0	0.7	1.8	0	1.4	0	1.1	1.6	0.6	3.4	0	1.2	0	3.8	0	0	1.6	1.0

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1
Peak Hour for Entire Intersection Begins at 11:30

11:30	13	96	6	0	115	24	12	14	0	50	16	109	32	0	157	15	15	12	0	42	364
11:45	17	107	12	0	136	27	14	21	0	62	16	121	11	0	148	20	10	10	0	40	386
12:00	20	110	9	0	139	23	16	13	0	52	8	136	15	0	159	18	18	11	0	47	397
12:15	19	112	2	0	133	10	11	13	0	34	11	115	17	0	143	8	11	14	0	33	343
Total Volume	69	425	29	0	523	84	53	61	0	198	51	481	75	0	607	61	54	47	0	162	1490
% App. Total	13.2	81.3	5.5	0		42.4	26.8	30.8	0		8.4	79.2	12.4	0		37.7	33.3	29	0		
PHF	.863	.949	.604	.000	.941	.778	.828	.726	.000	.798	.797	.884	.586	.000	.954	.763	.750	.839	.000	.862	.938
Automobiles	67	420	29	0	516	84	53	60	0	197	45	467	75	0	587	58	54	46	0	158	1458
% Automobiles	97.1	98.8	100	0	98.7	100	100	98.4	0	99.5	88.2	97.1	100	0	96.7	95.1	100	97.9	0	97.5	97.9
Trucks	1	3	0	0	4	0	0	1	0	1	3	14	0	0	17	1	0	1	0	2	24
% Trucks	1.4	0.7	0	0	0.8	0	0	1.6	0	0.5	5.9	2.9	0	0	2.8	1.6	0	2.1	0	1.2	1.6
Buses	1	2	0	0	3	0	0	0	0	0	3	0	0	0	3	2	0	0	0	2	8
% Buses	1.4	0.5	0	0	0.6	0	0	0	0	0	5.9	0	0	0	0.5	3.3	0	0	0	1.2	0.5

Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 4

Start Time	59th St W Southbound					21st Ave W Westbound					59th St W Northbound					21st Ave W Eastbound					Int. Total
	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	12:30					11:30					11:30					12:00				
+0 mins.	13	106	4	0	123	24	12	14	0	50	16	109	32	0	157	18	18	11	0	47
+15 mins.	25	121	12	0	158	27	14	21	0	62	16	121	11	0	148	8	11	14	0	33
+30 mins.	23	108	8	0	139	23	16	13	0	52	8	136	15	0	159	20	10	12	0	42
+45 mins.	24	113	8	0	145	10	11	13	0	34	11	115	17	0	143	11	14	20	0	45
Total Volume	85	448	32	0	565	84	53	61	0	198	51	481	75	0	607	57	53	57	0	167
% App. Total	15	79.3	5.7	0		42.4	26.8	30.8	0		8.4	79.2	12.4	0		34.1	31.7	34.1	0	
PHF	.850	.926	.667	.000	.894	.778	.828	.726	.000	.798	.797	.884	.586	.000	.954	.713	.736	.713	.000	.888
Automobiles	84	434	31	0	549	84	53	60	0	197	45	467	75	0	587	56	50	56	0	162
% Automobiles	98.8	96.9	96.9	0	97.2	100	100	98.4	0	99.5	88.2	97.1	100	0	96.7	98.2	94.3	98.2	0	97
Trucks	1	11	1	0	13	0	0	1	0	1	3	14	0	0	17	1	1	1	0	3
% Trucks	1.2	2.5	3.1	0	2.3	0	0	1.6	0	0.5	5.9	2.9	0	0	2.8	1.8	1.9	1.8	0	1.8
Buses	0	3	0	0	3	0	0	0	0	0	3	0	0	0	3	0	2	0	0	2
% Buses	0	0.7	0	0	0.5	0	0	0	0	0	5.9	0	0	0	0.5	0	3.8	0	0	1.2

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Entire Intersection Begins at 15:00

	15:00					14:45					16:15					15:15					
15:00	33	119	6	0	158	27	9	24	0	60	17	97	20	0	134	25	22	16	0	63	415
15:15	14	141	2	0	157	27	10	22	0	59	9	106	26	0	141	19	24	17	0	60	417
15:30	31	116	2	0	149	36	12	19	0	67	14	93	31	0	138	22	27	17	0	66	420
15:45	24	122	2	0	148	35	11	15	0	61	7	110	34	0	151	24	18	13	0	55	415
Total Volume	102	498	12	0	612	125	42	80	0	247	47	406	111	0	564	90	91	63	0	244	1667
% App. Total	16.7	81.4	2	0		50.6	17	32.4	0		8.3	72	19.7	0		36.9	37.3	25.8	0		
PHF	.773	.883	.500	.000	.968	.868	.875	.833	.000	.922	.691	.923	.816	.000	.934	.900	.843	.926	.000	.924	.992
Automobiles	100	489	11	0	600	117	39	80	0	236	42	399	107	0	548	88	89	60	0	237	1621
% Automobiles	98.0	98.2	91.7	0	98.0	93.6	92.9	100	0	95.5	89.4	98.3	96.4	0	97.2	97.8	97.8	95.2	0	97.1	97.2
Trucks	0	6	1	0	7	1	2	0	0	3	3	7	3	0	13	2	1	3	0	6	29
% Trucks	0	1.2	8.3	0	1.1	0.8	4.8	0	0	1.2	6.4	1.7	2.7	0	2.3	2.2	1.1	4.8	0	2.5	1.7
Buses	2	3	0	0	5	7	1	0	0	8	2	0	1	0	3	0	1	0	0	1	17
% Buses	2.0	0.6	0	0	0.8	5.6	2.4	0	0	3.2	4.3	0	0.9	0	0.5	0	1.1	0	0	0.4	1.0

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	15:00					14:45					16:15					15:15				
+0 mins.	33	119	6	0	158	46	6	14	0	66	12	113	50	0	175	19	24	17	0	60
+15 mins.	14	141	2	0	157	27	9	24	0	60	11	108	29	0	148	22	27	17	0	66
+30 mins.	31	116	2	0	149	27	10	22	0	59	7	104	24	0	135	24	18	13	0	55
+45 mins.	24	122	2	0	148	36	12	19	0	67	5	120	34	0	159	35	32	16	0	83
Total Volume	102	498	12	0	612	136	37	79	0	252	35	445	137	0	617	100	101	63	0	264
% App. Total	16.7	81.4	2	0		54	14.7	31.3	0		5.7	72.1	22.2	0		37.9	38.3	23.9	0	
PHF	.773	.883	.500	.000	.968	.739	.771	.823	.000	.940	.729	.927	.685	.000	.881	.714	.789	.926	.000	.795
Automobiles	100	489	11	0	600	130	34	78	0	242	31	442	132	0	605	98	99	59	0	256
% Automobiles	98	98.2	91.7	0	98	95.6	91.9	98.7	0	96	88.6	99.3	96.4	0	98.1	98	98	93.7	0	97
Trucks	0	6	1	0	7	1	2	1	0	4	1	1	1	0	3	2	1	4	0	7
% Trucks	0	1.2	8.3	0	1.1	0.7	5.4	1.3	0	1.6	2.9	0.2	0.7	0	0.5	2	1	6.3	0	2.7
Buses	2	3	0	0	5	5	1	0	0	6	3	2	4	0	9	0	1	0	0	1
% Buses	2	0.6	0	0	0.8	3.7	2.7	0	0	2.4	8.6	0.4	2.9	0	1.5	0	1	0	0	0.4

Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 1

Groups Printed- Trucks - Buses

Start Time	59th St W Southbound					21st Ave W Westbound					59th St W Northbound					21st Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
07:00	0	1	0	0	1	0	1	0	0	1	0	0	1	0	1	0	0	1	0	1	4
07:15	0	2	0	0	2	2	0	0	0	2	4	0	1	0	5	0	0	0	0	0	9
07:30	1	3	0	0	4	4	0	0	0	0	1	2	2	0	5	0	0	1	0	1	10
07:45	0	3	0	0	3	0	0	1	0	1	1	0	2	0	3	0	0	0	0	0	7
Total	1	9	0	0	10	2	1	1	0	4	6	2	6	0	14	0	0	2	0	2	30
08:00	0	1	0	0	1	4	0	0	0	4	0	2	1	0	3	0	1	1	0	2	10
08:15	0	1	0	0	1	1	0	0	0	1	1	2	0	0	3	1	2	0	0	3	8
08:30	0	7	0	0	7	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	9
08:45	0	2	0	0	2	3	0	0	0	3	0	0	0	0	0	0	0	0	0	0	5
Total	0	11	0	0	11	8	0	0	0	8	2	5	1	0	8	1	3	1	0	5	32
Break																					
11:30	1	2	0	0	3	0	0	0	0	0	1	3	0	0	4	1	0	0	0	1	8
11:45	0	2	0	0	2	0	0	1	0	1	1	1	0	0	2	2	0	1	0	3	8
Total	1	4	0	0	5	0	0	1	0	1	2	4	0	0	6	3	0	1	0	4	16
12:00	1	1	0	0	2	0	0	0	0	0	2	5	0	0	7	0	0	0	0	0	9
12:15	0	0	0	0	0	0	0	0	0	0	2	5	0	0	7	0	0	0	0	0	7
12:30	0	7	0	0	7	0	1	1	0	2	0	2	1	0	3	0	2	0	0	2	14
12:45	0	2	0	0	2	1	1	1	0	3	0	1	1	0	2	1	1	1	0	3	10
Total	1	10	0	0	11	1	2	2	0	5	4	13	2	0	19	1	3	1	0	5	40
13:00	0	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	4
13:15	1	2	1	0	4	0	0	0	0	0	2	4	0	0	6	0	0	0	0	0	10
Break																					
Total	1	5	1	0	7	0	0	0	0	0	2	4	0	0	6	0	0	1	0	1	14
Break																					
14:30	1	5	0	0	6	1	0	0	0	1	2	0	0	0	2	2	2	0	0	4	13
14:45	0	2	0	0	2	0	0	1	0	1	1	1	1	0	3	1	0	0	0	1	7
Total	1	7	0	0	8	1	0	1	0	2	3	1	1	0	5	3	2	0	0	5	20
15:00	0	2	1	0	3	1	1	0	0	2	1	1	0	0	2	0	0	0	0	0	7
15:15	1	4	0	0	5	5	2	0	0	7	2	0	2	0	4	0	1	0	0	1	17
15:30	1	2	0	0	3	0	0	0	0	0	2	1	1	0	4	0	0	2	0	2	9
15:45	0	1	0	0	1	2	0	0	0	2	0	5	1	0	6	2	1	1	0	4	13
Total	2	9	1	0	12	8	3	0	0	11	5	7	4	0	16	2	2	3	0	7	46
16:00	0	3	0	0	3	1	1	1	0	3	1	2	1	0	4	0	0	1	0	1	11
16:15	0	1	0	0	1	0	0	2	0	2	2	2	4	0	8	0	0	0	0	0	11
16:30	1	4	0	0	5	1	0	0	0	1	1	0	0	0	1	0	1	0	0	1	8
16:45	0	2	1	0	3	1	0	1	0	2	1	1	0	0	2	0	0	1	0	1	8
Total	1	10	1	0	12	3	1	4	0	8	5	5	5	0	15	0	1	2	0	3	38
17:00	1	1	0	0	2	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	3
17:15	1	3	0	0	4	0	0	0	0	0	2	0	0	0	2	0	0	0	0	0	6
17:30	1	2	1	0	4	0	0	0	0	0	2	0	1	0	3	0	0	0	0	0	7
17:45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
Total	3	6	1	0	10	0	0	0	0	0	4	0	2	0	6	1	0	0	0	1	17
18:00	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0	0	0	0	2
18:15	0	0	1	0	1	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	3
Grand Total	11	71	5	0	87	23	7	9	0	39	35	42	22	0	99	11	11	11	0	33	258
Apprch %	12.6	81.6	5.7	0	87	59	17.9	23.1	0	39	35.4	42.4	22.2	0	99	33.3	33.3	33.3	0	33	258
Total %	4.3	27.5	1.9	0	33.7	8.9	2.7	3.5	0	15.1	13.6	16.3	8.5	0	38.4	4.3	4.3	4.3	0	12.8	258
Trucks	4	45	5	0	54	5	6	6	0	17	15	34	8	0	57	9	6	11	0	26	154
% Trucks	36.4	63.4	100	0	62.1	21.7	85.7	66.7	0	43.6	42.9	81	36.4	0	57.6	81.8	54.5	100	0	78.8	59.7
Buses	7	26	0	0	33	18	1	3	0	22	20	8	14	0	42	2	5	0	0	7	104
% Buses	63.6	36.6	0	0	37.9	78.3	14.3	33.3	0	56.4	57.1	19	63.6	0	42.4	18.2	45.5	0	0	21.2	40.3

Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu peds
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 1

Groups Printed- Peds - Bikes

Start Time	59th St W Southbound Peds	21st Ave W Westbound Peds	59th St W Northbound Peds	21st Ave W Eastbound Peds	Int. Total
07:00	0	0	0	0	0
07:15	0	5	0	2	7
07:30	0	2	1	1	4
07:45	0	4	0	3	7
Total	0	11	1	6	18
08:00	0	0	0	1	1
08:15	0	2	0	1	3
08:30	0	2	0	0	2
08:45	0	1	0	0	1
Total	0	5	0	2	7
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
Total	0	0	0	0	0
10:00	0	0	0	0	0
10:15	0	0	0	0	0
10:30	0	0	0	0	0
10:45	0	0	0	0	0
Total	0	0	0	0	0
11:00	0	0	0	0	0
11:15	0	0	0	0	0
11:30	0	1	0	0	1
11:45	0	1	1	1	3
Total	0	2	1	1	4
12:00	0	1	1	0	2
12:15	0	0	0	1	1
12:30	0	1	0	1	2
12:45	0	1	0	0	1
Total	0	3	1	2	6
13:00	0	1	1	0	2
13:15	0	1	0	0	1
13:30	0	0	0	0	0
13:45	0	0	0	0	0
Total	0	2	1	0	3
14:00	0	0	0	1	1
14:15	0	0	0	1	1
14:30	0	2	0	1	3
14:45	0	2	0	0	2
Total	0	4	0	3	7
15:00	0	1	0	0	1
15:15	0	0	0	0	0
15:30	0	0	2	4	6
15:45	0	0	0	4	4
Total	0	1	2	8	11

Intersection Turning Movement Count

59th St W @ 21st Ave W
Manatee County, FL

File Name : 21003-18 Thu peds
Site Code : 21003-18
Start Date : 3/25/2021
Page No : 2

Groups Printed- Peds - Bikes

	59th St W Southbound	21st Ave W Westbound	59th St W Northbound	21st Ave W Eastbound	
Start Time	Peds	Peds	Peds	Peds	Int. Total
16:00	0	0	0	2	2
16:15	0	2	0	1	3
16:30	0	0	0	0	0
16:45	0	0	0	1	1
Total	0	2	0	4	6
17:00	0	1	0	1	2
17:15	0	1	1	3	5
17:30	0	2	1	0	3
17:45	0	2	0	1	3
Total	0	6	2	5	13
18:00	0	0	0	0	0
18:15	0	3	0	1	4
Grand Total	0	39	8	32	79
Apprch %	0	100	100	100	
Total %	0	49.4	10.1	40.5	
Peds	0	25	3	19	47
% Peds	0	64.1	37.5	59.4	59.5
Bikes	0	14	5	13	32
% Bikes	0	35.9	62.5	40.6	40.5

Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 1

Groups Printed- Automobiles - Trucks - Buses

Start Time	59th St W Southbound					17th Ave W Westbound					59th St W Northbound					17th Ave W Eastbound					Int. Total
	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	
07:00	4	94	15	0	113	3	11	1	0	15	3	61	8	0	72	6	10	7	0	23	223
07:15	5	103	22	0	130	2	16	7	0	25	4	86	10	0	100	3	8	8	0	19	274
07:30	5	118	22	0	145	8	16	13	0	37	4	85	3	0	92	3	9	15	0	27	301
07:45	14	153	18	0	185	8	23	23	0	54	13	89	2	0	104	5	17	19	0	41	384
Total	28	468	77	0	573	21	66	44	0	131	24	321	23	0	368	17	44	49	0	110	1182
08:00	5	107	14	0	126	14	26	21	0	61	8	93	6	0	107	6	7	9	0	22	316
08:15	6	145	20	0	171	10	22	18	0	50	16	90	6	1	113	7	14	16	0	37	371
08:30	6	129	12	1	148	7	27	12	0	46	8	92	6	0	106	14	14	16	0	44	344
08:45	7	110	17	0	134	6	22	9	0	37	8	97	7	0	112	5	11	13	0	29	312
Total	24	491	63	1	579	37	97	60	0	194	40	372	25	1	438	32	46	54	0	132	1343
Break																					
11:30	4	92	13	0	109	6	13	11	0	30	18	147	9	2	176	7	15	14	0	36	351
11:45	11	108	21	0	140	9	13	3	0	25	14	133	9	0	156	13	11	12	0	36	357
Total	15	200	34	0	249	15	26	14	0	55	32	280	18	2	332	20	26	26	0	72	708
12:00	8	133	20	0	161	6	11	6	0	23	8	164	11	0	183	11	12	10	0	33	400
12:15	6	126	13	0	145	8	15	13	0	36	15	125	8	0	148	19	13	4	0	36	365
12:30	15	131	18	1	165	8	11	9	0	28	8	132	7	0	147	9	15	15	0	39	379
12:45	8	137	11	0	156	8	20	15	0	43	11	95	12	0	118	16	18	10	0	44	361
Total	37	527	62	1	627	30	57	43	0	130	42	516	38	0	596	55	58	39	0	152	1505
13:00	7	140	19	0	166	4	11	6	0	21	16	116	7	0	139	8	12	7	0	27	353
13:15	11	100	9	0	120	6	16	14	0	36	12	108	6	0	126	7	17	10	0	34	316
Break																					
Total	18	240	28	0	286	10	27	20	0	57	28	224	13	0	265	15	29	17	0	61	669
Break																					
14:30	13	115	20	0	148	7	25	7	0	39	8	142	9	0	159	9	11	15	0	35	381
14:45	9	104	19	1	133	5	9	12	0	26	6	121	6	0	133	13	12	10	0	35	327
Total	22	219	39	1	281	12	34	19	0	65	14	263	15	0	292	22	23	25	0	70	708
15:00	14	116	16	0	146	6	17	3	0	26	10	134	12	0	156	14	32	14	0	60	388
15:15	5	114	20	0	139	8	19	13	0	40	17	147	9	0	173	19	23	10	0	52	404
15:30	9	119	17	0	145	3	30	11	0	44	9	148	15	0	172	13	30	14	0	57	418
15:45	10	131	4	1	146	7	26	10	1	44	14	126	10	0	150	20	29	14	0	63	403
Total	38	480	57	1	576	24	92	37	1	154	50	555	46	0	651	66	114	52	0	232	1613
16:00	11	115	14	0	140	7	19	7	0	33	9	108	10	0	127	10	17	11	0	38	338
16:15	11	98	10	0	119	4	18	5	0	27	13	128	12	0	153	11	27	11	0	49	348
16:30	16	100	9	0	125	3	11	7	0	21	11	151	23	0	185	10	21	13	0	44	375
16:45	11	82	3	0	96	5	21	6	0	32	9	118	16	0	143	5	21	12	0	38	309
Total	49	395	36	0	480	19	69	25	0	113	42	505	61	0	608	36	86	47	0	169	1370
17:00	14	104	8	0	126	3	16	5	0	24	5	139	16	0	160	15	28	8	0	51	361
17:15	13	98	8	0	119	8	16	10	0	34	17	125	10	0	152	12	19	12	0	43	348
17:30	13	136	6	0	155	6	15	9	0	30	8	113	18	0	139	4	19	17	0	40	364
17:45	11	125	6	0	142	3	26	8	0	37	12	113	11	0	136	8	10	11	0	29	344
Total	51	463	28	0	542	20	73	32	0	125	42	490	55	0	587	39	76	48	0	163	1417
18:00	6	119	9	0	134	2	11	5	0	18	5	109	7	0	121	5	20	6	0	31	304
18:15	5	116	7	0	128	2	13	8	0	23	5	85	8	0	98	2	4	12	0	18	267
Grand Total	293	3718	440	4	4455	192	565	307	1	1065	324	3720	309	3	4356	309	526	375	0	1210	11086
Apprch %	6.6	83.5	9.9	0.1		18	53.1	28.8	0.1		7.4	85.4	7.1	0.1		25.5	43.5	31	0		
Total %	2.6	33.5	4	0	40.2	1.7	5.1	2.8	0	9.6	2.9	33.6	2.8	0	39.3	2.8	4.7	3.4	0	10.9	


Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 2

Groups Printed- Automobiles - Trucks - Buses

	59th St W Southbound					17th Ave W Westbound					59th St W Northbound					17th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Automobiles	287	3649	428	4	4368	187	555	298	1	1041	319	3646	304	1	4270	301	518	371	0	1190	10869
% Automobiles	98	98.1	97.3	100	98	97.4	98.2	97.1	100	97.7	98.5	98	98.4	33.3	98	97.4	98.5	98.9	0	98.3	98
Trucks	5	60	7	0	72	4	3	8	0	15	4	57	5	2	68	7	7	4	0	18	173
% Trucks	1.7	1.6	1.6	0	1.6	2.1	0.5	2.6	0	1.4	1.2	1.5	1.6	66.7	1.6	2.3	1.3	1.1	0	1.5	1.6
Buses	1	9	5	0	15	1	7	1	0	9	1	17	0	0	18	1	1	0	0	2	44
% Buses	0.3	0.2	1.1	0	0.3	0.5	1.2	0.3	0	0.8	0.3	0.5	0	0	0.4	0.3	0.2	0	0	0.2	0.4



Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 3

Start Time	59th St W Southbound					17th Ave W Westbound					59th St W Northbound					17th Ave W Eastbound					Int. Total
	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	Left	Thru	Right	Utorns	App. Total	
Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 07:45																					
07:45	14	153	18	0	185	8	23	23	0	54	13	89	2	0	104	5	17	19	0	41	384
08:00	5	107	14	0	126	14	26	21	0	61	8	93	6	0	107	6	7	9	0	22	316
08:15	6	145	20	0	171	10	22	18	0	50	16	90	6	1	113	7	14	16	0	37	371
08:30	6	129	12	1	148	7	27	12	0	46	8	92	6	0	106	14	14	16	0	44	344
Total Volume	31	534	64	1	630	39	98	74	0	211	45	364	20	1	430	32	52	60	0	144	1415
% App. Total	4.9	84.8	10.2	0.2		18.5	46.4	35.1	0		10.5	84.7	4.7	0.2		22.2	36.1	41.7	0		
PHF	.554	.873	.800	.250	.851	.696	.907	.804	.000	.865	.703	.978	.833	.250	.951	.571	.765	.789	.000	.818	.921
Automobiles	30	525	62	1	618	38	97	74	0	209	45	350	20	1	416	32	52	60	0	144	1387
% Automobiles	96.8	98.3	96.9	100	98.1	97.4	99.0	100	0	99.1	100	96.2	100	100	96.7	100	100	100	0	100	98.0
Trucks	0	9	1	0	10	1	1	0	0	2	0	10	0	0	10	0	0	0	0	0	22
% Trucks	0	1.7	1.6	0	1.6	2.6	1.0	0	0	0.9	0	2.7	0	0	2.3	0	0	0	0	0	1.6
Buses	1	0	1	0	2	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	6
% Buses	3.2	0	1.6	0	0.3	0	0	0	0	0	0	1.1	0	0	0.9	0	0	0	0	0	0.4

Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	07:45					07:45					08:00					07:45				
+0 mins.	14	153	18	0	185	8	23	23	0	54	8	93	6	0	107	5	17	19	0	41
+15 mins.	5	107	14	0	126	14	26	21	0	61	16	90	6	1	113	6	7	9	0	22
+30 mins.	6	145	20	0	171	10	22	18	0	50	8	92	6	0	106	7	14	16	0	37
+45 mins.	6	129	12	1	148	7	27	12	0	46	8	97	7	0	112	14	14	16	0	44
Total Volume	31	534	64	1	630	39	98	74	0	211	40	372	25	1	438	32	52	60	0	144
% App. Total	4.9	84.8	10.2	0.2		18.5	46.4	35.1	0		9.1	84.9	5.7	0.2		22.2	36.1	41.7	0	
PHF	.554	.873	.800	.250	.851	.696	.907	.804	.000	.865	.625	.959	.893	.250	.969	.571	.765	.789	.000	.818
Automobiles	30	525	62	1	618	38	97	74	0	209	40	361	25	1	427	32	52	60	0	144
% Automobiles	96.8	98.3	96.9	100	98.1	97.4	99	100	0	99.1	100	97	100	100	97.5	100	100	100	0	100
Trucks	0	9	1	0	10	1	1	0	0	2	0	8	0	0	8	0	0	0	0	0
% Trucks	0	1.7	1.6	0	1.6	2.6	1	0	0	0.9	0	2.2	0	0	1.8	0	0	0	0	0
Buses	1	0	1	0	2	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0
% Buses	3.2	0	1.6	0	0.3	0	0	0	0	0	0	0.8	0	0	0.7	0	0	0	0	0

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1

Peak Hour for Entire Intersection Begins at 12:00

12:00	8	133	20	0	161	6	11	6	0	23	8	164	11	0	183	11	12	10	0	33	400
12:15	6	126	13	0	145	8	15	13	0	36	15	125	8	0	148	19	13	4	0	36	365
12:30	15	131	18	1	165	8	11	9	0	28	8	132	7	0	147	9	15	15	0	39	379
12:45	8	137	11	0	156	8	20	15	0	43	11	95	12	0	118	16	18	10	0	44	361
Total Volume	37	527	62	1	627	30	57	43	0	130	42	516	38	0	596	55	58	39	0	152	1505
% App. Total	5.9	84.1	9.9	0.2		23.1	43.8	33.1	0		7	86.6	6.4	0		36.2	38.2	25.7	0		
PHF	.617	.962	.775	.250	.950	.938	.713	.717	.000	.756	.700	.787	.792	.000	.814	.724	.806	.650	.000	.864	.941
Automobiles	35	517	59	1	612	28	54	40	0	122	42	506	36	0	584	53	57	38	0	148	1466
% Automobiles	94.6	98.1	95.2	100	97.6	93.3	94.7	93.0	0	93.8	100	98.1	94.7	0	98.0	96.4	98.3	97.4	0	97.4	97.4
Trucks	2	9	2	0	13	2	1	3	0	6	0	9	2	0	11	2	1	1	0	4	34
% Trucks	5.4	1.7	3.2	0	2.1	6.7	1.8	7.0	0	4.6	0	1.7	5.3	0	1.8	3.6	1.7	2.6	0	2.6	2.3
Buses	0	1	1	0	2	0	2	0	0	2	0	1	0	0	1	0	0	0	0	0	5
% Buses	0	0.2	1.6	0	0.3	0	3.5	0	0	1.5	0	0.2	0	0	0.2	0	0	0	0	0	0.3

Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 4

Start Time	59th St W Southbound					17th Ave W Westbound					59th St W Northbound					17th Ave W Eastbound					Int. Total
	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	12:15					12:00					11:30					12:00				
+0 mins.	6	126	13	0	145	6	11	6	0	23	18	147	9	2	176	11	12	10	0	33
+15 mins.	15	131	18	1	165	8	15	13	0	36	14	133	9	0	156	19	13	4	0	36
+30 mins.	8	137	11	0	156	8	11	9	0	28	8	164	11	0	183	9	15	15	0	39
+45 mins.	7	140	19	0	166	8	20	15	0	43	15	125	8	0	148	16	18	10	0	44
Total Volume	36	534	61	1	632	30	57	43	0	130	55	569	37	2	663	55	58	39	0	152
% App. Total	5.7	84.5	9.7	0.2		23.1	43.8	33.1	0		8.3	85.8	5.6	0.3		36.2	38.2	25.7	0	
PHF	.600	.954	.803	.250	.952	.938	.713	.717	.000	.756	.764	.867	.841	.250	.906	.724	.806	.650	.000	.864
Automobiles	34	524	59	1	618	28	54	40	0	122	52	559	35	0	646	53	57	38	0	148
% Automobiles	94.4	98.1	96.7	100	97.8	93.3	94.7	93	0	93.8	94.5	98.2	94.6	0	97.4	96.4	98.3	97.4	0	97.4
Trucks	2	9	1	0	12	2	1	3	0	6	3	8	2	2	15	2	1	1	0	4
% Trucks	5.6	1.7	1.6	0	1.9	6.7	1.8	7	0	4.6	5.5	1.4	5.4	100	2.3	3.6	1.7	2.6	0	2.6
Buses	0	1	1	0	2	0	2	0	0	2	0	2	0	0	2	0	0	0	0	0
% Buses	0	0.2	1.6	0	0.3	0	3.5	0	0	1.5	0	0.4	0	0	0.3	0	0	0	0	0

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Entire Intersection Begins at 15:00

	15:00					15:15					15:00					15:00				
15:00	14	116	16	0	146	6	17	3	0	26	10	134	12	0	156	14	32	14	0	60
15:15	5	114	20	0	139	8	19	13	0	40	17	147	9	0	173	19	23	10	0	52
15:30	9	119	17	0	145	3	30	11	0	44	9	148	15	0	172	13	30	14	0	57
15:45	10	131	4	1	146	7	26	10	1	44	14	126	10	0	150	20	29	14	0	63
Total Volume	38	480	57	1	576	24	92	37	1	154	50	555	46	0	651	66	114	52	0	232
% App. Total	6.6	83.3	9.9	0.2		15.6	59.7	24	0.6		7.7	85.3	7.1	0		28.4	49.1	22.4	0	
PHF	.679	.916	.713	.250	.986	.750	.767	.712	.250	.875	.735	.938	.767	.000	.941	.825	.891	.929	.000	.921
Automobiles	38	463	55	1	557	23	91	35	1	150	50	541	43	0	634	62	111	52	0	225
% Automobiles	100	96.5	96.5	100	96.7	95.8	98.9	94.6	100	97.4	100	97.5	93.5	0	97.4	93.9	97.4	100	0	97.0
Trucks	0	15	2	0	17	0	0	1	0	1	0	9	3	0	12	3	2	0	0	5
% Trucks	0	3.1	3.5	0	3.0	0	0	2.7	0	0.6	0	1.6	6.5	0	1.8	4.5	1.8	0	0	2.2
Buses	0	2	0	0	2	1	1	1	0	3	0	5	0	0	5	1	1	0	0	2
% Buses	0	0.4	0	0	0.3	4.2	1.1	2.7	0	1.9	0	0.9	0	0	0.8	1.5	0.9	0	0	0.9

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	15:00					15:15					15:00					15:00				
+0 mins.	14	116	16	0	146	8	19	13	0	40	10	134	12	0	156	14	32	14	0	60
+15 mins.	5	114	20	0	139	3	30	11	0	44	17	147	9	0	173	19	23	10	0	52
+30 mins.	9	119	17	0	145	7	26	10	1	44	9	148	15	0	172	13	30	14	0	57
+45 mins.	10	131	4	1	146	7	19	7	0	33	14	126	10	0	150	20	29	14	0	63
Total Volume	38	480	57	1	576	25	94	41	1	161	50	555	46	0	651	66	114	52	0	232
% App. Total	6.6	83.3	9.9	0.2		15.5	58.4	25.5	0.6		7.7	85.3	7.1	0		28.4	49.1	22.4	0	
PHF	.679	.916	.713	.250	.986	.781	.783	.788	.250	.915	.735	.938	.767	.000	.941	.825	.891	.929	.000	.921
Automobiles	38	463	55	1	557	24	93	40	1	158	50	541	43	0	634	62	111	52	0	225
% Automobiles	100	96.5	96.5	100	96.7	96	98.9	97.6	100	98.1	100	97.5	93.5	0	97.4	93.9	97.4	100	0	97
Trucks	0	15	2	0	17	0	0	0	0	0	0	9	3	0	12	3	2	0	0	5
% Trucks	0	3.1	3.5	0	3	0	0	0	0	0	0	1.6	6.5	0	1.8	4.5	1.8	0	0	2.2
Buses	0	2	0	0	2	1	1	1	0	3	0	5	0	0	5	1	1	0	0	2
% Buses	0	0.4	0	0	0.3	4	1.1	2.4	0	1.9	0	0.9	0	0	0.8	1.5	0.9	0	0	0.9

Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 1

Groups Printed- Trucks - Buses

Start Time	59th St W Southbound					17th Ave W Westbound					59th St W Northbound					17th Ave W Eastbound					Int. Total
	Left	Thru	Right	Uturns	App. Total	Left	Thru	Right	Uturns	App. Total	Left	Thru	Right	Uturns	App. Total	Left	Thru	Right	Utrns	App. Total	
07:00	0	3	0	0	3	0	0	1	0	1	0	2	0	0	2	0	0	1	0	1	7
07:15	0	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
07:30	0	0	0	0	0	0	1	0	0	1	0	3	0	0	3	1	0	0	0	1	5
07:45	0	0	0	0	0	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	6
Total	0	6	0	0	6	0	1	1	0	2	0	11	0	0	11	1	0	1	0	2	21
08:00	0	3	0	0	3	1	0	0	0	1	0	2	0	0	2	0	0	0	0	0	6
08:15	0	3	2	0	5	0	1	0	0	1	0	3	0	0	3	0	0	0	0	0	9
08:30	1	3	0	0	4	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	7
08:45	0	2	1	0	3	0	1	0	0	1	0	3	0	0	3	0	0	1	0	1	8
Total	1	11	3	0	15	1	2	0	0	3	0	11	0	0	11	0	0	1	0	1	30
Break																					
11:30	1	1	0	0	2	0	2	2	0	4	2	4	0	2	8	0	1	0	0	1	15
11:45	0	3	0	0	3	0	0	0	0	0	1	2	0	0	3	0	0	0	0	0	6
Total	1	4	0	0	5	0	2	2	0	4	3	6	0	2	11	0	1	0	0	1	21
12:00	0	2	1	0	3	0	0	0	0	0	0	4	0	0	4	0	0	1	0	1	8
12:15	2	3	2	0	7	1	0	2	0	3	0	0	2	0	2	1	0	0	0	1	13
12:30	0	1	0	0	1	1	0	0	0	1	0	4	0	0	4	1	0	0	0	1	7
12:45	0	4	0	0	4	0	3	1	0	4	0	2	0	0	2	0	1	0	0	1	11
Total	2	10	3	0	15	2	3	3	0	8	0	10	2	0	12	2	1	1	0	4	39
13:00	0	2	0	0	2	1	0	0	0	1	1	7	0	0	8	0	0	0	0	0	11
13:15	0	4	0	0	4	0	0	0	0	0	0	3	0	0	3	0	0	1	0	1	8
Break																					
Total	0	6	0	0	6	1	0	0	0	1	1	10	0	0	11	0	0	1	0	1	19
Break																					
14:30	2	5	0	0	7	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	10
14:45	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	2	3
Total	2	5	0	0	7	0	0	0	0	0	0	4	0	0	4	1	1	0	0	2	13
15:00	0	5	1	0	6	0	0	1	0	1	0	2	2	0	4	1	2	0	0	3	14
15:15	0	4	1	0	5	1	0	0	0	1	0	3	0	0	3	1	1	0	0	2	11
15:30	0	4	0	0	4	0	0	0	0	0	0	5	0	0	5	1	0	0	0	1	10
15:45	0	4	0	0	4	0	1	1	0	2	0	4	1	0	5	1	0	0	0	1	12
Total	0	17	2	0	19	1	1	2	0	4	0	14	3	0	17	4	3	0	0	7	47
16:00	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
16:15	0	2	1	0	3	0	0	1	0	1	0	2	0	0	2	0	0	0	0	0	6
16:30	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
16:45	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Total	0	6	1	0	7	0	0	1	0	1	0	2	0	0	2	0	1	0	0	1	11
17:00	0	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3
17:15	0	1	0	0	1	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	4
17:30	0	0	1	0	1	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	3
17:45	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
Total	0	3	2	0	5	0	1	0	0	1	0	5	0	0	5	0	1	0	0	1	12
18:00	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
18:15	0	0	1	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	2
Grand Total	6	69	12	0	87	5	10	9	0	24	5	74	5	2	86	8	8	4	0	20	217
Apprch %	6.9	79.3	13.8	0		20.8	41.7	37.5	0		5.8	86	5.8	2.3		40	40	20	0		
Total %	2.8	31.8	5.5	0	40.1	2.3	4.6	4.1	0	11.1	2.3	34.1	2.3	0.9	39.6	3.7	3.7	1.8	0	9.2	
Trucks	5	60	7	0	72	4	3	8	0	15	4	57	5	2	68	7	7	4	0	18	173
% Trucks	83.3	87	58.3	0	82.8	80	30	88.9	0	62.5	80	77	100	100	79.1	87.5	87.5	100	0	90	79.7
Buses	1	9	5	0	15	1	7	1	0	9	1	17	0	0	18	1	1	0	0	2	44
% Buses	16.7	13	41.7	0	17.2	20	70	11.1	0	37.5	20	23	0	0	20.9	12.5	12.5	0	0	10	20.3

Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu peds
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 1

Groups Printed- Peds - Bikes

Start Time	59th St W Southbound Peds	17th Ave W Westbound Peds	59th St W Northbound Peds	17th Ave W Eastbound Peds	Int. Total
07:00	0	1	0	0	1
07:15	0	1	0	0	1
07:30	0	3	0	1	4
07:45	0	0	0	1	1
Total	0	5	0	2	7
08:00	0	3	1	0	4
08:15	1	0	1	0	2
08:30	0	2	0	1	3
08:45	1	6	0	0	7
Total	2	11	2	1	16
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
Total	0	0	0	0	0
10:00	0	0	0	0	0
10:15	0	0	0	0	0
10:30	0	0	0	0	0
10:45	0	0	0	0	0
Total	0	0	0	0	0
11:00	0	0	0	0	0
11:15	0	0	0	0	0
11:30	0	1	0	1	2
11:45	0	0	1	1	2
Total	0	1	1	2	4
12:00	0	1	0	1	2
12:15	0	0	0	0	0
12:30	0	1	0	1	2
12:45	0	1	0	0	1
Total	0	3	0	2	5
13:00	0	0	0	0	0
13:15	0	3	1	0	4
13:30	0	0	0	0	0
13:45	0	0	0	0	0
Total	0	3	1	0	4
14:00	0	0	0	0	0
14:15	0	0	0	0	0
14:30	0	0	0	0	0
14:45	0	0	1	0	1
Total	0	0	1	0	1
15:00	0	1	0	0	1
15:15	0	3	0	0	3
15:30	0	0	0	0	0
15:45	0	0	0	0	0
Total	0	4	0	0	4

Intersection Turning Movement Count

59th St W @ 17th Ave W
Manatee County, FL

File Name : 21003-19 Thu peds
Site Code : 21003-19
Start Date : 4/8/2021
Page No : 2

Groups Printed- Peds - Bikes

	59th St W Southbound	17th Ave W Westbound	59th St W Northbound	17th Ave W Eastbound	
Start Time	Peds	Peds	Peds	Peds	Int. Total
16:00	0	1	0	0	1
16:15	0	0	0	0	0
16:30	0	3	0	1	4
16:45	0	2	0	1	3
Total	0	6	0	2	8
17:00	0	0	0	1	1
17:15	0	0	0	1	1
17:30	0	3	1	1	5
17:45	0	3	0	0	3
Total	0	6	1	3	10
18:00	0	2	0	0	2
18:15	0	0	1	1	2
Grand Total	2	41	7	13	63
Apprch %	100	100	100	100	
Total %	3.2	65.1	11.1	20.6	
Peds	0	20	3	8	31
% Peds	0	48.8	42.9	61.5	49.2
Bikes	2	21	4	5	32
% Bikes	100	51.2	57.1	38.5	50.8

Intersection Turning Movement Count

59th St W @ 11th Ave W
 Manatee County, FL

File Name : 21003-20 Thu
 Site Code : 21003-20
 Start Date : 3/25/2021
 Page No : 1

Groups Printed- Automobiles - Trucks - Buses

Start Time	59th St W Southbound					11th Ave W Westbound					59th St W Northbound					11th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
07:00	0	107	0	0	107	1	0	3	0	4	4	53	2	0	59	5	7	9	0	21	191
07:15	1	122	1	0	124	1	3	2	0	6	4	77	0	0	81	6	7	5	0	18	229
07:30	1	142	1	0	144	1	1	3	0	5	3	83	2	0	88	4	3	3	0	10	247
07:45	1	165	1	0	167	1	2	10	0	13	7	111	1	0	119	7	9	11	0	27	326
Total	3	536	3	0	542	4	6	18	0	28	18	324	5	0	347	22	26	28	0	76	993
08:00	2	133	6	0	141	0	3	2	0	5	8	100	0	0	108	6	1	4	0	11	265
08:15	2	168	5	0	175	4	5	3	0	12	8	104	1	0	113	9	4	6	0	19	319
08:30	2	124	5	0	131	2	4	0	0	6	7	94	0	0	101	8	5	5	0	18	256
08:45	0	120	6	0	126	3	5	1	0	9	8	117	0	0	125	7	5	8	0	20	280
Total	6	545	22	0	573	9	17	6	0	32	31	415	1	0	447	30	15	23	0	68	1120
Break																					
11:30	4	109	7	0	120	0	4	2	0	6	1	143	3	0	147	5	10	4	0	19	292
11:45	5	147	9	0	161	2	6	6	0	14	9	154	3	0	166	10	4	3	0	17	358
Total	9	256	16	0	281	2	10	8	0	20	10	297	6	0	313	15	14	7	0	36	650
12:00	6	132	12	0	150	1	7	2	0	10	7	169	3	0	179	10	8	3	0	21	360
12:15	4	130	8	0	142	2	4	4	0	10	8	144	4	0	156	17	6	13	0	36	344
12:30	2	129	7	0	138	1	7	3	0	11	5	118	3	0	126	5	5	5	0	15	290
12:45	6	155	8	0	169	1	8	4	0	13	6	115	0	0	121	8	3	4	0	15	318
Total	18	546	35	0	599	5	26	13	0	44	26	546	10	0	582	40	22	25	0	87	1312
13:00	4	129	8	0	141	0	9	5	0	14	6	120	3	0	129	5	12	7	0	24	308
13:15	4	137	6	0	147	1	4	0	0	5	5	102	1	0	108	10	7	6	0	23	283
Total	8	266	14	0	288	1	13	5	0	19	11	222	4	0	237	15	19	13	0	47	591
Break																					
14:30	6	116	7	0	129	3	9	5	0	17	8	134	0	0	142	4	5	6	0	15	303
14:45	4	124	4	0	132	2	4	5	1	12	6	123	3	0	132	9	7	4	0	20	296
Total	10	240	11	0	261	5	13	10	1	29	14	257	3	0	274	13	12	10	0	35	599
15:00	2	132	10	0	144	1	5	1	0	7	5	158	2	0	165	8	7	10	0	25	341
15:15	3	126	14	0	143	1	4	3	0	8	6	159	4	0	169	6	5	8	0	19	339
15:30	7	131	11	0	149	2	10	3	0	15	8	134	3	0	145	5	9	10	0	24	333
15:45	6	135	10	0	151	2	4	2	0	8	6	126	2	0	134	6	7	10	0	23	316
Total	18	524	45	0	587	6	23	9	0	38	25	577	11	0	613	25	28	38	0	91	1329
16:00	5	117	13	0	135	1	5	4	0	10	11	136	1	0	148	8	4	8	0	20	313
16:15	8	118	9	0	135	1	11	3	0	15	10	138	1	0	149	8	3	4	0	15	314
16:30	7	98	12	0	117	1	8	3	0	12	6	153	2	0	161	6	13	7	0	26	316
16:45	3	109	6	0	118	1	5	4	0	10	9	118	2	0	129	9	6	9	0	24	281
Total	23	442	40	0	505	4	29	14	0	47	36	545	6	0	587	31	26	28	0	85	1224
17:00	4	131	3	0	138	0	3	1	0	4	7	150	6	0	163	6	4	6	0	16	321
17:15	2	136	14	0	152	0	5	0	0	5	5	120	6	0	131	8	5	3	0	16	304
17:30	7	134	7	0	148	0	7	2	0	9	6	113	2	0	121	6	8	9	0	23	301
17:45	2	142	10	0	154	0	4	4	0	8	6	99	1	0	106	6	8	6	0	20	288
Total	15	543	34	0	592	0	19	7	0	26	24	482	15	0	521	26	25	24	0	75	1214
18:00	6	136	6	0	148	0	8	5	0	13	10	109	0	0	119	4	7	6	0	17	297
18:15	4	108	9	0	121	1	5	2	0	8	6	94	2	0	102	3	7	3	0	13	244
Grand Total	120	4142	235	0	4497	37	169	97	1	304	211	3868	63	0	4142	224	201	205	0	630	9573
Apprch %	2.7	92.1	5.2	0		12.2	55.6	31.9	0.3		5.1	93.4	1.5	0		35.6	31.9	32.5	0		
Total %	1.3	43.3	2.5	0	47	0.4	1.8	1	0	3.2	2.2	40.4	0.7	0	43.3	2.3	2.1	2.1	0	6.6	


Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 2

Groups Printed- Automobiles - Trucks - Buses

	59th St W Southbound					11th Ave W Westbound					59th St W Northbound					11th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Automobiles	119	4074	232	0	4425	35	166	96	1	298	209	3820	63	0	4092	219	199	200	0	618	9433
% Automobiles	99.2	98.4	98.7	0	98.4	94.6	98.2	99	100	98	99.1	98.8	100	0	98.8	97.8	99	97.6	0	98.1	98.5
Trucks	1	58	3	0	62	2	2	0	0	4	2	35	0	0	37	3	2	3	0	8	111
% Trucks	0.8	1.4	1.3	0	1.4	5.4	1.2	0	0	1.3	0.9	0.9	0	0	0.9	1.3	1	1.5	0	1.3	1.2
Buses	0	10	0	0	10	0	1	1	0	2	0	13	0	0	13	2	0	2	0	4	29
% Buses	0	0.2	0	0	0.2	0	0.6	1	0	0.7	0	0.3	0	0	0.3	0.9	0	1	0	0.6	0.3



Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 3

Start Time	59th St W Southbound					11th Ave W Westbound					59th St W Northbound					11th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 07:45																					
07:45	1	165	1	0	167	1	2	10	0	13	7	111	1	0	119	7	9	11	0	27	326
08:00	2	133	6	0	141	0	3	2	0	5	8	100	0	0	108	6	1	4	0	11	265
08:15	2	168	5	0	175	4	5	3	0	12	8	104	1	0	113	9	4	6	0	19	319
08:30	2	124	5	0	131	2	4	0	0	6	7	94	0	0	101	8	5	5	0	18	256
Total Volume	7	590	17	0	614	7	14	15	0	36	30	409	2	0	441	30	19	26	0	75	1166
% App. Total	1.1	96.1	2.8	0		19.4	38.9	41.7	0		6.8	92.7	0.5	0		40	25.3	34.7	0		
PHF	.875	.878	.708	.000	.877	.438	.700	.375	.000	.692	.938	.921	.500	.000	.926	.833	.528	.591	.000	.694	.894
Automobiles	7	578	16	0	601	7	13	15	0	35	28	404	2	0	434	30	19	24	0	73	1143
% Automobiles	100	98.0	94.1	0	97.9	100	92.9	100	0	97.2	93.3	98.8	100	0	98.4	100	100	92.3	0	97.3	98.0
Trucks	0	10	1	0	11	0	1	0	0	1	2	2	0	0	4	0	0	1	0	1	17
% Trucks	0	1.7	5.9	0	1.8	0	7.1	0	0	2.8	6.7	0.5	0	0	0.9	0	0	3.8	0	1.3	1.5
Buses	0	2	0	0	2	0	0	0	0	0	0	3	0	0	3	0	0	1	0	1	6
% Buses	0	0.3	0	0	0.3	0	0	0	0	0	0	0.7	0	0	0.7	0	0	3.8	0	1.3	0.5

Peak Hour Analysis From 07:00 to 09:45 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	07:30					07:45					08:00					07:00				
+0 mins.	1	142	1	0	144	1	2	10	0	13	8	100	0	0	108	5	7	9	0	21
+15 mins.	1	165	1	0	167	0	3	2	0	5	8	104	1	0	113	6	7	5	0	18
+30 mins.	2	133	6	0	141	4	5	3	0	12	7	94	0	0	101	4	3	3	0	10
+45 mins.	2	168	5	0	175	2	4	0	0	6	8	117	0	0	125	7	9	11	0	27
Total Volume	6	608	13	0	627	7	14	15	0	36	31	415	1	0	447	22	26	28	0	76
% App. Total	1	97	2.1	0		19.4	38.9	41.7	0		6.9	92.8	0.2	0		28.9	34.2	36.8	0	
PHF	.750	.905	.542	.000	.896	.438	.700	.375	.000	.692	.969	.887	.250	.000	.894	.786	.722	.636	.000	.704
Automobiles	6	599	12	0	617	7	13	15	0	35	29	411	1	0	441	22	26	27	0	75
% Automobiles	100	98.5	92.3	0	98.4	100	92.9	100	0	97.2	93.5	99	100	0	98.7	100	100	96.4	0	98.7
Trucks	0	7	1	0	8	0	1	0	0	1	2	2	0	0	4	0	0	0	0	0
% Trucks	0	1.2	7.7	0	1.3	0	7.1	0	0	2.8	6.5	0.5	0	0	0.9	0	0	0	0	0
Buses	0	2	0	0	2	0	0	0	0	0	0	2	0	0	2	0	0	1	0	1
% Buses	0	0.3	0	0	0.3	0	0	0	0	0	0	0.5	0	0	0.4	0	0	3.6	0	1.3

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1

Peak Hour for Entire Intersection Begins at 11:30

11:30	4	109	7	0	120	0	4	2	0	6	1	143	3	0	147	5	10	4	0	19	292
11:45	5	147	9	0	161	2	6	6	0	14	9	154	3	0	166	10	4	3	0	17	358
12:00	6	132	12	0	150	1	7	2	0	10	7	169	3	0	179	10	8	3	0	21	360
12:15	4	130	8	0	142	2	4	4	0	10	8	144	4	0	156	17	6	13	0	36	344
Total Volume	19	518	36	0	573	5	21	14	0	40	25	610	13	0	648	42	28	23	0	93	1354
% App. Total	3.3	90.4	6.3	0		12.5	52.5	35	0		3.9	94.1	2	0		45.2	30.1	24.7	0		
PHF	.792	.881	.750	.000	.890	.625	.750	.583	.000	.714	.694	.902	.813	.000	.905	.618	.700	.442	.000	.646	.940
Automobiles	19	509	35	0	563	5	21	14	0	40	25	593	13	0	631	40	28	23	0	91	1325
% Automobiles	100	98.3	97.2	0	98.3	100	100	100	0	100	100	97.2	100	0	97.4	95.2	100	100	0	97.8	97.9
Trucks	0	7	1	0	8	0	0	0	0	0	0	14	0	0	14	2	0	0	0	2	24
% Trucks	0	1.4	2.8	0	1.4	0	0	0	0	0	0	2.3	0	0	2.2	4.8	0	0	0	2.2	1.8
Buses	0	2	0	0	2	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	5
% Buses	0	0.4	0	0	0.3	0	0	0	0	0	0	0.5	0	0	0.5	0	0	0	0	0	0.4

Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 4

Start Time	59th St W Southbound					11th Ave W Westbound					59th St W Northbound					11th Ave W Eastbound					Int. Total
	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	Left	Thru	Right	Utrns	App. Total	

Peak Hour Analysis From 10:00 to 13:45 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	12:00					12:15					11:30					11:30				
+0 mins.	6	132	12	0	150	2	4	4	0	10	1	143	3	0	147	5	10	4	0	19
+15 mins.	4	130	8	0	142	1	7	3	0	11	9	154	3	0	166	10	4	3	0	17
+30 mins.	2	129	7	0	138	1	8	4	0	13	7	169	3	0	179	10	8	3	0	21
+45 mins.	6	155	8	0	169	0	9	5	0	14	8	144	4	0	156	17	6	13	0	36
Total Volume	18	546	35	0	599	4	28	16	0	48	25	610	13	0	648	42	28	23	0	93
% App. Total	3	91.2	5.8	0		8.3	58.3	33.3	0		3.9	94.1	2	0		45.2	30.1	24.7	0	
PHF	.750	.881	.729	.000	.886	.500	.778	.800	.000	.857	.694	.902	.813	.000	.905	.618	.700	.442	.000	.646
Automobiles	18	534	35	0	587	4	27	16	0	47	25	593	13	0	631	40	28	23	0	91
% Automobiles	100	97.8	100	0	98	100	96.4	100	0	97.9	100	97.2	100	0	97.4	95.2	100	100	0	97.8
Trucks	0	10	0	0	10	0	1	0	0	1	0	14	0	0	14	2	0	0	0	2
% Trucks	0	1.8	0	0	1.7	0	3.6	0	0	2.1	0	2.3	0	0	2.2	4.8	0	0	0	2.2
Buses	0	2	0	0	2	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0
% Buses	0	0.4	0	0	0.3	0	0	0	0	0	0	0.5	0	0	0.5	0	0	0	0	0

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Entire Intersection Begins at 15:00

	15:00					15:15					15:30					15:45					Int. Total
15:00	2	132	10	0	144	1	5	1	0	7	5	158	2	0	165	8	7	10	0	25	
15:15	3	126	14	0	143	1	4	3	0	8	6	159	4	0	169	6	5	8	0	19	339
15:30	7	131	11	0	149	2	10	3	0	15	8	134	3	0	145	5	9	10	0	24	333
15:45	6	135	10	0	151	2	4	2	0	8	6	126	2	0	134	6	7	10	0	23	316
Total Volume	18	524	45	0	587	6	23	9	0	38	25	577	11	0	613	25	28	38	0	91	1329
% App. Total	3.1	89.3	7.7	0		15.8	60.5	23.7	0		4.1	94.1	1.8	0		27.5	30.8	41.8	0		
PHF	.643	.970	.804	.000	.972	.750	.575	.750	.000	.633	.781	.907	.688	.000	.907	.781	.778	.950	.000	.910	.974
Automobiles	18	516	45	0	579	6	23	9	0	38	25	571	11	0	607	23	27	38	0	88	1312
% Automobiles	100	98.5	100	0	98.6	100	100	100	0	100	100	99.0	100	0	99.0	92.0	96.4	100	0	96.7	98.7
Trucks	0	6	0	0	6	0	0	0	0	0	0	5	0	0	5	1	1	0	0	2	13
% Trucks	0	1.1	0	0	1.0	0	0	0	0	0	0	0.9	0	0	0.8	4.0	3.6	0	0	2.2	1.0
Buses	0	2	0	0	2	0	0	0	0	0	0	1	0	0	1	1	0	0	0	1	4
% Buses	0	0.4	0	0	0.3	0	0	0	0	0	0	0.2	0	0	0.2	4.0	0	0	0	1.1	0.3

Peak Hour Analysis From 14:00 to 18:15 - Peak 1 of 1

Peak Hour for Each Approach Begins at:

	17:15					15:30					15:00					15:00				
+0 mins.	2	136	14	0	152	2	10	3	0	15	5	158	2	0	165	8	7	10	0	25
+15 mins.	7	134	7	0	148	2	4	2	0	8	6	159	4	0	169	6	5	8	0	19
+30 mins.	2	142	10	0	154	1	5	4	0	10	8	134	3	0	145	5	9	10	0	24
+45 mins.	6	136	6	0	148	1	11	3	0	15	6	126	2	0	134	6	7	10	0	23
Total Volume	17	548	37	0	602	6	30	12	0	48	25	577	11	0	613	25	28	38	0	91
% App. Total	2.8	91	6.1	0		12.5	62.5	25	0		4.1	94.1	1.8	0		27.5	30.8	41.8	0	
PHF	.607	.965	.661	.000	.977	.750	.682	.750	.000	.800	.781	.907	.688	.000	.907	.781	.778	.950	.000	.910
Automobiles	17	542	37	0	596	6	30	12	0	48	25	571	11	0	607	23	27	38	0	88
% Automobiles	100	98.9	100	0	99	100	100	100	0	100	100	99	100	0	99	92	96.4	100	0	96.7
Trucks	0	6	0	0	6	0	0	0	0	0	0	5	0	0	5	1	1	0	0	2
% Trucks	0	1.1	0	0	1	0	0	0	0	0	0	0.9	0	0	0.8	4	3.6	0	0	2.2
Buses	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0	1
% Buses	0	0	0	0	0	0	0	0	0	0	0	0.2	0	0	0.2	4	0	0	0	1.1

Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 1

Groups Printed- Trucks - Buses																					
Start Time	59th St W Southbound					11th Ave W Westbound					59th St W Northbound					11th Ave W Eastbound					Int. Total
	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	Left	Thru	Right	UtURNS	App. Total	
07:00	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	1	2
07:15	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
07:30	0	1	0	0	1	0	0	1	0	1	0	2	0	0	2	0	0	0	0	0	4
07:45	0	3	0	0	3	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	4
Total	0	5	0	0	5	1	0	1	0	2	0	3	0	0	3	0	0	1	0	1	11
08:00	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
08:15	0	4	1	0	5	0	0	0	0	0	2	3	0	0	5	0	0	0	0	0	10
08:30	0	4	0	0	4	0	1	0	0	1	0	1	0	0	1	0	0	2	0	2	8
08:45	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2
Total	0	10	1	0	11	0	1	0	0	1	2	4	0	0	6	1	0	2	0	3	21
Break																					
11:30	0	1	1	0	2	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	5
11:45	0	1	0	0	1	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	5
Total	0	2	1	0	3	0	0	0	0	0	0	7	0	0	7	0	0	0	0	0	10
12:00	0	6	0	0	6	0	0	0	0	0	0	5	0	0	5	1	0	0	0	1	12
12:15	0	1	0	0	1	0	0	0	0	0	0	5	0	0	5	1	0	0	0	1	7
12:30	0	3	0	0	3	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	4
12:45	0	2	0	0	2	0	1	0	0	1	0	2	0	0	2	0	1	0	0	1	6
Total	0	12	0	0	12	0	1	0	0	1	0	13	0	0	13	2	1	0	0	3	29
13:00	0	3	0	0	3	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	5
13:15	0	5	0	0	5	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	6
Total	0	8	0	0	8	0	0	0	0	0	0	2	0	0	2	0	0	1	0	1	11
Break																					
14:30	0	1	1	0	2	1	1	0	0	2	0	3	0	0	3	0	0	0	0	0	7
14:45	0	4	0	0	4	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	6
Total	0	5	1	0	6	1	1	0	0	2	0	4	0	0	4	0	0	1	0	1	13
15:00	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	3
15:15	0	4	0	0	4	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	5
15:30	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	1	2
15:45	0	2	0	0	2	0	0	0	0	0	0	4	0	0	4	1	0	0	0	1	7
Total	0	8	0	0	8	0	0	0	0	0	0	6	0	0	6	2	1	0	0	3	17
16:00	0	0	0	0	0	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	3
16:15	1	2	0	0	3	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	5
16:30	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
16:45	0	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Total	1	6	0	0	7	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	12
17:00	0	4	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
17:15	0	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
17:30	0	2	0	0	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3
17:45	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1
Total	0	9	0	0	9	0	0	0	0	0	0	2	0	0	2	0	0	0	0	0	11
18:00	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2
18:15	0	2	0	0	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3
Grand Total	1	68	3	0	72	2	3	1	0	6	2	48	0	0	50	5	2	5	0	12	140
Apprch %	1.4	94.4	4.2	0		33.3	50	16.7	0		4	96	0	0		41.7	16.7	41.7	0		
Total %	0.7	48.6	2.1	0	51.4	1.4	2.1	0.7	0	4.3	1.4	34.3	0	0	35.7	3.6	1.4	3.6	0	8.6	
Trucks	1	58	3	0	62	2	2	0	0	4	2	35	0	0	37	3	2	3	0	8	111
% Trucks	100	85.3	100	0	86.1	100	66.7	0	0	66.7	100	72.9	0	0	74	60	100	60	0	66.7	79.3
Buses	0	10	0	0	10	0	1	1	0	2	0	13	0	0	13	2	0	2	0	4	29
% Buses	0	14.7	0	0	13.9	0	33.3	100	0	33.3	0	27.1	0	0	26	40	0	40	0	33.3	20.7

Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu peds
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 1

Groups Printed- Peds - Bikes

Start Time	59th St W Southbound Peds	11th Ave W Westbound Peds	59th St W Northbound Peds	11th Ave W Eastbound Peds	Int. Total
07:00	0	0	0	0	0
07:15	0	0	1	0	1
07:30	0	0	1	2	3
07:45	0	1	0	1	2
Total	0	1	2	3	6
08:00	0	3	0	2	5
08:15	0	2	0	0	2
08:30	0	0	0	0	0
08:45	1	1	0	1	3
Total	1	6	0	3	10
09:00	0	0	0	0	0
09:15	0	0	0	0	0
09:30	0	0	0	0	0
09:45	0	0	0	0	0
Total	0	0	0	0	0
10:00	0	0	0	0	0
10:15	0	0	0	0	0
10:30	0	0	0	0	0
10:45	0	0	0	0	0
Total	0	0	0	0	0
11:00	0	0	0	0	0
11:15	0	0	0	0	0
11:30	0	2	0	0	2
11:45	1	4	1	0	6
Total	1	6	1	0	8
12:00	0	0	0	1	1
12:15	0	0	1	2	3
12:30	0	0	1	1	2
12:45	0	0	0	0	0
Total	0	0	2	4	6
13:00	0	0	0	1	1
13:15	0	1	0	0	1
13:30	0	0	0	0	0
13:45	0	0	0	0	0
Total	0	1	0	1	2
14:00	0	0	0	0	0
14:15	0	0	0	0	0
14:30	0	1	0	1	2
14:45	0	1	0	0	1
Total	0	2	0	1	3
15:00	0	2	0	2	4
15:15	0	0	0	0	0
15:30	0	0	0	2	2
15:45	0	1	0	0	1
Total	0	3	0	4	7

Intersection Turning Movement Count

59th St W @ 11th Ave W
Manatee County, FL

File Name : 21003-20 Thu peds
Site Code : 21003-20
Start Date : 3/25/2021
Page No : 2

Groups Printed- Peds - Bikes

	59th St W Southbound	11th Ave W Westbound	59th St W Northbound	11th Ave W Eastbound	
Start Time	Peds	Peds	Peds	Peds	Int. Total
16:00	0	0	0	1	1
16:15	0	0	0	1	1
16:30	0	4	0	0	4
16:45	0	1	1	0	2
Total	0	5	1	2	8
17:00	0	1	0	1	2
17:15	0	3	0	0	3
17:30	2	0	0	2	4
17:45	0	0	0	1	1
Total	2	4	0	4	10
18:00	0	0	2	0	2
18:15	0	0	0	1	1
Grand Total	4	28	8	23	63
Apprch %	100	100	100	100	
Total %	6.3	44.4	12.7	36.5	
Peds	3	12	4	12	31
% Peds	75	42.9	50	52.2	49.2
Bikes	1	16	4	11	32
% Bikes	25	57.1	50	47.8	50.8

FDOT D1
 TWO 11 Manatee Ave W (SR 64)
 Manatee Ave (SR 64) & 59th St W
 Weekday TMC

Albeck Gerken, Inc.
 1911 N US Hwy 301
 Suite 410
 Tampa, Florida, United States 33619
 (813) 319-3790

Count Name: 508_Manatee Ave (SR 64) & 59th St W_WD
 Site Code: 508
 Start Date: 01/10/2017
 Page No: 1

Turning Movement Data

Start Time	Manatee Ave (SR 64) Eastbound						Manatee Ave (SR 64) Westbound						59th St W Northbound						59th St W Southbound						Int. Total
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	
7:00	0	1	232	22	0	255	0	64	155	7	0	226	0	19	8	52	1	79	0	73	16	2	0	91	651
7:15	1	4	261	29	0	295	0	81	217	12	0	310	0	40	10	61	0	111	0	61	9	4	1	74	790
7:30	0	2	224	33	0	259	0	78	198	14	0	290	0	43	11	55	0	109	0	52	34	3	0	89	747
7:45	1	3	259	44	0	307	1	81	228	8	0	318	0	51	24	58	0	133	0	55	50	2	1	107	865
Hourly Total	2	10	976	128	0	1116	1	304	798	41	0	1144	0	153	53	226	1	432	0	241	109	11	2	361	3053
8:00	0	0	193	39	0	232	2	91	279	35	0	407	0	64	37	44	0	145	0	51	22	8	0	81	865
8:15	1	0	224	48	0	273	0	56	249	15	0	320	1	67	29	48	0	145	1	61	37	3	2	102	840
8:30	1	5	226	41	0	273	1	88	235	23	0	347	0	46	18	59	0	123	0	46	23	5	0	74	817
8:45	1	3	216	51	0	271	2	59	258	13	0	332	2	60	19	50	0	131	0	55	27	9	0	91	825
Hourly Total	3	8	859	179	0	1049	5	294	1021	86	0	1406	3	237	103	201	0	544	1	213	109	25	2	348	3347
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11:30	2	3	276	77	0	358	2	61	286	19	0	368	1	69	25	74	0	169	0	22	21	8	0	51	946
11:45	4	9	242	69	0	324	4	51	261	20	0	336	1	83	23	69	0	176	0	46	27	10	1	83	919
Hourly Total	6	12	518	146	0	682	6	112	547	39	0	704	2	152	48	143	0	345	0	68	48	18	1	134	1865
12:00	2	9	279	54	2	344	2	57	317	22	0	398	0	70	36	77	2	183	0	29	22	12	1	63	988
12:15	5	13	263	55	1	336	1	71	295	20	0	387	1	73	18	68	0	160	0	39	21	6	2	66	949
12:30	4	13	255	62	2	334	2	64	255	23	1	344	0	73	30	60	0	163	0	32	32	15	1	79	920
12:45	3	8	284	79	1	374	4	76	274	10	0	364	0	63	25	55	2	143	0	42	20	14	1	76	957
Hourly Total	14	43	1081	250	6	1388	9	268	1141	75	1	1493	1	279	109	260	4	649	0	142	95	47	5	284	3814
13:00	0	6	251	57	0	314	1	71	271	14	0	357	0	71	32	68	0	171	0	38	25	13	0	76	918
13:15	2	4	275	63	0	344	1	78	305	21	0	405	0	69	25	60	0	154	0	30	22	6	1	58	961
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hourly Total	2	10	526	120	0	658	2	149	576	35	0	762	0	140	57	128	0	325	0	68	47	19	1	134	1879
14:30	1	9	243	73	1	326	1	72	286	21	1	380	1	73	46	83	0	203	0	45	25	10	2	80	989
14:45	1	5	292	63	1	361	1	65	269	25	0	360	0	61	39	93	2	193	0	41	30	9	1	80	994
Hourly Total	2	14	535	136	2	687	2	137	555	46	1	740	1	134	85	176	2	396	0	86	55	19	3	160	1983
15:00	5	1	278	83	1	367	2	71	293	20	2	386	0	65	36	78	1	179	1	43	36	6	2	86	1018
15:15	1	7	290	86	1	384	2	47	288	31	1	368	1	58	33	75	0	167	1	49	40	15	1	105	1024
*** BREAK ***	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hourly Total	6	8	568	169	2	751	4	118	581	51	3	754	1	123	69	153	1	346	2	92	76	21	3	191	2042
16:00	2	5	283	68	3	358	0	49	302	30	1	381	0	64	45	96	0	205	0	45	24	8	0	77	1021
16:15	0	5	293	67	2	365	0	56	264	27	2	347	1	66	53	70	2	190	0	34	21	8	0	63	965
16:30	5	5	279	49	0	338	0	66	297	32	1	395	1	69	36	90	1	196	0	41	21	3	1	65	994
16:45	1	6	300	53	1	360	0	67	259	20	0	346	0	73	44	87	0	204	0	54	26	8	1	88	998
Hourly Total	8	21	1155	237	6	1421	0	238	1122	109	4	1469	2	272	178	343	3	795	0	174	92	27	2	293	3978
17:00	0	9	301	56	0	366	4	60	338	16	0	418	1	70	46	77	1	194	0	49	30	6	1	85	1063
17:15	3	2	300	60	0	365	2	66	340	25	0	433	1	72	51	78	0	202	0	32	32	8	1	72	1072
17:30	3	8	254	66	1	331	2	62	295	30	0	389	0	62	32	71	0	165	0	46	36	6	1	88	973
17:45	2	8	259	57	0	326	2	53	285	28	0	368	0	55	39	48	0	142	0	52	28	7	1	87	923
Hourly Total	8	27	1114	239	1	1388	10	241	1258	99	0	1608	2	259	168	274	1	703	0	179	126	27	4	332	4031
18:00	3	6	242	59	7	310	2	59	230	35	1	326	0	71	47	76	0	194	0	37	25	9	0	71	901
18:15	0	8	243	49	0	300	2	64	271	25	0	362	0	60	31	46	0	137	0	35	18	3	0	56	855
18:30	2	9	189	49	1	249	4	52	185	24	0	265	0	66	26	51	0	143	0	26	15	4	1	45	702
18:45	0	3	183	55	0	241	1	67	231	25	0	324	2	44	20	37	1	103	0	27	14	10	0	51	719
Hourly Total	5	26	857	212	8	1100	9	242	917	109	1	1277	2	241	124	210	1	577	0	125	72	26	1	223	3177
Lights	55	174	7988	1784	-	10001	48	2056	8302	685	-	11091	14	1961	981	2071	-	5027	3	1372	820	231	-	2426	28545
% Lights	98.2	97.2	97.5	98.2	-	97.7	100.0	97.8	97.5	99.3	-	97.7	100.0	98.5	98.7	98.0	-	98.3	100.0	98.8	98.9	96.3	-	98.6	97.9
Other Vehicles	1	5	201	32	-	239	0	47	212	5	-	264	0	29	13	43	-	85	0	16	8	9	-	33	621
% Other Vehicles	1.8	2.8	2.5	1.8	-	2.3	0.0	2.2	2.5	0.7	-	2.3	0.0	1.5	1.3	2.0	-	1.7	0.0	1.2	1.0	3.8	-	1.3	2.1
Bicycles on Road	0	0	0	0	-	0	0	0	2	0	-	2	0	0	0	0	-	0	0	0	1	0	-	1	3
% Bicycles on Road	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.1	0.0	-	0.0	0.0
Bicycles on Crosswalk	-	-	-	-	1	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	-	-	8	-	-
% Bicycles on Crosswalk	-	-	-	-	4.0	-	-	-	-	0.0	-	-	-	-	-	-	0.0	-	-	-	-	-	33.3	-	-
Pedestrians	-	-	-	-	24	-	-	-	-	10	-	-	-	-	-	-	13	-	-	-	-	-	16	-	-
% Pedestrians	-	-	-	-	96.0	-	-	-	-	100.0	-	-	-	-	-	-	100.0	-	-	-	-	-	66.7	-	-

FDOT D1
 TWO 11 Manatee Ave W (SR 64)
 Manatee Ave (SR 64) & 59th St W
 Weekday TMC

Albeck Gerken, Inc.
 1911 N US Hwy 301
 Suite 410
 Tampa, Florida, United States 33619
 (813) 319-3790

Count Name: 508_Manatee Ave (SR 64) & 59th St W_WD
 Site Code: 508
 Start Date: 01/10/2017
 Page No: 2

Turning Movement Peak Hour Data (7:45)

Start Time	Manatee Ave (SR 64) Eastbound						Manatee Ave (SR 64) Westbound						59th St W Northbound						59th St W Southbound						Int. Total
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	
7:45	1	3	259	44	0	307	1	81	228	8	0	318	0	51	24	58	0	133	0	55	50	2	1	107	865
8:00	0	0	193	39	0	232	2	91	279	35	0	407	0	64	37	44	0	145	0	51	22	8	0	81	865
8:15	1	0	224	48	0	273	0	56	249	15	0	320	1	67	29	48	0	145	1	61	37	3	2	102	840
8:30	1	5	226	41	0	273	1	88	235	23	0	347	0	46	18	59	0	123	0	46	23	5	0	74	817
PHF	0.750	0.400	0.871	0.896	-	0.884	0.500	0.868	0.888	0.579	-	0.855	0.250	0.851	0.730	0.886	-	0.941	0.250	0.873	0.660	0.563	-	0.850	0.979
Lights	3	8	882	166	-	1059	4	305	939	79	-	1327	1	224	105	205	-	535	1	213	132	17	-	363	3284
% Lights	100.0	100.0	97.8	96.5	-	97.6	100.0	96.5	94.8	97.5	-	95.3	100.0	98.2	97.2	98.1	-	98.0	100.0	100.0	100.0	94.4	-	99.7	97.0
Other Vehicles	0	0	20	6	-	26	0	11	52	2	-	65	0	4	3	4	-	11	0	0	0	1	-	1	103
% Other Vehicles	0.0	0.0	2.2	3.5	-	2.4	0.0	3.5	5.2	2.5	-	4.7	0.0	1.8	2.8	1.9	-	2.0	0.0	0.0	0.0	5.6	-	0.3	3.0
Bicycles on Road	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0
% Bicycles on Road	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	3	-	-
% Bicycles on Crosswalk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.0	-	-
Pedestrians	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-
% Pedestrians	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	-	-

FDOT D1
 TWO 11 Manatee Ave W (SR 64)
 Manatee Ave (SR 64) & 59th St W
 Weekday TMC

Albeck Gerken, Inc.
 1911 N US Hwy 301
 Suite 410
 Tampa, Florida, United States 33619
 (813) 319-3790

Count Name: 508_Manatee Ave (SR 64) & 59th St W_WD
 Site Code: 508
 Start Date: 01/10/2017
 Page No: 5


Turning Movement Peak Hour Data (16:30)

Start Time	Manatee Ave (SR 64) Eastbound						Manatee Ave (SR 64) Westbound						59th St W Northbound						59th St W Southbound						Int. Total
	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	U-Turn	Left	Thru	Right	Peds	App. Total	
16:30	5	5	279	49	0	338	0	66	297	32	1	395	1	69	36	90	1	196	0	41	21	3	1	65	994
16:45	1	6	300	53	1	360	0	67	259	20	0	346	0	73	44	87	0	204	0	54	26	8	1	88	998
17:00	0	9	301	56	0	366	4	60	338	16	0	418	1	70	46	77	1	194	0	49	30	6	1	85	1063
17:15	3	2	300	60	0	365	2	66	340	25	0	433	1	72	51	78	0	202	0	32	32	8	1	72	1072
PHF	0.450	0.611	0.980	0.908	-	0.976	0.375	0.966	0.907	0.727	-	0.919	0.750	0.973	0.868	0.922	-	0.975	0.000	0.815	0.852	0.781	-	0.881	0.962
Lights	9	22	1160	216	-	1407	6	254	1223	93	-	1576	3	284	176	328	-	791	0	176	107	24	-	307	4081
% Lights	100.0	100.0	98.3	99.1	-	98.5	100.0	98.1	99.1	100.0	-	99.0	100.0	100.0	99.4	98.8	-	99.4	-	100.0	98.2	96.0	-	99.0	98.9
Other Vehicles	0	0	20	2	-	22	0	5	11	0	-	16	0	0	1	4	-	5	0	0	2	1	-	3	46
% Other Vehicles	0.0	0.0	1.7	0.9	-	1.5	0.0	1.9	0.9	0.0	-	1.0	0.0	0.0	0.6	1.2	-	0.6	-	0.0	1.8	4.0	-	1.0	1.1
Bicycles on Road	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0
% Bicycles on Road	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	-	0.0	0.0
Bicycles on Crosswalk	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	0	-	-	-	-	-	2	-	-
% Bicycles on Crosswalk	-	-	-	-	0.0	-	-	-	-	-	0.0	-	-	-	-	-	0.0	-	-	-	-	-	50.0	-	-
Pedestrians	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	2	-	-
% Pedestrians	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	100.0	-	-	-	-	-	50.0	-	-

Traffic Trends - V03.a

FIN#	1234
Location	1


County:	Manatee (13)
Station #:	01-43
Highway:	59th Street W



Year	Traffic (ADT/AADT)	
	Count*	Trend**
2011	15700	15300
2012	15600	15400
2013	15300	15600
2014	15200	15700
2015	15200	15900
2016	16200	16100
2017	16900	16200
2018	16800	16400
2019	16200	16500
2025 Opening Year Trend		
2025	N/A	17600
2035 Mid-Year Trend		
2035	N/A	19500
2045 Design Year Trend		
2045	N/A	21600
TRANPLAN Forecasts/Trends		

Trend R-squared:	45.98%
Compounded Annual Historic Growth Rate:	0.95%
Compounded Growth Rate (2019 to Design Year):	1.04%
Printed:	8-Nov-21
Exponential Growth Option	

*Axle-Adjusted



Location	2015 Model Volume	2045 Model Volume (Build)
Manatee Ave (Northbound)	40,697	38,383
Manatee Ave (Southbound)	29,991	27,744
59th St (Eastbound)	31,969	31,969
59th St (Westbound)	26,840	26,840
17th Ave (Northbound)	12,020	11,105
17th Ave (Southbound)	11,105	11,548
Cortez Rd (Northbound)	40,458	45,573
Cortez Rd (Southbound)	36,047	36,047

Attachment B: Intersection Volume Development Worksheets

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Manatee Ave & 59th St W

COUNT DATE: January 10, 2017

AM PEAK HOUR FACTOR: 0.98

PM PEAK HOUR FACTOR: 0.96

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	11	902	172	320	991	81	226	108	209	214	132	18
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	11	902	172	320	991	81	226	108	209	214	132	18
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	31	1,180	218	265	1,234	93	287	177	332	176	109	25
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	31	1,180	218	265	1,234	93	287	177	332	176	109	25
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	0	38	7	14	42	3	10	5	9	9	6	1
AM NON-PROJECT TRAFFIC	11	940	179	334	1,033	84	236	113	218	223	138	19
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	1	50	9	11	52	4	12	7	14	7	5	1
PM NON-PROJECT TRAFFIC	32	1,230	227	276	1,286	97	299	184	346	183	114	26

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 11th Ave W

COUNT DATE: March 25, 2021

AM PEAK HOUR FACTOR: 0.89

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	30	29	36	7	14	15	30	409	2	7	590	17
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	30	29	36	7	14	15	30	409	2	7	590	17
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	25	28	38	6	23	9	25	577	11	18	524	45
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	25	28	38	6	23	9	25	577	11	18	524	45
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
AM NON-PROJECT TRAFFIC	30	29	36	7	14	15	30	409	2	7	590	17
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
PM NON-PROJECT TRAFFIC	25	28	38	6	23	9	25	577	11	18	524	45

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 17th Ave W

COUNT DATE: April 8, 2021

AM PEAK HOUR FACTOR: 0.92

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	32	52	60	39	98	74	46	364	20	32	534	64
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	32	52	60	39	98	74	46	364	20	32	534	64
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	66	114	52	25	92	37	50	555	46	39	480	57
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	66	114	52	25	92	37	50	555	46	39	480	57
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
AM NON-PROJECT TRAFFIC	32	52	60	39	98	74	46	364	20	32	534	64
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
PM NON-PROJECT TRAFFIC	66	114	52	25	92	37	50	555	46	39	480	57

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 21st Ave W

COUNT DATE: March 25, 2021

AM PEAK HOUR FACTOR: 0.91

PM PEAK HOUR FACTOR: 0.99

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	37	53	35	112	79	72	63	347	87	72	420	60
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	37	53	35	112	79	72	63	347	87	72	420	60
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	90	91	63	125	42	80	47	406	111	102	498	12
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	90	91	63	125	42	80	47	406	111	102	498	12
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
AM NON-PROJECT TRAFFIC	37	53	35	112	79	72	63	347	87	72	420	60
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
PM NON-PROJECT TRAFFIC	90	91	63	125	42	80	47	406	111	102	498	12

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 29th Ave W

COUNT DATE: March 25, 2021

AM PEAK HOUR FACTOR: 0.97

PM PEAK HOUR FACTOR: 0.9

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	124	0	83	0	0	0	41	500	0	0	421	75
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	124	0	83	0	0	0	41	500	0	0	421	75
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	95	0	45	0	0	1	81	481	0	1	626	99
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	95	0	45	0	0	1	81	481	0	1	626	99
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
AM NON-PROJECT TRAFFIC	124	0	83	0	0	0	41	500	0	0	421	75
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	0	0	0	0	0	0	0	0	0	0	0	0
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	0	0	0	0	0	0	0	0	0	0	0	0
PM NON-PROJECT TRAFFIC	95	0	45	0	0	1	81	481	0	1	626	99

EXISTING (2021) VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Cortez Rd & 59th St W

COUNT DATE: January 18, 2018

AM PEAK HOUR FACTOR: 0.96

PM PEAK HOUR FACTOR: 0.95

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	119	738	0	0	800	422	0	0	0	343	0	101
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	119	738	0	0	800	422	0	0	0	343	0	101
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	164	1,156	0	0	1,066	386	0	0	0	492	0	171
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	164	1,156	0	0	1,066	386	0	0	0	492	0	171
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	3	3	3	3	3	3	3	3	3	3	3	3
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
AM BACKGROUND TRAFFIC GROWTH	4	23	0	0	25	13	0	0	0	11	0	3
AM NON-PROJECT TRAFFIC	123	761	0	0	825	435	0	0	0	354	0	104
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	3	3	3	3	3	3	3	3	3	3	3	3
Yearly Growth Rate	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%	1.0%
PM BACKGROUND TRAFFIC GROWTH	5	36	0	0	34	12	0	0	0	16	0	5
PM NON-PROJECT TRAFFIC	169	1,192	0	0	1,100	398	0	0	0	508	0	176

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Manatee Ave & 59th St W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.98

PM PEAK HOUR FACTOR: 0.96

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	11	940	179	334	1,033	84	236	113	218	223	138	19
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	11	940	179	334	1,033	84	236	113	218	223	138	19
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	32	1,230	227	276	1,286	97	299	184	346	183	114	26
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	32	1,230	227	276	1,286	97	299	184	346	183	114	26
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	0	18	3	6	20	2	11	5	10	10	6	1
AM NON-PROJECT TRAFFIC	11	958	182	340	1,053	86	247	118	228	233	144	20
	15	960	185	340	1055	90	250	120	230	235	145	20
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	1	24	4	5	25	2	14	8	16	8	5	1
PM NON-PROJECT TRAFFIC	33	1,254	231	281	1,311	99	313	192	362	191	119	27
	35	1255	235	285	1315	100	315	195	365	195	120	30

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 11th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.89

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	30	29	36	7	14	15	30	409	2	7	590	17
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	30	29	36	7	14	15	30	409	2	7	590	17
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	25	28	38	6	23	9	25	577	11	18	524	45
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	25	28	38	6	23	9	25	577	11	18	524	45
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	1	1	1	0	0	0	1	19	0	0	27	1
AM NON-PROJECT TRAFFIC	31	30	37	7	14	15	31	428	2	7	617	18
	35	30	40	10	15	15	35	430	5	10	620	20
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	0	1	1	0	0	0	1	27	1	1	24	2
PM NON-PROJECT TRAFFIC	25	29	39	6	23	9	26	604	12	19	548	47
	25	30	40	10	25	10	30	605	15	20	550	50

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 17th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.92

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	32	52	60	39	98	74	46	364	20	32	534	64
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	32	52	60	39	98	74	46	364	20	32	534	64
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	66	114	52	25	92	37	50	555	46	39	480	57
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	66	114	52	25	92	37	50	555	46	39	480	57
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	1	1	1	1	2	1	2	17	1	1	25	3
AM NON-PROJECT TRAFFIC	33	53	61	40	100	75	48	381	21	33	559	67
	35	55	65	40	100	75	50	385	25	35	560	70
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	1	2	1	0	2	1	2	26	2	2	22	3
PM NON-PROJECT TRAFFIC	67	116	53	25	94	38	52	581	48	41	502	60
	70	120	55	25	95	40	55	585	50	45	505	60

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 21st Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.91

PM PEAK HOUR FACTOR: 0.99

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	37	53	35	112	79	72	63	347	87	72	420	60
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	37	53	35	112	79	72	63	347	87	72	420	60
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	90	91	63	125	42	80	47	406	111	102	498	12
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	90	91	63	125	42	80	47	406	111	102	498	12
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	1	1	1	2	2	1	3	16	4	3	19	3
AM NON-PROJECT TRAFFIC	38	54	36	114	81	73	66	363	91	75	439	63
	40	55	40	115	85	75	70	365	95	75	440	65
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	2	2	1	2	1	2	2	19	5	5	23	1
PM NON-PROJECT TRAFFIC	92	93	64	127	43	82	49	425	116	107	521	13
	95	95	65	130	45	85	50	425	120	110	525	15

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 29th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.97

PM PEAK HOUR FACTOR: 0.9

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	124	0	83	0	0	0	41	500	0	0	421	75
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	124	0	83	0	0	0	41	500	0	0	421	75
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	95	0	45	0	0	1	81	481	0	1	626	99
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	95	0	45	0	0	1	81	481	0	1	626	99
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	2	0	2	0	0	0	2	23	0	0	19	3
AM NON-PROJECT TRAFFIC	126	0	85	0	0	0	43	523	0	0	440	78
	130	0	85	0	0	0	45	525	0	0	440	80
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	2	0	1	0	0	0	4	22	0	0	29	5
PM NON-PROJECT TRAFFIC	97	0	46	0	0	1	85	503	0	1	655	104
	100	0	50	0	0	1	85	505	0	1	655	105

OY 2025 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Cortez Rd & 59th St W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.96

PM PEAK HOUR FACTOR: 0.95

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	123	761	0	0	825	435	0	0	0	354	0	104
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	123	761	0	0	825	435	0	0	0	354	0	104
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	169	1,192	0	0	1,100	398	0	0	0	508	0	176
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	169	1,192	0	0	1,100	398	0	0	0	508	0	176
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	2	15	0	0	16	8	0	0	0	16	0	5
AM NON-PROJECT TRAFFIC	125	776	0	0	841	443	0	0	0	370	0	109
PM BACKGROUND TRAFFIC"	125	780	0	0	845	445	0	0	0	370	0	110
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	4	4	4	4	4	4	4	4	4	4	4	4
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	3	23	0	0	21	8	0	0	0	23	0	8
PM NON-PROJECT TRAFFIC	172	1,215	0	0	1,121	406	0	0	0	531	0	184
	175	1215	0	0	1125	410	0	0	0	535	0	185

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Manatee Ave & 59th St W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.98

PM PEAK HOUR FACTOR: 0.96

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	11	940	179	334	1,033	84	236	113	218	223	138	19
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	11	940	179	334	1,033	84	236	113	218	223	138	19
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	32	1,230	227	276	1,286	97	299	184	346	183	114	26
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	32	1,230	227	276	1,286	97	299	184	346	183	114	26
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	1	114	22	41	126	10	73	35	67	69	43	6
AM NON-PROJECT TRAFFIC	12	1,054	201	375	1,159	94	309	148	285	292	181	25
	15	1055	205	375	1160	95	310	150	285	295	185	25
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	4	150	28	34	157	12	93	57	107	57	35	8
PM NON-PROJECT TRAFFIC	36	1,380	255	310	1,443	109	392	241	453	240	149	34
	40	1380	255	310	1445	110	395	245	455	240	150	35

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 11th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.89

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	30	29	36	7	14	15	30	409	2	7	590	17
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	30	29	36	7	14	15	30	409	2	7	590	17
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	25	28	38	6	23	9	25	577	11	18	524	45
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	25	28	38	6	23	9	25	577	11	18	524	45
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	4	4	4	1	2	2	9	127	1	2	183	5
AM NON-PROJECT TRAFFIC	34	33	40	8	16	17	39	536	3	9	773	22
	35	35	40	10	20	20	40	540	5	10	775	25
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	3	3	5	1	3	1	8	179	3	6	162	14
PM NON-PROJECT TRAFFIC	28	31	43	7	26	10	33	756	14	24	686	59
	30	35	45	10	30	10	35	760	15	25	690	60

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 17th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.92

PM PEAK HOUR FACTOR: 0.97

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	32	52	60	39	98	74	46	364	20	32	534	64
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	32	52	60	39	98	74	46	364	20	32	534	64
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	66	114	52	25	92	37	50	555	46	39	480	57
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	66	114	52	25	92	37	50	555	46	39	480	57
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	4	6	7	5	12	9	14	113	6	10	165	20
AM NON-PROJECT TRAFFIC	36	58	67	44	110	83	60	477	26	42	699	84
	40	60	70	45	110	85	60	480	30	45	700	85
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	8	14	6	3	11	5	15	172	14	12	149	18
PM NON-PROJECT TRAFFIC	74	128	58	28	103	42	65	727	60	51	629	75
	75	130	60	30	105	45	65	730	60	55	630	75

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 21st Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.91

PM PEAK HOUR FACTOR: 0.99

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	37	53	35	112	79	72	63	347	87	72	420	60
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	37	53	35	112	79	72	63	347	87	72	420	60
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	90	91	63	125	42	80	47	406	111	102	498	12
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	90	91	63	125	42	80	47	406	111	102	498	12
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	5	6	4	14	10	9	20	107	27	22	130	19
AM NON-PROJECT TRAFFIC	42	59	39	126	89	81	83	454	114	94	550	79
	45	60	40	130	90	85	85	455	115	95	550	80
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	11	11	8	15	5	10	15	126	34	32	154	4
PM NON-PROJECT TRAFFIC	101	102	71	140	47	90	62	532	145	134	652	16
	105	105	75	140	50	90	65	535	145	135	655	20

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: 59th St W & 29th Ave W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.97

PM PEAK HOUR FACTOR: 0.9

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	124	0	83	0	0	0	41	500	0	0	421	75
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	124	0	83	0	0	0	41	500	0	0	421	75
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	95	0	45	0	0	1	81	481	0	1	626	99
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	95	0	45	0	0	1	81	481	0	1	626	99
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	15	0	10	0	0	0	13	155	0	0	130	23
AM NON-PROJECT TRAFFIC	139	0	93	0	0	0	54	655	0	0	551	98
	140	0	95	0	0	0	55	655	0	0	555	100
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	12	0	5	0	0	0	25	149	0	0	194	31
PM NON-PROJECT TRAFFIC	107	0	50	0	0	1	106	630	0	1	820	130
	110	0	50	0	0	1	110	630	0	1	820	130

DY 2045 VOLUME DEVELOPMENT AT STUDY INTERSECTIONS

INTERSECTION: Cortez Rd & 59th St W

COUNT DATE: January 1, 2021

AM PEAK HOUR FACTOR: 0.96

PM PEAK HOUR FACTOR: 0.95

"AM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
AM Raw Turning Movements	123	761	0	0	825	435	0	0	0	354	0	104
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
AM EXISTING CONDITIONS	123	761	0	0	825	435	0	0	0	354	0	104
"PM EXISTING TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
PM Raw Turning Movements	169	1,192	0	0	1,100	398	0	0	0	508	0	176
Seasonal Factor (Min. 1.00)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
PM EXISTING CONDITIONS	169	1,192	0	0	1,100	398	0	0	0	508	0	176
"AM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
AM BACKGROUND TRAFFIC GROWTH	15	93	0	0	100	53	0	0	0	110	0	32
AM NON-PROJECT TRAFFIC	138	854	0	0	925	488	0	0	0	464	0	136
	140	855	0	0	925	490	0	0	0	465	0	140
"PM BACKGROUND TRAFFIC"	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Years To Buildout	24	24	24	24	24	24	24	24	24	24	24	24
Yearly Growth Rate	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.1%	1.1%	1.1%	1.1%	1.1%	1.1%
PM BACKGROUND TRAFFIC GROWTH	21	145	0	0	134	48	0	0	0	157	0	54
PM NON-PROJECT TRAFFIC	190	1,337	0	0	1,234	446	0	0	0	665	0	230
	190	1340	0	0	1235	450	0	0	0	665	0	230

Attachment C: Signal Timing Worksheets

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Phase [1.1.1]

	1 (EL)	2 (WT)	3	4	5	6 (ET)	7	8 (ST)	9	10	11	12	13	14	15	16
Walk	0	7	0	0	0	0	0	7	0	0	0	0	0	0	0	0
Ped Clearance	0	27	0	0	0	0	0	23	0	0	0	0	0	0	0	0
Min Green	5	15	0	0	0	15	0	7	0	0	0	0	0	0	0	0
Passage	3	5	0	0	0	5	0	3	0	0	0	0	0	0	0	0
Max1	15	30	0	0	0	30	0	20	0	0	0	0	0	0	0	0
Max2	25	125	0	0	0	150	0	45	0	0	0	0	0	0	0	0
Yellow	4.8	4.8	0	0	0	4.8	0	4.4	0	0	0	0	0	0	0	0
Red	2.5	2.5	0	0	0	2.5	0	2	0	0	0	0	0	0	0	0
Red Revert	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Added Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Max Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time To Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduce By	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Step	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Auto Exit		ON				ON										
Rest In Walk		ON														

Phase Option [1.1.2]

	1 (EL)	2 (WT)	3	4	5	6 (ET)	7	8 (ST)	9	10	11	12	13	14	15	16
Enable	ON	ON				ON		ON								
Auto Entry								ON								
Non Act1																
Non Act2																
Lock Call																
Min Recall		ON				ON										
Max Recall																
Ped Recall																
Soft Recall																
Dual Entry		ON				ON										
Sim Gap Enable																
Guar Passage																
Cond Service																
Add Init Calc																

Alternate Phase Program 1, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 2, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 1, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	7	24	7	3	20	45	4.4	2	8	0
2	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0

Alternate Phase Program 2, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0

Prepared By

Date Implemented

Reviewed By

Traffic Engineer

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:32:15 PM

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Unit Parameters [1.2.1]

StartUp Flash	Auto Ped Clear	Backup Time	Red Revert	Console Timeout	Tone Disable	Feature Profile	Phase Mode	Diamond Mode	SDLC Retry Time	TS2 Det Faults	Cycle Fault Action	Max Cycle Time	Max Seek Track Time	Max Seek Dwell Time	Enable Run	Local Flash Start	Start Red Time	Disable Init Ped	Yellow 3 Second Disable	Omit Yellow Enable	Free Ring Sequence
	OFF		3	10	OFF		STD8	4PH		OFF	ALARM				ON	OFF		OFF	OFF	OFF	1

Comm, General Comm Parameters [6.1]

Station ID	Master Station ID	Fallback time	Allow Pencil	Port	System-Up	Sys-Down	PC/Print	Aux 232
3124			OFF					

Port Parameters [6.2]

Comm	Mode	Baud	MsgTime	Duplex	Enable	DialTime	Modem	ModemTime	Tel#1	Tel#2
System Up(P-A)										
System Down(P-B)										
PC/Print(P-2)										

Overlap General Parameters [1.5.1]

Conflict Lock	Lock Inhibit	Program Card	Use Parent	Canadian Fast Flash
OFF	OFF	OFF	ON	OFF

Overlap Program Parameters [1.5.2.1]

Overlap	Included Phases	Modifier Phases	Type	Green	Yellow	Red
Overlap 1			NORMAL		3.5	1.5
Overlap 2			NORMAL		3.5	1.5
Overlap 3			NORMAL		3.5	1.5
Overlap 4			NORMAL		3.5	1.5
Overlap 5			NORMAL		3.5	1.5
Overlap 6			NORMAL		3.5	1.5
Overlap 7			NORMAL		3.5	1.5
Overlap 8			NORMAL		3.5	1.5

Overlap Conflict Parameters+ [1.5.2.2]

Overlap	Conflicting Phases	Conflicting Overlaps	Conflicting Peds
Overlap 1			OFF OFF
Overlap 2			OFF OFF
Overlap 3			OFF OFF
Overlap 4			OFF OFF
Overlap 5			OFF OFF
Overlap 6			OFF OFF
Overlap 7			OFF OFF
Overlap 8			OFF OFF

Detector, Vehicle Parameters 1-16 [5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	1	2	3	4	5	6	7	8	0	0	0	0	0	0	0	0
Switch Phase	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Detector, Vehicle Parameters 17-32 [5.1]

	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:32:15 PM

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Detector Alternate Program 1, Vehicle Parameters [5.5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Channels/SDLC, Assign to Phases [1.3.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
PH/OLP #	1	2	3	4	5	6	7	8	1	2	3	4	2	4	6	8	1	3	5	7				
Type	VEH	VEH	VEH	VEH	VEH	VEH	VEH	VEH	OLP	OLP	OLP	OLP	PED	PED	PED	PED	PED	PED	PED	PED	VEH	VEH	VEH	VEH
Flash	RED	YEL	RED	RED	RED	YEL	RED	RED	RED	RED	RED	RED	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK
Flash 1-2 Hertz																								
Dimming Green																								
Dimming Yellow																								
Dimming Red																								
Alt Cyc	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

Channel/SDLC, Parameters [1.3.3]

TOD Dim Enable	Extra Maps Enable	D Connector Enable	Single BIU Map	IO Mode	Preempt or Ext Output
OFF	DEFAULT	TX2 V14	ON	AUTO	EXT

Channel/SDLC, MMU Map [1.3.5]

MMU-to-Controller Channel Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Channel/SDLC, Permissive [1.3.4]

Channel	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2
1											1				
2				1							1				
3															
4															
5															
6				1											
7															
8	1														
9															
10															
11															
12															
13															
14															
15															

Channel/SDLC, Permissive [1.3.7]

SDLC Device	Term/Fac		Detector																MMU	Diag
BIU#	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8				
Present	ON	ON							ON									ON		
Peer to Peer																				

Ring Sequence [1.2.4]

Ring	P1	P2	P3	P4	P5	P6	P7	P8
Ring 1	1	2	3	4				
Ring 2	5	6	7	8				
Ring 3								
Ring 4								

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Alarms, Enable Events [1.6.1]

Event#	Event Enable
1	ON
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	ON
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	ON
22	ON
23	ON
24	ON
25	ON
26	ON
27	ON
28	
29	ON
30	ON
31	ON
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	ON
48	
49	ON
50	ON
51	ON
52	ON
53	ON
54	ON
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Alarms, Enable Alarms [1.6.4]

Alarm#	Alarm Enable
1	
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	
22	ON
23	ON
24	ON
25	ON
26	
27	
28	
29	
30	ON
31	ON
32	
33	
34	
35	
36	
37	ON
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Preemption Times[3.1]/Phases[3.2]/Options[3.3]

Channel	1	2	3	4	5	6
Lock Input	ON	ON	ON	ON	ON	ON
Override Flash						
Override Higher	ON					
Flash Dwell						
Link						
Delay						
Min Duration						
Min Green						
Min Walk						
Ped Clear						
Track Green						
Min Dwell						
Max Presence						
Track R1						
Track R2						
Track R3						
Track R4						
Dwell P1						
Dwell P2						
Dwell P3						
Dwell P4						
Dwell P5						
Dwell P6						
Dwell P7						
Dwell P8						
Dwell P9						
Dwell P10						
Dwell P11						
Dwell P12						
Dwell Ped1						
Dwell Ped2						
Dwell Ped3						
Dwell Ped4						
Dwell Ped5						
Dwell Ped6						
Dwell Ped7						
Dwell Ped8						
Exit R1						
Exit R2						
Exit R3						
Exit R4						

Alarms, Parameters [1.4.1]

Auto Flash Parameter

Yellow	Red	Mode	Source
45	10	VOT_MON	D-CONN

Alarms, Parameters [1.6.7]

Preempt Event Enabled	Pattern Event Enabled
ON	ON

Alarms, Phases/Overlaps [1.4.2]

Auto Flash	1	2	3	4	5	6	7	8	9	10	11	12
Phases												
Overlaps												

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Preemption Times+[3.4]/Overlaps+[3.5]/Options+[3.6]

Preempt	1	2	3	4	5	6
Enable						
Type	EMERG	EMERG	EMERG	EMERG	EMERG	EMERG
Skip Track						
Volt Mon Flash						
Coord in Preempt						
Max2						
Return Max/Min	MAX	MAX	MAX	MAX	MAX	MAX
Extend Dwell						
Pattern						
Output Mode	TS2	TS2	TS2	TS2	TS2	TS2
Track Over 1						
Track Over 2						
Track Over 3						
Track Over 4						
Track Over 5						
Track Over 6						
Track Over 7						
Track Over 8						
Track Over 9						
Track Over 10						
Track Over 11						
Track Over 12						
Dwell Over 1						
Dwell Over 2						
Dwell Over 3						
Dwell Over 4						
Dwell Over 5						
Dwell Over 6						
Dwell Over 7						
Dwell Over 8						
Dwell Over 9						
Dwell Over 10						
Dwell Over 11						
Dwell Over 12						
Ped Clear						
Yellow						
Red						
Return Min/Max						
Delay Inh						
Exit Time						
All Red B4						

Coordination, Modes,+ [2.1]

Modes

Operational	Correct	Maximum	Force-Off
	SHRT/LNG	MAX INH	FLOAT

Modes+

Mode	Leave Before	Leave After	Recycle	Stop In Walk	External	Auto Reset	Latch Sec Foff	Coord Easy Float	Yield Value	Coord NTCIP Yield Sign	Closed Loop Active
FRC	TIMED	TIMED	P3478_INH	ON	OFF	ON	OFF	OFF	0	+	OFF

Coordination, Pattern 1-16 [2.1]

Pattern	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Cycle Time	160	200	200	140	140	200	140	200								
Offset Time	7	160	165	5	5	184	5	184								
Split Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn

Coordination, Pattern 17-32 [2.1]

Pattern	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Cycle Time																
Offset Time																
Split Number	17	18	19	20	21	22	23									
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn	endgrn

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Coordination, Splits [2.7.1]

Split Table 1

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	20	98		42		118		42								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 2

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	27	129		44		156		44								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 3

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	25	131		44		156		44								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 4

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	92		30		110		30								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 5

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	92		30		110		30								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 6

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	25	131		44		156		44								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 7

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	92		30		110		30								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 8

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	25	131		44		156		44								
Mode	NON	MPX	NON	NON	NON	MAX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph		ON														

Split Table 9

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 10

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 11

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 12

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:32:15 PM

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Split Table 13	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 15	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Split Table 32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord-Ph																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:32:15 PM

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

Day Plan Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:32:15 PM

Station : 3124 - Cortez Rd @ 59th St W (Upload File)

TB Coor, Action Table [4.5]

Action	Pattern	Aux 1	Aux 2	Aux 3	Special 1	Special 2	Special 3	Special 4	Special 5	Special 6	Special 7	Special 8
1	1											
2	2											
3	3											
4	4											
5	5											
6	6											
7	7											
8	8											
9	9											
10	10											
11	11											
12	12											
13	13											
14	14											
15	15											
16	16											
17	17											
18	18											
19	19											
20	20											
21	21											
22	22											
23	23											
24	24											
25	25											
26												
27												
28												
29												
30												
31												
32												
33												
34												
35												
36												
37												
38												
39												
40												
41												
42												
43												
44												
45												
46												
47												
48												
49												
50												
51												
52												
53												
54												
55												
56												
57												
58												
59												
60												
61												
62												
63												
64												
99	254											
100	255											

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Phase [1.1.1]

	1	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Walk	0	0	0	7	0	7	0	0	0	0	0	0	0	0	0	0
Ped Clearance	0	0	0	19	0	31	0	0	0	0	0	0	0	0	0	0
Min Green	0	20	0	7	7	20	0	7	0	0	0	0	0	0	0	0
Gap Ext	0	3	0	4	3	3	0	4	0	0	0	0	0	0	0	0
Max1	0	60	0	25	15	55	0	25	0	0	0	0	0	0	0	0
Max2	0	110	0	30	20	100	0	30	0	0	0	0	0	0	0	0
Yellow Clr	0	4.9	0	3.8	4	4.9	0	3.8	0	0	0	0	0	0	0	0
Red Clr	0	2	0	2	2.6	2	0	2	0	0	0	0	0	0	0	0
Red Revert	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Added Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Max Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time To Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduce By	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Step	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Auto Flash Entry				ON				ON								
Auto Flash Exit		ON				ON										
Non-Actuated 1																
Non-Actuated 2																
Rest In Walk																

Phase Option [1.1.2]

	1	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Enable		ON		ON	ON	ON		ON								
Lock Call		ON				ON										
Min Recall		ON				ON										
Max Recall																
Ped Recall																
Soft Recall																
Dual Entry		ON		ON		ON		ON								
Sim Gap Enable		ON		ON		ON		ON								
Guar Passage																
Cond Service																
Add Init Calc																

Alternate Phase Program 1, Calls and Redirection [1.1.6.3]

Entry	Call Phases								From	To	From	To	From	To	From	To	Assigned Ph	
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Alternate Phase Program 2, Calls and Redirection [1.1.6.3]

Entry	Call Phases								From	To	From	To	From	To	From	To	Assigned Ph	
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Alternate Phase Program 1, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Alternate Phase Program 2, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Prepared By

Date Implemented

Reviewed By

Traffic Engineer

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:27:12 PM

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Unit Parameters [1.2.1]

StartUp Flash	Auto Ped Clear	Red Revert	Local Flash Start	Allow < 3 sec Yel	Allow Skip Yel	MCE Timeout	Enable Run	Start Red Time	Phase Mode	Startup Calls	Diamond Mode	Stop Time Over Preempt	Free Ring Sequence	Clearance Decide	Min Ped Clear Time	RingAlgo				
	OFF	3	OFF	OFF	OFF		ON		STD8	OFF	4PH	OFF	1	OFF	OFF					

Comm, General Comm Parameters [6.1]

Station ID	Master Station ID	Fallback time	Allow Pencil	Port	System-Up	Sys-Down	PC/Print	Aux 232
3237								

Port Parameters [6.2]

Comm	Mode	Baud	MsgTime	Duplex	Enable	DialTime	Modem	ModemTime	Tel#1	Tel#2
System Up(P-A)										
System Down(P-B)										
PC/Print(P-2)										

Overlap General Parameters [1.5.1]

Conflict Lock	Lock Inhibit	Program Card	Use Parent	Canadian Fast Flash
OFF	OFF	ON	ALWAYS	

Overlap Program Parameters [1.5.2.1]

Overlap	Included Phases	Modifier Phases	Type	Green	Yellow	Red
Overlap 1			NORMAL		3.5	1.5
Overlap 2			NORMAL		3.5	1.5
Overlap 3			NORMAL		3.5	1.5
Overlap 4			NORMAL		3.5	1.5
Overlap 5			NORMAL		3.5	1.5
Overlap 6			NORMAL		3.5	1.5
Overlap 7			NORMAL		3.5	1.5
Overlap 8			NORMAL		3.5	1.5

Overlap Conflict Parameters+ [1.5.2.2]

Overlap	Conflicting Phases	Conflicting Overlaps	Conflicting Peds
Overlap 1			
Overlap 2			
Overlap 3			
Overlap 4			
Overlap 5			
Overlap 6			
Overlap 7			
Overlap 8			

Detector, Vehicle Parameters 1-16 [5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	2	5	4	4	6	8	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	3	0	8	0	3	0	0	0	0	0	0	0	0	0	0

Detector, Vehicle Parameters 17-32 [5.1]

	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:27:12 PM

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Detector Alternate Program 1, Vehicle Parameters [5.5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Channels/SDLC, Assign to Phases [1.3.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
PH/OLP #	1	2	3	4	5	6	7	8	1	2	3	4	2	4	6	8	1	3	5	7				
Type	VEH	VEH	VEH	VEH	VEH	VEH	VEH	VEH	OLP	OLP	OLP	OLP	PED	PED	PED	PED	PED	PED	PED	PED	VEH	VEH	VEH	VEH
Flash	RED	YEL	RED	RED	RED	YEL	RED	RED	RED	RED	RED	RED	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK
Alt Hz																								
Dimming Green																								
Dimming Yellow																								
Dimming Red																								
Dimming Cyc	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

Channel/SDLC, Parameters [1.3.3]

TOD Dim Enable	Extra Maps Enable	D Connector Enable	Single BIU Map	IO Mode	Preempt or Ext Output
OFF	DEFAULT				

Channel/SDLC, MMU Map [1.3.5]

MMU-to-Controller Channel Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Channel/SDLC, Permissive [1.3.4]

Channel	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2
1															
2		1									1	1			
3															
4			1						1						
5															
6		1													
7															
8			1												
9															
10															
11															
12															
13															
14															
15															

Channel/SDLC, Permissive [1.3.7]

SDLC Device	Term/Fac	Detector																MMU	Diag
BIU#	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8			
Dev Present	ON	ON							ON									ON	
Peer to Peer																			

Ring Sequence [1.2.4]

Ring	P1	P2	P3	P4	P5	P6	P7	P8
Ring 1	1	2	3	4				
Ring 2	5	6	7	8				
Ring 3								
Ring 4								

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Alarms, Enable Events [1.6.1]

Event#	Event Enable
1	ON
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	ON
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	ON
22	ON
23	ON
24	ON
25	ON
26	ON
27	ON
28	
29	ON
30	ON
31	ON
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	ON
48	
49	ON
50	ON
51	ON
52	ON
53	ON
54	ON
55	
56	
57	
58	
59	ON
60	
61	ON
62	
63	
64	

Alarms, Enable Alarms [1.6.4]

Alarm#	Alarm Enable
1	
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	
22	ON
23	ON
24	ON
25	ON
26	
27	
28	
29	
30	ON
31	ON
32	
33	
34	
35	
36	
37	ON
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Preemption Times[3.1]/Phases[3.2]/Options[3.3]

Channel	1	2	3	4	5	6
Lock Input	ON	ON	ON	ON	ON	ON
Override Auto Flash						
Override Higher Preempt	ON					
Flash in Dwell						
Link to Preempt						
Delay	8					
Min Duration						
Min Green	20					
Min Walk						
Ped Clear	31					
Track Green						
Min Dwell	30					
Max Presence	99					
Track Veh 1						
Track Veh 2						
Track Veh 3						
Track Veh 4						
Dwell Cyc Veh 1	8					
Dwell Cyc Veh 2						
Dwell Cyc Veh 3						
Dwell Cyc Veh 4						
Dwell Cyc Veh 5						
Dwell Cyc Veh 6						
Dwell Cyc Veh 7						
Dwell Cyc Veh 8						
Dwell Cyc Veh 9						
Dwell Cyc Veh 10						
Dwell Cyc Veh 11						
Dwell Cyc Veh 12						
Dwell Cyc Ped1						
Dwell Cyc Ped2						
Dwell Cyc Ped3						
Dwell Cyc Ped4						
Dwell Cyc Ped5						
Dwell Cyc Ped6						
Dwell vPed7						
Dwell Cyc Ped8						
Exit 1	2					
Exit 2	6					
Exit 3						
Exit 4						

Alarms, Parameters [1.4.1]

Auto Flash Parameter

Yellow	Red	Mode	Source
45	10		

Alarms, Parameters [1.6.7]

Preempt Event Enabled	Pattern Event Enabled
OFF	ON

Alarms, Phases/Overlaps [1.4.2]

Auto Flash	1	2	3	4	5	6	7	8	9	10	11	12
Phases												
Overlaps												

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Preemption Times+[3.4]/Overlaps+[3.5]/Options+[3.6]

Preempt	1	2	3	4	5	6
Enable	ON					
Type	EMERG	EMERG	EMERG	EMERG	EMERG	EMERG
Skip Track						
Volt Mon Flash						
Coord in Preempt						
Return Max/Min	MAX	MAX	MAX	MAX	MAX	MAX
Extend Dwell						
Pattern						
Output Mode	TS2	TS2	TS2	TS2	TS2	TS2
Track Over 1						
Track Over 2						
Track Over 3						
Track Over 4						
Track Over 5						
Track Over 6						
Track Over 7						
Track Over 8						
Track Over 9						
Track Over 10						
Track Over 11						
Track Over 12						
DwellCyc Over 1						
DwellCyc Over 2						
DwellCyc Over 3						
DwellCyc Over 4						
DwellCyc Over 5						
DwellCyc Over 6						
DwellCyc Over 7						
DwellCyc Over 8						
DwellCyc Over 9						
DwellCyc Over 10						
DwellCyc Over 11						
DwellCyc Over 12						
Ped Clear						
Yellow						
Red						
Return Max						

Coordination, Modes,+ [2.1]

Modes

Operational	Correct	Maximum	Force-Off
	SHRT/LNG	MAX 2	FIXED

Modes+

Mode	Leave Before	Leave After	Recycle	Stop In Walk	External	Auto Reset	Latch Sec Foff	Coord Easy Float	Yield Value	Coord NTCIP Yield Sign	Closed Loop Active	
RESERVED	TIMED	TIMED	P3478_INH	ON	OFF	ON	OFF	OFF	0	+	ON	OFF

Coordination, Pattern 1-16 [2.1]

Pattern	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Cycle Time	100	110		120	120	120		130		140						
Offset Time	90	89		65	88	34		125		131						
Split Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Coordination, Pattern 17-32 [2.1]

Pattern	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Cycle Time																
Offset Time																
Split Number	17	18	19	20	21	22	23									
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Coordination, Splits [2.7.1]

Split Table 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		78		22	18	60		22								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		83		27	18	65		27								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		90		30	18	72		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		93		27	18	75		27								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		93		27	20	73		27								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		101		29	19	82		29								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time		110		30	18	92		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:27:12 PM

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Split Table 13	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 15	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

TB Coor, Advanced Scheduler [4.3]

Advanced Scheduler grid with columns for Month, Day of Week, Day of Month, and Day Plan. Rows 1-32 show scheduling data.

TB Coor, Day Plan [4.4]

Day Plan Table 1 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Day Plan Table 2 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Day Plan Table 3 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Day Plan Table 4 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Day Plan Table 5 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Day Plan Table 6 grid with 17 columns (1-16) and rows for Hour, Minute, and Action.

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:27:12 PM

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

Day Plan Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:27:12 PM

Station : 3237 - 59th St W @ 29th Ave W (Upload File)

TB Coor, Action Table [4.5]

Action	Pattern	Aux 1	Aux 2	Aux 3	Special 1	Special 2	Special 3	Special 4	Special 5	Special 6	Special 7	Special 8
1	1				0	0						
2	2				0	0						
3	3				0	0						
4	4				0	0						
5	5				0	0						
6	6				0	0						
7	7				0	0						
8	8				0	0						
9	9				0	0						
10	10				0	0						
11	11				0	0						
12	12				0	0						
13	13				0	0						
14	14				0	0						
15	15				0	0						
16	16				0	0						
17	17				0	0						
18	18				0	0						
19	19				0	0						
20	20				0	0						
21	21				0	0						
22	22				0	0						
23	23				0	0						
24	24				0	0						
25	25				0	0						
26					0	0						
27					0	0						
28					0	0						
29					0	0						
30					0	0						
31					0	0						
32					0	0						
33					0	0						
34					0	0						
35					0	0						
36					0	0						
37					0	0						
38					0	0						
39					0	0						
40					0	0						
41					0	0						
42					0	0						
43					0	0						
44					0	0						
45					0	0						
46					0	0						
47					0	0						
48					0	0						
49					0	0						
50					0	0						
51					0	0						
52					0	0						
53					0	0						
54					0	0						
55					0	0						
56					0	0						
57					0	0						
58					0	0						
59					0	0						
60					0	0						
61					0	0						
62					0	0						
63					0	0						
64					0	0						
99	254				0	0						
100	255				0	0						

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Phase [1.1.1]

Table with 17 columns (1-16) and 28 rows of timing parameters for Phase 1.1.1, including values for Walk, Ped Clearance, Min Green, Gap Ext, Max1, Max2, Yellow Clr, Red Clr, Red Revert, Added Initial, Max Initial, Time Before Reduce, Cars Before Reduce, Time To Reduce, Reduce By, Min Gap, Dynamic Max Limit, Dynamic Max Step, Auto Flash Entry, Auto Flash Exit, Non-Actuated 1, Non-Actuated 2, and Rest In Walk.

Phase Option [1.1.2]

Table with 17 columns (1-16) and 13 rows of phase options for Phase 1.1.2, including Enable, Lock Call, Min Recall, Max Recall, Ped Recall, Soft Recall, Dual Entry, Sim Gap Enable, Guar Passage, Cond Service, and Add Init Calc.

Alternate Phase Program 1, Calls and Redirection [1.1.6.3]

Table with 14 columns (Entry, Call Phases, From, To, From, To, From, To, From, To, Assigned Ph) and 9 rows of data for Alternate Phase Program 1.

Alternate Phase Program 2, Calls and Redirection [1.1.6.3]

Table with 14 columns (Entry, Call Phases, From, To, From, To, From, To, From, To, Assigned Ph) and 9 rows of data for Alternate Phase Program 2.

Alternate Phase Program 1, Interval Times [1.1.6.1]

Table with 11 columns (Phase, Walk, Ped Clear, Min Green, Passage, Max1, Max2, Yellow, Red Clear, Assign Ph, Bike Clear) and 9 rows of data for Alternate Phase Program 1.

Alternate Phase Program 2, Interval Times [1.1.6.1]

Table with 11 columns (Phase, Walk, Ped Clear, Min Green, Passage, Max1, Max2, Yellow, Red Clear, Assign Ph, Bike Clear) and 9 rows of data for Alternate Phase Program 2.

Prepared By

Date Implemented

Reviewed By

Traffic Engineer

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:26:10 PM

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Unit Parameters [1.2.1]

StartUp Flash	Auto Ped Clear	Red Revert	Local Flash Start	Allow < 3 sec Yel	Allow Skip Yel	MCE Timeout	Enable Run	Start Red Time	Phase Mode	Startup Calls	Diamond Mode	Stop Time Over Preempt	Free Ring Sequence	Clearance Decide	Min Ped Clear Time	RingAlgo				
	OFF	3	OFF	OFF	OFF		ON		STD8	OFF	4PH	OFF	1	OFF	OFF					

Comm, General Comm Parameters [6.1]

Station ID	Master Station ID	Fallback time	Allow Pencil	Port	System-Up	Sys-Down	PC/Print	Aux 232
3235								

Port Parameters [6.2]

Comm	Mode	Baud	MsgTime	Duplex	Enable	DialTime	Modem	ModemTime	Tel#1	Tel#2
System Up(P-A)										
System Down(P-B)										
PC/Print(P-2)										

Overlap General Parameters [1.5.1]

Conflict Lock	Lock Inhibit	Program Card	Use Parent	Canadian Fast Flash
OFF	OFF	ON	ALWAYS	

Overlap Program Parameters [1.5.2.1]

Overlap	Included Phases	Modifier Phases	Type	Green	Yellow	Red
Overlap 1			NORMAL		3.5	1.5
Overlap 2			NORMAL		3.5	1.5
Overlap 3			NORMAL		3.5	1.5
Overlap 4			NORMAL		3.5	1.5
Overlap 5			NORMAL		3.5	1.5
Overlap 6			NORMAL		3.5	1.5
Overlap 7			NORMAL		3.5	1.5
Overlap 8			NORMAL		3.5	1.5

Overlap Conflict Parameters+ [1.5.2.2]

Overlap	Conflicting Phases	Conflicting Overlaps	Conflicting Peds
Overlap 1			
Overlap 2			
Overlap 3			
Overlap 4			
Overlap 5			
Overlap 6			
Overlap 7			
Overlap 8			

Detector, Vehicle Parameters 1-16 [5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	2	5	4	7	6	1	8	3	0	0	0	0	0	0	0	0
Switch Phase	0	2	0	4	0	6	0	8	0	0	0	0	0	0	0	0
Delay Time	0	0	8	3	0	0	8	3	0	0	0	0	0	0	0	0

Detector, Vehicle Parameters 17-32 [5.1]

	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:26:10 PM

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Detector Alternate Program 1, Vehicle Parameters [5.5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Channels/SDLC, Assign to Phases [1.3.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
PH/OLP #	1	2	3	4	5	6	7	8	1	2	3	4	2	4	6	8	1	3	5	7				
Type	VEH	VEH	VEH	VEH	VEH	VEH	VEH	VEH	OLP	OLP	OLP	OLP	PED	PED	PED	PED	PED	PED	PED	PED	VEH	VEH	VEH	VEH
Flash	RED	YEL	RED	RED	RED	YEL	RED	RED	RED	RED	RED	RED	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK
Alt Hz																								
Dimming Green																								
Dimming Yellow																								
Dimming Red																								
Dimming Cyc	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

Channel/SDLC, Parameters [1.3.3]

TOD Dim Enable	Extra Maps Enable	D Connector Enable	Single BIU Map	IO Mode	Preempt or Ext Output
OFF	DEFAULT				

Channel/SDLC, MMU Map [1.3.5]

MMU-to-Controller Channel Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Channel/SDLC, Permissive [1.3.4]

Channel	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2
1		1									1	1			
2		1		1							1	1			
3									1	1					
4			1						1	1					
5				1											
6		1		1											
7			1												
8			1												
9															
10															
11															
12															
13		1													
14															
15															

Channel/SDLC, Permissive [1.3.7]

SDLC Device	Term/Fac	Detector								MMU	Diag							
BIU#	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8		
Dev Present	ON	ON							ON								ON	
Peer to Peer																		

Ring Sequence [1.2.4]

Ring	P1	P2	P3	P4	P5	P6	P7	P8
Ring 1	1	2	3	4				
Ring 2	5	6	7	8				
Ring 3								
Ring 4								

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Alarms, Enable Events [1.6.1]

Event#	Event Enable
1	ON
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	ON
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	ON
22	ON
23	ON
24	ON
25	ON
26	ON
27	ON
28	
29	ON
30	ON
31	ON
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	ON
48	
49	ON
50	ON
51	ON
52	ON
53	ON
54	ON
55	
56	
57	
58	
59	ON
60	
61	ON
62	
63	
64	

Alarms, Enable Alarms [1.6.4]

Alarm#	Alarm Enable
1	
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	
22	ON
23	ON
24	ON
25	ON
26	
27	
28	
29	
30	ON
31	ON
32	
33	
34	
35	
36	
37	ON
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Preemption Times[3.1]/Phases[3.2]/Options[3.3]

Channel	1	2	3	4	5	6
Lock Input	ON	ON	ON	ON	ON	ON
Override Auto Flash						
Override Higher Preempt	ON					
Flash in Dwell						
Link to Preempt						
Delay						
Min Duration						
Min Green						
Min Walk						
Ped Clear						
Track Green						
Min Dwell						
Max Presence						
Track Veh 1						
Track Veh 2						
Track Veh 3						
Track Veh 4						
Dwell Cyc Veh 1						
Dwell Cyc Veh 2						
Dwell Cyc Veh 3						
Dwell Cyc Veh 4						
Dwell Cyc Veh 5						
Dwell Cyc Veh 6						
Dwell Cyc Veh 7						
Dwell Cyc Veh 8						
Dwell Cyc Veh 9						
Dwell Cyc Veh 10						
Dwell Cyc Veh 11						
Dwell Cyc Veh 12						
Dwell Cyc Ped1						
Dwell Cyc Ped2						
Dwell Cyc Ped3						
Dwell Cyc Ped4						
Dwell Cyc Ped5						
Dwell Cyc Ped6						
Dwell vPed7						
Dwell Cyc Ped8						
Exit 1						
Exit 2						
Exit 3						
Exit 4						

Alarms, Parameters [1.4.1]

Auto Flash Parameter

Yellow	Red	Mode	Source
45	10		

Alarms, Parameters [1.6.7]

Preempt Event Enabled	Pattern Event Enabled
OFF	ON

Alarms, Phases/Overlaps [1.4.2]

Auto Flash	1	2	3	4	5	6	7	8	9	10	11	12
Phases												
Overlaps												

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Preemption Times+[3.4]/Overlaps+[3.5]/Options+[3.6]

Preempt	1	2	3	4	5	6
Enable						
Type	EMERG	EMERG	EMERG	EMERG	EMERG	EMERG
Skip Track						
Volt Mon Flash						
Coord in Preempt						
Return Max/Min	MAX	MAX	MAX	MAX	MAX	MAX
Extend Dwell						
Pattern						
Output Mode	TS2	TS2	TS2	TS2	TS2	TS2
Track Over 1						
Track Over 2						
Track Over 3						
Track Over 4						
Track Over 5						
Track Over 6						
Track Over 7						
Track Over 8						
Track Over 9						
Track Over 10						
Track Over 11						
Track Over 12						
DwellCyc Over 1						
DwellCyc Over 2						
DwellCyc Over 3						
DwellCyc Over 4						
DwellCyc Over 5						
DwellCyc Over 6						
DwellCyc Over 7						
DwellCyc Over 8						
DwellCyc Over 9						
DwellCyc Over 10						
DwellCyc Over 11						
DwellCyc Over 12						
Ped Clear						
Yellow						
Red						
Return Max						

Coordination, Modes, + [2.1]

Modes

Operational	Correct	Maximum	Force-Off
	SHRT/LNG	MAX 2	FIXED

Modes+

Mode	Leave Before	Leave After	Recycle	Stop In Walk	External	Auto Reset	Latch Sec Foff	Coord Easy Float	Yield Value	Coord NTCIP Yield Sign	Closed Loop Active	
RESERVED	TIMED	TIMED	P3478_INH	ON	OFF	ON	OFF	OFF	0	+	ON	OFF

Coordination, Pattern 1-16 [2.1]

Pattern	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Cycle Time	100	110		120	120	120		130		140						
Offset Time	22	70		44	64	18		97		91						
Split Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Coordination, Pattern 17-32 [2.1]

Pattern	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Cycle Time																
Offset Time																
Split Number	17	18	19	20	21	22	23									
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Coordination, Splits [2.7.1]

Split Table 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	41	17	24	17	42	17	24								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	51	17	24	17	52	17	24								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	56	17	29	17	57	17	29								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	56	20	26	17	57	17	29								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	63	17	22	17	64	17	22								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	71	17	24	17	72	17	24								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	66	20	36	17	67	17	39								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:26:10 PM

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Split Table 13	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 15	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:26:10 PM

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

Day Plan Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:26:10 PM

Station : 3235 - 59th St W @ 21st Ave W (Upload File)

TB Coor, Action Table [4.5]

Action	Pattern	Aux 1	Aux 2	Aux 3	Special 1	Special 2	Special 3	Special 4	Special 5	Special 6	Special 7	Special 8
1	1				0	0						
2	2				0	0						
3	3				0	0						
4	4				0	0						
5	5				0	0						
6	6				0	0						
7	7				0	0						
8	8				0	0						
9	9				0	0						
10	10				0	0						
11	11				0	0						
12	12				0	0						
13	13				0	0						
14	14				0	0						
15	15				0	0						
16	16				0	0						
17	17				0	0						
18	18				0	0						
19	19				0	0						
20	20				0	0						
21	21				0	0						
22	22				0	0						
23	23				0	0						
24	24				0	0						
25	25				0	0						
26					0	0						
27					0	0						
28					0	0						
29					0	0						
30					0	0						
31					0	0						
32					0	0						
33					0	0						
34					0	0						
35					0	0						
36					0	0						
37					0	0						
38					0	0						
39					0	0						
40					0	0						
41					0	0						
42					0	0						
43					0	0						
44					0	0						
45					0	0						
46					0	0						
47					0	0						
48					0	0						
49					0	0						
50					0	0						
51					0	0						
52					0	0						
53					0	0						
54					0	0						
55					0	0						
56					0	0						
57					0	0						
58					0	0						
59					0	0						
60					0	0						
61					0	0						
62					0	0						
63					0	0						
64					0	0						
99	254				0	0						
100	255				0	0						

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Phase [1.1.1]

	1 (SL)	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Walk	0	7	0	7	0	7	0	0	0	0	0	0	0	0	0	0
Ped Clearance	0	28	0	28	0	29	0	0	0	0	0	0	0	0	0	0
Min Green	7	20	0	7	7	20	0	7	0	0	0	0	0	0	0	0
Gap Ext	3	3	0	3	3	3	0	3	0	0	0	0	0	0	0	0
Max1	15	50	0	20	15	50	0	20	0	0	0	0	0	0	0	0
Max2	25	90	0	40	25	90	0	40	0	0	0	0	0	0	0	0
Yellow Clr	4.1	5	0	4.2	4.1	5	0	4.2	0	0	0	0	0	0	0	0
Red Clr	2.6	2	0	2	2.5	2	0	2	0	0	0	0	0	0	0	0
Red Revert	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Added Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Max Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time To Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduce By	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Step	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Auto Flash Entry				ON				ON								
Auto Flash Exit		ON				ON										
Non-Actuated 1																
Non-Actuated 2																
Rest In Walk																

Phase Option [1.1.2]

	1 (SL)	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Enable	ON	ON		ON	ON	ON		ON								
Lock Call		ON				ON										
Min Recall																
Max Recall		ON				ON										
Ped Recall																
Soft Recall																
Dual Entry		ON		ON		ON		ON								
Sim Gap Enable																
Guar Passage																
Cond Service																
Add Init Calc																

Alternate Phase Program 1, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 2, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 1, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Alternate Phase Program 2, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Prepared By

Date Implemented

Reviewed By

Traffic Engineer

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Unit Parameters [1.2.1]

StartUp Flash	Auto Ped Clear	Red Revert	Local Flash Start	Allow < 3 sec Yel	Allow Skip Yel	MCE Timeout	Enable Run	Start Red Time	Phase Mode	Startup Calls	Diamond Mode	Stop Time Over Preempt	Free Ring Sequence	Clearance Decide	Min Ped Clear Time	RingAlgo				
	OFF	3	OFF	OFF	OFF		ON		STD8	OFF	4PH	OFF	1	OFF	OFF					

Comm, General Comm Parameters [6.1]

Station ID	Master Station ID	Fallback time	Allow Pencil	Port	System-Up	Sys-Down	PC/Print	Aux 232
3233								

Port Parameters [6.2]

Comm	Mode	Baud	MsgTime	Duplex	Enable	DialTime	Modem	ModemTime	Tel#1	Tel#2
System Up(P-A)										
System Down(P-B)										
PC/Print(P-2)										

Overlap General Parameters [1.5.1]

Conflict Lock	Lock Inhibit	Program Card	Use Parent	Canadian Fast Flash
OFF	OFF	ON	ALWAYS	

Overlap Program Parameters [1.5.2.1]

Overlap	Included Phases	Modifier Phases	Type	Green	Yellow	Red
Overlap 1			NORMAL		3.5	1.5
Overlap 2			NORMAL		3.5	1.5
Overlap 3			NORMAL		3.5	1.5
Overlap 4			NORMAL		3.5	1.5
Overlap 5			NORMAL		3.5	1.5
Overlap 6			NORMAL		3.5	1.5
Overlap 7			NORMAL		3.5	1.5
Overlap 8			NORMAL		3.5	1.5

Overlap Conflict Parameters+ [1.5.2.2]

Overlap	Conflicting Phases	Conflicting Overlaps	Conflicting Peds
Overlap 1			
Overlap 2			
Overlap 3			
Overlap 4			
Overlap 5			
Overlap 6			
Overlap 7			
Overlap 8			

Detector, Vehicle Parameters 1-16 [5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	1	8	8	5	4	4	0	0	0	0	0	0	0	0	0	0
Switch Phase	6	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Detector, Vehicle Parameters 17-32 [5.1]

	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Detector Alternate Program 1, Vehicle Parameters [5.5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Channels/SDLC, Assign to Phases [1.3.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
PH/OLP #	1	2	3	4	5	6	7	8	1	2	3	4	2	4	6	8	1	3	5	7				
Type	VEH	VEH	VEH	VEH	VEH	VEH	VEH	VEH	OLP	OLP	OLP	OLP	PED	PED	PED	PED	PED	PED	PED	PED	VEH	VEH	VEH	VEH
Flash	RED	YEL	RED	RED	RED	YEL	RED	RED	RED	RED	RED	RED	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK
Alt Hz																								
Dimming Green																								
Dimming Yellow																								
Dimming Red																								
Dimming Cyc	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

Channel/SDLC, Parameters [1.3.3]

TOD Dim Enable	Extra Maps Enable	D Connector Enable	Single BIU Map	IO Mode	Preempt or Ext Output
OFF	DEFAULT				

Channel/SDLC, MMU Map [1.3.5]

MMU-to-Controller Channel Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Channel/SDLC, Permissive [1.3.4]

Channel	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2
1		1									1	1			
2		1		1							1	1			
3															
4			1						1						
5				1											
6		1		1											
7															
8			1												
9															
10															
11															
12															
13		1													
14															
15															

Channel/SDLC, Permissive [1.3.7]

SDLC Device	Term/Fac	Detector																MMU	Diag
BIU#	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8			
Dev Present	ON	ON							ON									ON	
Peer to Peer																			

Ring Sequence [1.2.4]

Ring	P1	P2	P3	P4	P5	P6	P7	P8
Ring 1	1	2	3	4				
Ring 2	5	6	7	8				
Ring 3								
Ring 4								

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Alarms, Enable Events [1.6.1]

Event#	Event Enable
1	ON
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	ON
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	ON
22	ON
23	ON
24	ON
25	ON
26	ON
27	ON
28	
29	ON
30	ON
31	ON
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	ON
48	
49	ON
50	ON
51	ON
52	ON
53	ON
54	ON
55	
56	
57	
58	
59	ON
60	
61	ON
62	
63	
64	

Alarms, Enable Alarms [1.6.4]

Alarm#	Alarm Enable
1	
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	
22	ON
23	ON
24	ON
25	ON
26	
27	
28	
29	
30	ON
31	ON
32	
33	
34	
35	
36	
37	ON
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Preemption Times[3.1]/Phases[3.2]/Options[3.3]

Channel	1	2	3	4	5	6
Lock Input	ON	ON	ON	ON	ON	ON
Override Auto Flash						
Override Higher Preempt	ON					
Flash in Dwell						
Link to Preempt						
Delay						
Min Duration						
Min Green						
Min Walk						
Ped Clear						
Track Green						
Min Dwell						
Max Presence						
Track Veh 1						
Track Veh 2						
Track Veh 3						
Track Veh 4						
Dwell Cyc Veh 1						
Dwell Cyc Veh 2						
Dwell Cyc Veh 3						
Dwell Cyc Veh 4						
Dwell Cyc Veh 5						
Dwell Cyc Veh 6						
Dwell Cyc Veh 7						
Dwell Cyc Veh 8						
Dwell Cyc Veh 9						
Dwell Cyc Veh 10						
Dwell Cyc Veh 11						
Dwell Cyc Veh 12						
Dwell Cyc Ped1						
Dwell Cyc Ped2						
Dwell Cyc Ped3						
Dwell Cyc Ped4						
Dwell Cyc Ped5						
Dwell Cyc Ped6						
Dwell vPed7						
Dwell Cyc Ped8						
Exit 1						
Exit 2						
Exit 3						
Exit 4						

Alarms, Parameters [1.4.1]

Auto Flash Parameter

Yellow	Red	Mode	Source
45	10		

Alarms, Parameters [1.6.7]

Preempt Event Enabled	Pattern Event Enabled
OFF	ON

Alarms, Phases/Overlaps [1.4.2]

Auto Flash	1	2	3	4	5	6	7	8	9	10	11	12
Phases												
Overlaps												

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Preemption Times+[3.4]/Overlaps+[3.5]/Options+[3.6]

Preempt	1	2	3	4	5	6
Enable						
Type	EMERG	EMERG	EMERG	EMERG	EMERG	EMERG
Skip Track						
Volt Mon Flash						
Coord in Preempt						
Return Max/Min	MAX	MAX	MAX	MAX	MAX	MAX
Extend Dwell						
Pattern						
Output Mode	TS2	TS2	TS2	TS2	TS2	TS2
Track Over 1						
Track Over 2						
Track Over 3						
Track Over 4						
Track Over 5						
Track Over 6						
Track Over 7						
Track Over 8						
Track Over 9						
Track Over 10						
Track Over 11						
Track Over 12						
DwellCyc Over 1						
DwellCyc Over 2						
DwellCyc Over 3						
DwellCyc Over 4						
DwellCyc Over 5						
DwellCyc Over 6						
DwellCyc Over 7						
DwellCyc Over 8						
DwellCyc Over 9						
DwellCyc Over 10						
DwellCyc Over 11						
DwellCyc Over 12						
Ped Clear						
Yellow						
Red						
Return Max						

Coordination, Modes,+ [2.1]

Modes

Operational	Correct	Maximum	Force-Off
	SHRT/LNG	MAX 2	FIXED

Modes+

Mode	Leave Before	Leave After	Recycle	Stop In Walk	External	Auto Reset	Latch Sec Foff	Coord Easy Float	Yield Value	Coord NTCIP Yield Sign	Closed Loop Active	
RESERVED	TIMED	TIMED	P3478_INH	ON	OFF	ON	OFF	OFF	0	+	ON	OFF

Coordination, Pattern 1-16 [2.1]

Pattern	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Cycle Time	100	110		120	120	120		130		140						
Offset Time	26	20		8	84	30		35		112						
Split Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Coordination, Pattern 17-32 [2.1]

Pattern	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Cycle Time																
Offset Time																
Split Number	17	18	19	20	21	22	23									
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Coordination, Splits [2.7.1]

Split Table 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	19	58		23	20	57		23								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	20	61		29	20	61		29								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	18	78		24	19	77		24								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	15	80		25	15	80		25								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	20	68		32	20	68		32								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	22	80		28	22	80		28								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	20	90		30	20	90		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Split Table 13	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 15	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

Day Plan Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action	24															

Day Plan Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:24:43 PM

Station : 3233 - 59th St W @ 17th Ave W (Upload File)

TB Coor, Action Table [4.5]

Action	Pattern	Aux 1	Aux 2	Aux 3	Special 1	Special 2	Special 3	Special 4	Special 5	Special 6	Special 7	Special 8
1	1				0	0						
2	2				0	0						
3	3				0	0						
4	4				0	0						
5	5				0	0						
6	6				0	0						
7	7				0	0						
8	8				0	0						
9	9				0	0						
10	10				0	0						
11	11				0	0						
12	12				0	0						
13	13				0	0						
14	14				0	0						
15	15				0	0						
16	16				0	0						
17	17				0	0						
18	18				0	0						
19	19				0	0						
20	20				0	0						
21	21				0	0						
22	22				0	0						
23	23				0	0						
24	24				0	0						
25	25				0	0						
26					0	0						
27					0	0						
28					0	0						
29					0	0						
30					0	0						
31					0	0						
32					0	0						
33					0	0						
34					0	0						
35					0	0						
36					0	0						
37					0	0						
38					0	0						
39					0	0						
40					0	0						
41					0	0						
42					0	0						
43					0	0						
44					0	0						
45					0	0						
46					0	0						
47					0	0						
48					0	0						
49					0	0						
50					0	0						
51					0	0						
52					0	0						
53					0	0						
54					0	0						
55					0	0						
56					0	0						
57					0	0						
58					0	0						
59					0	0						
60					0	0						
61					0	0						
62					0	0						
63					0	0						
64					0	0						
99	254				0	0						
100	255				0	0						

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Phase [1.1.1]

	1 (SL)	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Walk	0	10	0	10	0	10	0	10	0	0	0	0	0	0	0	0
Ped Clearance	0	21	0	20	0	18	0	18	0	0	0	0	0	0	0	0
Min Green	7	20	0	7	7	20	0	7	0	0	0	0	0	0	0	0
Gap Ext	3	3	0	5	4	3	0	5	0	0	0	0	0	0	0	0
Max1	20	55	0	35	25	55	0	35	0	0	0	0	0	0	0	0
Max2	20	90	0	35	20	90	0	35	0	0	0	0	0	0	0	0
Yellow Clr	4	4.9	0	4.2	4	4.9	0	4.2	0	0	0	0	0	0	0	0
Red Clr	2	2	0	2	2	2	0	2	0	0	0	0	0	0	0	0
Red Revert	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Added Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Max Initial	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Before Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time To Reduce	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Reduce By	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Limit	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dynamic Max Step	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Auto Flash Entry				ON				ON								
Auto Flash Exit		ON				ON										
Non-Actuated 1																
Non-Actuated 2																
Rest In Walk																

Phase Option [1.1.2]

	1 (SL)	2 (NT)	3	4 (ET)	5 (NL)	6 (ST)	7	8 (WT)	9	10	11	12	13	14	15	16
Enable	ON	ON		ON	ON	ON		ON								
Lock Call		ON				ON										
Min Recall																
Max Recall		ON				ON										
Ped Recall																
Soft Recall																
Dual Entry		ON		ON		ON		ON								
Sim Gap Enable		ON		ON		ON		ON								
Guar Passage																
Cond Service																
Add Init Calc																

Alternate Phase Program 1, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 2, Calls and Redirection [1.1.6.3]

Entry	Call Phases								Assigned Ph
	From	To	From	To	From	To	From	To	
1	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0

Alternate Phase Program 1, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Alternate Phase Program 2, Interval Times [1.1.6.1]

Phase	Walk	Ped Clear	Min Green	Passage	Max1	Max2	Yellow	Red Clear	Assign Ph	Bike Clear
1	0	0	0	0	0	0	0	0	0	
2	0	0	0	0	0	0	0	0	0	
3	0	0	0	0	0	0	0	0	0	
4	0	0	0	0	0	0	0	0	0	
5	0	0	0	0	0	0	0	0	0	
6	0	0	0	0	0	0	0	0	0	
7	0	0	0	0	0	0	0	0	0	
8	0	0	0	0	0	0	0	0	0	

Prepared By

Date Implemented

Reviewed By

Traffic Engineer

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:23:13 PM

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Unit Parameters [1.2.1]

StartUp Flash	Auto Ped Clear	Red Revert	Local Flash Start	Allow < 3 sec Yel	Allow Skip Yel	MCE Timeout	Enable Run	Start Red Time	Phase Mode	Startup Calls	Diamond Mode	Stop Time Over Preempt	Free Ring Sequence	Clearance Decide	Min Ped Clear Time	RingAlgo				
	OFF	3	OFF	OFF	OFF		ON		STD8	OFF	4PH	OFF	1	OFF	OFF					

Comm, General Comm Parameters [6.1]

Station ID	Master Station ID	Fallback time	Allow Pencil	Port	System-Up	Sys-Down	PC/Print	Aux 232
3232								

Port Parameters [6.2]

Comm	Mode	Baud	MsgTime	Duplex	Enable	DialTime	Modem	ModemTime	Tel#1	Tel#2
System Up(P-A)										
System Down(P-B)										
PC/Print(P-2)										

Overlap General Parameters [1.5.1]

Conflict Lock	Lock Inhibit	Program Card	Use Parent	Canadian Fast Flash
OFF	OFF	ON	ALWAYS	

Overlap Program Parameters [1.5.2.1]

Overlap	Included Phases	Modifier Phases	Type	Green	Yellow	Red
Overlap 1			NORMAL		3.5	1.5
Overlap 2			NORMAL		3.5	1.5
Overlap 3			NORMAL		3.5	1.5
Overlap 4			NORMAL		3.5	1.5
Overlap 5			NORMAL		3.5	1.5
Overlap 6			NORMAL		3.5	1.5
Overlap 7			NORMAL		3.5	1.5
Overlap 8			NORMAL		3.5	1.5

Overlap Conflict Parameters+ [1.5.2.2]

Overlap	Conflicting Phases	Conflicting Overlaps	Conflicting Peds
Overlap 1			
Overlap 2			
Overlap 3			
Overlap 4			
Overlap 5			
Overlap 6			
Overlap 7			
Overlap 8			

Detector, Vehicle Parameters 1-16 [5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	8	8	1	4	5	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	6	0	2	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	8	3	8	3	0	0	0	0	0	0	0	0	0	0

Detector, Vehicle Parameters 17-32 [5.1]

	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:23:13 PM

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Detector Alternate Program 1, Vehicle Parameters [5.5.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Call Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Switch Phase	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Time	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Channels/SDLC, Assign to Phases [1.3.1]

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
PH/OLP #	1	2	3	4	5	6	7	8	1	2	3	4	2	4	6	8	1	3	5	7				
Type	VEH	VEH	VEH	VEH	VEH	VEH	VEH	VEH	OLP	OLP	OLP	OLP	PED	PED	PED	PED	PED	PED	PED	PED	VEH	VEH	VEH	VEH
Flash	RED	YEL	RED	RED	RED	YEL	RED	RED	RED	RED	RED	RED	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK	DRK
Alt Hz																								
Dimming Green																								
Dimming Yellow																								
Dimming Red																								
Dimming Cyc	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

Channel/SDLC, Parameters [1.3.3]

TOD Dim Enable	Extra Maps Enable	D Connector Enable	Single BIU Map	IO Mode	Preempt or Ext Output
OFF	DEFAULT				

Channel/SDLC, MMU Map [1.3.5]

MMU-to-Controller Channel Map

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Channel/SDLC, Permissive [1.3.4]

Channel	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2
1		1									1	1			
2		1		1							1	1			
3															
4	1		1						1						
5				1											
6		1		1											
7															
8	1		1												
9															
10															
11															
12															
13		1													
14	1														
15															

Channel/SDLC, Permissive [1.3.7]

SDLC Device	Term/Fac	Detector																MMU	Diag
BIU#	1	2	3	4	5	6	7	8	1	2	3	4	5	6	7	8			
Dev Present	ON	ON							ON									ON	
Peer to Peer																			

Ring Sequence [1.2.4]

Ring	P1	P2	P3	P4	P5	P6	P7	P8
Ring 1	1	2	3	4				
Ring 2	5	6	7	8				
Ring 3								
Ring 4								

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Alarms, Enable Events [1.6.1]

Event#	Event Enable
1	ON
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	ON
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	ON
22	ON
23	ON
24	ON
25	ON
26	ON
27	ON
28	
29	ON
30	ON
31	ON
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	ON
48	
49	ON
50	ON
51	ON
52	ON
53	ON
54	ON
55	
56	
57	
58	
59	ON
60	
61	ON
62	
63	
64	

Alarms, Enable Alarms [1.6.4]

Alarm#	Alarm Enable
1	
2	ON
3	ON
4	ON
5	ON
6	
7	
8	
9	
10	
11	
12	ON
13	
14	ON
15	ON
16	ON
17	ON
18	ON
19	ON
20	ON
21	
22	ON
23	ON
24	ON
25	ON
26	
27	
28	
29	
30	ON
31	ON
32	
33	
34	
35	
36	
37	ON
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	ON
60	
61	
62	
63	
64	

Preemption Times[3.1]/Phases[3.2]/Options[3.3]

Channel	1	2	3	4	5	6
Lock Input	ON	ON	ON	ON	ON	ON
Override Auto Flash						
Override Higher Preempt	ON					
Flash in Dwell						
Link to Preempt						
Delay						
Min Duration						
Min Green						
Min Walk						
Ped Clear						
Track Green						
Min Dwell						
Max Presence						
Track Veh 1						
Track Veh 2						
Track Veh 3						
Track Veh 4						
Dwell Cyc Veh 1						
Dwell Cyc Veh 2						
Dwell Cyc Veh 3						
Dwell Cyc Veh 4						
Dwell Cyc Veh 5						
Dwell Cyc Veh 6						
Dwell Cyc Veh 7						
Dwell Cyc Veh 8						
Dwell Cyc Veh 9						
Dwell Cyc Veh 10						
Dwell Cyc Veh 11						
Dwell Cyc Veh 12						
Dwell Cyc Ped1						
Dwell Cyc Ped2						
Dwell Cyc Ped3						
Dwell Cyc Ped4						
Dwell Cyc Ped5						
Dwell Cyc Ped6						
Dwell vPed7						
Dwell Cyc Ped8						
Exit 1						
Exit 2						
Exit 3						
Exit 4						

Alarms, Parameters [1.4.1]

Auto Flash Parameter

Yellow	Red	Mode	Source
45	10		

Alarms, Parameters [1.6.7]

Preempt Event Enabled	Pattern Event Enabled
OFF	ON

Alarms, Phases/Overlaps [1.4.2]

Auto Flash	1	2	3	4	5	6	7	8	9	10	11	12
Phases												
Overlaps												

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Preemption Times+[3.4]/Overlaps+[3.5]/Options+[3.6]

Preempt	1	2	3	4	5	6
Enable						
Type	EMERG	EMERG	EMERG	EMERG	EMERG	EMERG
Skip Track						
Volt Mon Flash						
Coord in Preempt						
Return Max/Min	MAX	MAX	MAX	MAX	MAX	MAX
Extend Dwell						
Pattern						
Output Mode	TS2	TS2	TS2	TS2	TS2	TS2
Track Over 1						
Track Over 2						
Track Over 3						
Track Over 4						
Track Over 5						
Track Over 6						
Track Over 7						
Track Over 8						
Track Over 9						
Track Over 10						
Track Over 11						
Track Over 12						
DwellCyc Over 1						
DwellCyc Over 2						
DwellCyc Over 3						
DwellCyc Over 4						
DwellCyc Over 5						
DwellCyc Over 6						
DwellCyc Over 7						
DwellCyc Over 8						
DwellCyc Over 9						
DwellCyc Over 10						
DwellCyc Over 11						
DwellCyc Over 12						
Ped Clear						
Yellow						
Red						
Return Max						

Coordination, Modes,+ [2.1]

Modes

Operational	Correct	Maximum	Force-Off
	SHRT/LNG	MAX 2	FIXED

Modes+

Mode	Leave Before	Leave After	Recycle	Stop In Walk	External	Auto Reset	Latch Sec Foff	Coord Easy Float	Yield Value	Coord NTCIP Yield Sign	Closed Loop Active	
RESERVED	TIMED	TIMED	P3478_INH	ON	OFF	ON	OFF	OFF	0	+	ON	OFF

Coordination, Pattern 1-16 [2.1]

Pattern	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Cycle Time	100	110		120	120	120		130		140						
Offset Time	90	32		21	50	107		52		79						
Split Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Coordination, Pattern 17-32 [2.1]

Pattern	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Cycle Time																
Offset Time																
Split Number	17	18	19	20	21	22	23									
Seq Number	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Offset	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm	endgrm

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Coordination, Splits [2.7.1]

Split Table 1	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	19	51		30	19	51		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 2	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	19	65		26	19	65		26								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 3	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 4	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	17	73		30	17	73		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 5	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	17	73		30	17	73		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 6	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	19	71		30	19	71		30								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	19	78		33	19	78		33								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time	17	90		33	17	90		33								
Mode	NON	MPX	NON	NON	NON	MPX	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase		ON														

Split Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:23:13 PM

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Split Table 13	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 14	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 15	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 16	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 17	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 18	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 19	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 20	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 21	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 22	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 23	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 25	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 26	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 27	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 28	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 29	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 30	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Split Table 32	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Time																
Mode	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON	NON
Coord Phase																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:23:13 PM

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

Day Plan Table 7	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 9	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 10	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 11	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Day Plan Table 12	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Hour																
Minute																
Action																

Sarasota-Manatee RTMC

Timing Sheet

6/25/2021 2:23:13 PM

Station : 3232 - 59th St W @ 11th Ave W (Upload File)

TB Coor, Action Table [4.5]

Action	Pattern	Aux 1	Aux 2	Aux 3	Special 1	Special 2	Special 3	Special 4	Special 5	Special 6	Special 7	Special 8
1	1				0	0						
2	2	ON			0	0						
3	3	ON			0	0						
4	4	ON			0	0						
5	5	ON			0	0						
6	6	ON			0	0						
7	7	ON			0	0						
8	8	ON			0	0						
9	9	ON			0	0						
10	10	ON			0	0						
11	11				0	0						
12	12				0	0						
13	13				0	0						
14	14				0	0						
15	15				0	0						
16	16				0	0						
17	17				0	0						
18	18				0	0						
19	19				0	0						
20	20				0	0						
21	21				0	0						
22	22				0	0						
23	23				0	0						
24	24				0	0						
25	25				0	0						
26					0	0						
27					0	0						
28					0	0						
29					0	0						
30					0	0						
31					0	0						
32					0	0						
33					0	0						
34					0	0						
35					0	0						
36					0	0						
37					0	0						
38					0	0						
39					0	0						
40					0	0						
41					0	0						
42					0	0						
43					0	0						
44	254	ON			0	0						
45					0	0						
46					0	0						
47					0	0						
48					0	0						
49					0	0						
50					0	0						
51					0	0						
52					0	0						
53					0	0						
54					0	0						
55					0	0						
56					0	0						
57					0	0						
58					0	0						
59					0	0						
60					0	0						
61					0	0						
62					0	0						
63					0	0						
64					0	0						
99	254				0	0						
100	255				0	0						

Attachment D: Synchro Outputs

D-1: Existing Conditions (2021)

Lanes, Volumes, Timings
1: SW 59th Street & Manatee Avenue W

DTM 59th Street West
2021 - AM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	11	940	179	334	1033	84	236	113	218	223	138	19
Future Volume (vph)	11	940	179	334	1033	84	236	113	218	223	138	19
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		750	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98
Heavy Vehicles (%)	2%	2%	2%	5%	5%	5%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	7.0	7.0	5.0	7.0	7.0	5.0	10.0	10.0	5.0	10.0	
Minimum Split (s)	11.8	50.8	50.8	11.9	42.8	42.8	11.6	52.8	52.8	11.8	51.8	
Total Split (s)	15.0	61.0	61.0	42.0	88.0	88.0	34.0	23.0	23.0	34.0	23.0	
Total Split (%)	9.4%	38.1%	38.1%	26.3%	55.0%	55.0%	21.3%	14.4%	14.4%	21.3%	14.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary

Area Type: Other
 Cycle Length: 160
 Actuated Cycle Length: 160
 Offset: 98.9 (62%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West
 2021 - AM Peak Hour

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	11	940	179	334	1033	84	236	113	218	223	138	19
Future Volume (veh/h)	11	940	179	334	1033	84	236	113	218	223	138	19
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1826	1826	1826	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	11	959	183	341	1054	86	241	115	222	228	141	19
Peak Hour Factor	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98	0.98
Percent Heavy Veh, %	2	2	2	5	5	5	2	2	2	2	2	2
Cap, veh/h	22	1204	537	361	1853	826	263	207	175	250	160	22
Arrive On Green	0.01	0.34	0.34	0.21	0.53	0.53	0.15	0.11	0.11	0.14	0.10	0.10
Sat Flow, veh/h	1781	3554	1585	1739	3469	1547	1781	1870	1585	1781	1614	217
Grp Volume(v), veh/h	11	959	183	341	1054	86	241	115	222	228	0	160
Grp Sat Flow(s),veh/h/ln	1781	1777	1585	1739	1735	1547	1781	1870	1585	1781	0	1831
Q Serve(g_s), s	1.0	39.1	13.8	30.9	32.5	4.4	21.3	9.3	17.7	20.2	0.0	13.8
Cycle Q Clear(g_c), s	1.0	39.1	13.8	30.9	32.5	4.4	21.3	9.3	17.7	20.2	0.0	13.8
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.12
Lane Grp Cap(c), veh/h	22	1204	537	361	1853	826	263	207	175	250	0	182
V/C Ratio(X)	0.51	0.80	0.34	0.95	0.57	0.10	0.92	0.56	1.27	0.91	0.00	0.88
Avail Cap(c_a), veh/h	91	1204	537	383	1853	826	306	207	175	314	0	198
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.96	0.96	0.96	1.00	0.00	1.00
Uniform Delay (d), s/veh	78.6	47.9	39.5	62.5	24.9	18.4	67.2	67.4	71.2	67.8	0.0	71.1
Incr Delay (d2), s/veh	17.5	5.5	1.7	31.4	1.3	0.3	27.8	3.1	155.9	25.5	0.0	31.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	1.0	25.0	9.5	23.4	19.5	2.9	17.2	8.1	22.9	16.3	0.0	12.7
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	96.1	53.4	41.3	93.9	26.2	18.6	95.1	70.6	227.0	93.3	0.0	102.9
LnGrp LOS	F	D	D	F	C	B	F	E	F	F	A	F
Approach Vol, veh/h		1153			1481			578			388	
Approach Delay, s/veh		51.9			41.4			140.9			97.2	
Approach LOS		D			D			F			F	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	8.7	92.3	28.3	24.2	40.0	61.0	30.1	22.4				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	8.2	81.2	* 28	16.5	35.2	54.2	27.5	* 17				
Max Q Clear Time (g_c+I1), s	3.0	34.5	22.2	19.7	32.9	41.1	23.3	15.8				
Green Ext Time (p_c), s	0.0	9.5	0.3	0.0	0.3	5.7	0.3	0.1				

Intersection Summary

HCM 6th Ctrl Delay	66.7
HCM 6th LOS	E

Notes

User approved pedestrian interval to be less than phase max green.
 * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West
2021 - AM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	30	29	36	7	14	15	30	409	2	7	590	17
Future Volume (vph)	30	29	36	7	14	15	30	409	2	7	590	17
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		276			328			1746			2258	
Travel Time (s)		6.3			7.5			29.8			38.5	
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	24.2	24.2		23.8	23.8		13.0	26.9		13.1	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		17.0	73.0		17.0	73.0	
Total Split (%)	25.0%	25.0%		25.0%	25.0%		14.2%	60.8%		14.2%	60.8%	
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0	6.9	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?							Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary


Area Type: Other
 Cycle Length: 120
 Actuated Cycle Length: 120
 Offset: 21 (18%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 75
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
2: SW 59th Street & 11th Avenue W

DTM 59th Street West
2021 - AM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕		↕	↕	
Traffic Volume (veh/h)	30	29	36	7	14	15	30	409	2	7	590	17
Future Volume (veh/h)	30	29	36	7	14	15	30	409	2	7	590	17
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1856	1856	1856	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	34	33	40	8	16	17	34	460	2	8	663	19
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89
Percent Heavy Veh, %	3	3	3	3	3	3	2	2	2	2	2	2
Cap, veh/h	73	51	51	154	70	75	549	1380	6	750	1295	37
Arrive On Green	0.09	0.09	0.09	0.09	0.09	0.09	0.08	1.00	1.00	0.01	0.72	0.72
Sat Flow, veh/h	393	599	592	1316	823	875	1781	1861	8	1781	1809	52
Grp Volume(v), veh/h	107	0	0	8	0	33	34	0	462	8	0	682
Grp Sat Flow(s),veh/h/ln	1584	0	0	1316	0	1698	1781	0	1869	1781	0	1861
Q Serve(g_s), s	5.8	0.0	0.0	0.0	0.0	2.2	0.6	0.0	0.0	0.1	0.0	19.7
Cycle Q Clear(g_c), s	7.9	0.0	0.0	0.9	0.0	2.2	0.6	0.0	0.0	0.1	0.0	19.7
Prop In Lane	0.32		0.37	1.00		0.52	1.00		0.00	1.00		0.03
Lane Grp Cap(c), veh/h	175	0	0	154	0	145	549	0	1386	750	0	1332
V/C Ratio(X)	0.61	0.00	0.00	0.05	0.00	0.23	0.06	0.00	0.33	0.01	0.00	0.51
Avail Cap(c_a), veh/h	352	0	0	303	0	337	642	0	1386	889	0	1332
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	0.96	0.00	0.96	0.60	0.00	0.60
Uniform Delay (d), s/veh	53.8	0.0	0.0	50.6	0.0	51.2	5.1	0.0	0.0	4.4	0.0	7.6
Incr Delay (d2), s/veh	3.4	0.0	0.0	0.1	0.0	0.8	0.0	0.0	0.6	0.0	0.0	0.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.0	0.0	0.0	0.4	0.0	1.7	0.3	0.0	0.4	0.1	0.0	10.2
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	57.2	0.0	0.0	50.7	0.0	52.0	5.2	0.0	0.6	4.4	0.0	8.5
LnGrp LOS	E	A	A	D	A	D	A	A	A	A	A	A
Approach Vol, veh/h		107			41			496			690	
Approach Delay, s/veh		57.2			51.7			0.9			8.4	
Approach LOS		E			D			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	7.6	95.9		16.5	10.7	92.8		16.5				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	66.1		23.8	11.0	66.1		23.8				
Max Q Clear Time (g_c+I1), s	2.1	2.0		9.9	2.6	21.7		4.2				
Green Ext Time (p_c), s	0.0	3.0		0.4	0.0	5.1		0.1				

Intersection Summary

HCM 6th Ctrl Delay	10.9
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
3: SW 59th Street & 17th Avenue W

DTM 59th Street West
2021 - AM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	32	52	60	39	98	74	46	364	20	32	534	64
Future Volume (vph)	32	52	60	39	98	74	46	364	20	32	534	64
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	1		1	1		1	1		1	1		1
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		839			905			1359			1746	
Travel Time (s)		19.1			20.6			23.2			29.8	
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA	Perm	Perm	NA	Perm	pm+pt	NA	Perm	pm+pt	NA	Perm
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4		4	8		8	2		2	6		6
Detector Phase	4	4	4	8	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	7.0	7.0	7.0	7.0	7.0	7.0	7.0	20.0	20.0	7.0	20.0	20.0
Minimum Split (s)	24.2	24.2	24.2	23.8	23.8	23.8	13.6	27.0	27.0	13.7	27.0	27.0
Total Split (s)	24.0	24.0	24.0	24.0	24.0	24.0	19.0	78.0	78.0	18.0	77.0	77.0
Total Split (%)	20.0%	20.0%	20.0%	20.0%	20.0%	20.0%	15.8%	65.0%	65.0%	15.0%	64.2%	64.2%
Yellow Time (s)	4.2	4.2	4.2	4.2	4.2	4.2	4.1	5.0	5.0	4.1	5.0	5.0
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.0	2.0	2.6	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.2	6.2	6.2	6.2	6.2	6.2	6.6	7.0	7.0	6.7	7.0	7.0
Lead/Lag							Lead	Lag	Lag	Lead	Lag	Lag
Lead-Lag Optimize?							Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	None	None	None	None	C-Max	C-Max	None	Max	Max

Intersection Summary

Area Type: Other
 Cycle Length: 120
 Actuated Cycle Length: 120
 Offset: 8 (7%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 3: SW 59th Street & 17th Avenue W



HCM 6th Signalized Intersection Summary
 3: SW 59th Street & 17th Avenue W

DTM 59th Street West
 2021 - AM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	32	52	60	39	98	74	46	364	20	32	534	64
Future Volume (veh/h)	32	52	60	39	98	74	46	364	20	32	534	64
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	35	57	65	42	107	80	50	396	22	35	580	70
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	117	191	162	154	191	162	566	1284	1088	779	1283	1087
Arrive On Green	0.10	0.10	0.10	0.10	0.10	0.10	0.06	0.92	0.92	0.04	0.69	0.69
Sat Flow, veh/h	1196	1870	1585	1269	1870	1585	1767	1856	1572	1781	1870	1585
Grp Volume(v), veh/h	35	57	65	42	107	80	50	396	22	35	580	70
Grp Sat Flow(s),veh/h/ln	1196	1870	1585	1269	1870	1585	1767	1856	1572	1781	1870	1585
Q Serve(g_s), s	3.4	3.4	4.6	3.8	6.5	5.7	0.9	2.8	0.1	0.7	17.0	1.7
Cycle Q Clear(g_c), s	10.0	3.4	4.6	7.2	6.5	5.7	0.9	2.8	0.1	0.7	17.0	1.7
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Lane Grp Cap(c), veh/h	117	191	162	154	191	162	566	1284	1088	779	1283	1087
V/C Ratio(X)	0.30	0.30	0.40	0.27	0.56	0.49	0.09	0.31	0.02	0.04	0.45	0.06
Avail Cap(c_a), veh/h	172	277	235	212	277	235	665	1284	1088	875	1283	1087
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.33	1.33	1.33	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.89	0.89	0.89	0.86	0.86	0.86
Uniform Delay (d), s/veh	56.1	49.9	50.5	53.2	51.3	51.0	5.6	1.6	1.5	4.6	8.6	6.2
Incr Delay (d2), s/veh	1.4	0.9	1.6	0.9	2.6	2.3	0.1	0.6	0.0	0.0	1.0	0.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	2.0	2.9	3.4	2.3	5.8	4.3	0.5	1.7	0.1	0.4	10.2	1.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	57.5	50.8	52.1	54.2	53.9	53.3	5.6	2.1	1.5	4.6	9.6	6.3
LnGrp LOS	E	D	D	D	D	D	A	A	A	A	A	A
Approach Vol, veh/h		157			229			468			685	
Approach Delay, s/veh		52.8			53.7			2.5			9.0	
Approach LOS		D			D			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	11.5	90.0		18.4	12.3	89.3		18.4				
Change Period (Y+Rc), s	6.7	7.0		6.2	6.6	7.0		6.2				
Max Green Setting (Gmax), s	11.3	71.0		17.8	12.4	70.0		17.8				
Max Q Clear Time (g_c+I1), s	2.7	4.8		12.0	2.9	19.0		9.2				
Green Ext Time (p_c), s	0.0	2.6		0.3	0.0	4.3		0.6				

Intersection Summary

HCM 6th Ctrl Delay	18.1
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W


DTM 59th Street West
2021 - AM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	37	53	35	112	79	72	63	347	87	72	420	60
Future Volume (vph)	37	53	35	112	79	72	63	347	87	72	420	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		571			628			2227			1359	
Travel Time (s)		15.6			14.3			38.0			23.2	
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	5%	5%	5%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	24.2		12.7	23.8		13.1	27.0		13.1	27.0	
Total Split (s)	17.0	29.0		17.0	29.0		17.0	56.0		18.0	57.0	
Total Split (%)	14.2%	24.2%		14.2%	24.2%		14.2%	46.7%		15.0%	47.5%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary


Area Type: Other
 Cycle Length: 120
 Actuated Cycle Length: 120
 Offset: 43.9 (37%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
4: SW 59th Street & 21st Avenue W

DTM 59th Street West
2021 - AM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	37	53	35	112	79	72	63	347	87	72	420	60
Future Volume (veh/h)	37	53	35	112	79	72	63	347	87	72	420	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1826	1826	1826	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	41	58	38	123	87	79	69	381	96	79	462	66
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Percent Heavy Veh, %	5	5	5	2	2	2	3	3	3	2	2	2
Cap, veh/h	161	81	53	230	104	95	511	831	209	689	932	133
Arrive On Green	0.04	0.08	0.08	0.08	0.12	0.12	0.10	1.00	1.00	0.05	0.58	0.58
Sat Flow, veh/h	1739	1030	675	1781	903	820	1767	1430	360	1781	1601	229
Grp Volume(v), veh/h	41	0	96	123	0	166	69	0	477	79	0	528
Grp Sat Flow(s),veh/h/ln	1739	0	1704	1781	0	1723	1767	0	1791	1781	0	1829
Q Serve(g_s), s	2.5	0.0	6.6	7.5	0.0	11.3	1.8	0.0	0.0	2.0	0.0	20.3
Cycle Q Clear(g_c), s	2.5	0.0	6.6	7.5	0.0	11.3	1.8	0.0	0.0	2.0	0.0	20.3
Prop In Lane	1.00		0.40	1.00		0.48	1.00		0.20	1.00		0.13
Lane Grp Cap(c), veh/h	161	0	134	230	0	199	511	0	1040	689	0	1066
V/C Ratio(X)	0.25	0.00	0.72	0.54	0.00	0.83	0.13	0.00	0.46	0.11	0.00	0.50
Avail Cap(c_a), veh/h	254	0	324	259	0	327	579	0	1040	770	0	1066
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.91	0.00	0.91	0.91	0.00	0.91
Uniform Delay (d), s/veh	47.6	0.0	54.0	45.4	0.0	51.9	9.6	0.0	0.0	8.4	0.0	14.7
Incr Delay (d2), s/veh	0.8	0.0	6.9	1.9	0.0	9.1	0.1	0.0	1.3	0.1	0.0	1.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	2.1	0.0	5.6	6.2	0.0	9.2	1.1	0.0	0.7	1.3	0.0	12.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	48.4	0.0	60.9	47.4	0.0	61.1	9.8	0.0	1.3	8.4	0.0	16.2
LnGrp LOS	D	A	E	D	A	E	A	A	A	A	A	B
Approach Vol, veh/h		137			289			546			607	
Approach Delay, s/veh		57.1			55.2			2.4			15.2	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	12.6	76.7	15.0	15.7	12.4	76.9	10.6	20.1				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	49.0	* 11	22.8	10.9	50.0	11.6	22.8				
Max Q Clear Time (g_c+I1), s	4.0	2.0	9.5	8.6	3.8	22.3	4.5	13.3				
Green Ext Time (p_c), s	0.1	3.2	0.0	0.4	0.1	3.4	0.0	0.6				

Intersection Summary

HCM 6th Ctrl Delay	21.7
HCM 6th LOS	C

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West
2021 - AM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	124	0	83	0	0	0	41	500	0	0	421	75
Future Volume (vph)	124	0	83	0	0	0	41	500	0	0	421	75
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Turn Type	Perm	NA					pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	90.0		72.0	72.0	
Total Split (%)	25.0%	25.0%		25.0%	25.0%		15.0%	75.0%		60.0%	60.0%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		Max	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 120
 Actuated Cycle Length: 120
 Offset: 65 (54%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
5: SW 59th Street & 29th Avenue W

DTM 59th Street West
2021 - AM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	124	0	83	0	0	0	41	500	0	0	421	75
Future Volume (veh/h)	124	0	83	0	0	0	41	500	0	0	421	75
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1856	1856	1856
Adj Flow Rate, veh/h	128	0	86	0	0	0	42	515	0	0	434	77
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	3	3	3
Cap, veh/h	225	0	147	0	173	0	654	1487	0	60	1078	191
Arrive On Green	0.09	0.00	0.09	0.00	0.00	0.00	0.04	0.80	0.00	0.00	0.70	0.70
Sat Flow, veh/h	1781	0	1585	0	1870	0	1767	1856	0	879	1534	272
Grp Volume(v), veh/h	128	0	86	0	0	0	42	515	0	0	0	511
Grp Sat Flow(s),veh/h/ln	1781	0	1585	0	1870	0	1767	1856	0	879	0	1807
Q Serve(g_s), s	8.4	0.0	6.2	0.0	0.0	0.0	0.7	9.1	0.0	0.0	0.0	14.1
Cycle Q Clear(g_c), s	8.4	0.0	6.2	0.0	0.0	0.0	0.7	9.1	0.0	0.0	0.0	14.1
Prop In Lane	1.00		1.00	0.00		0.00	1.00		0.00	1.00		0.15
Lane Grp Cap(c), veh/h	225	0	147	0	173	0	654	1487	0	60	0	1269
V/C Ratio(X)	0.57	0.00	0.59	0.00	0.00	0.00	0.06	0.35	0.00	0.00	0.00	0.40
Avail Cap(c_a), veh/h	419	0	320	0	377	0	744	1487	0	60	0	1269
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	0.00	0.00	0.00	0.94	0.94	0.00	0.00	0.00	0.86
Uniform Delay (d), s/veh	53.2	0.0	52.2	0.0	0.0	0.0	4.6	3.3	0.0	0.0	0.0	7.4
Incr Delay (d2), s/veh	2.3	0.0	3.7	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.1	0.0	4.8	0.0	0.0	0.0	0.4	4.6	0.0	0.0	0.0	8.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	55.5	0.0	55.9	0.0	0.0	0.0	4.6	3.9	0.0	0.0	0.0	8.2
LnGrp LOS	E	A	E	A	A	A	A	A	A	A	A	A
Approach Vol, veh/h		214			0			557			511	
Approach Delay, s/veh		55.7			0.0			3.9			8.2	
Approach LOS		E						A			A	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		103.1		16.9	11.9	91.2		16.9				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		83.1		* 24	11.4	65.1		* 24				
Max Q Clear Time (g_c+I1), s		11.1		10.4	2.7	16.1		0.0				
Green Ext Time (p_c), s		3.5		0.7	0.0	3.5		0.0				

Intersection Summary


HCM 6th Ctrl Delay	14.3
HCM 6th LOS	B

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
6: Cortez Road W & SW 59th Street

DTM 59th Street West
2021 - AM Peak Hour



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↑↑	↑↑	↗	↖↗	↗
Traffic Volume (vph)	123	761	825	435	354	104
Future Volume (vph)	123	761	825	435	354	104
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	210	826
Storage Lanes	1			1	1	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	24.4	24.4
Total Split (s)	20.0	118.0	98.0	98.0	42.0	42.0
Total Split (%)	12.5%	73.8%	61.3%	61.3%	26.3%	26.3%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.4	4.4
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.4	6.4
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 160
 Actuated Cycle Length: 160
 Offset: 7 (4%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
6: Cortez Road W & SW 59th Street

DTM 59th Street West
2021 - AM Peak Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	123	761	825	435	354	104
Future Volume (veh/h)	123	761	825	435	354	104
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1856	1856	1856
Adj Flow Rate, veh/h	128	793	859	453	369	108
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	3	3	3
Cap, veh/h	358	2775	2500	1115	436	200
Arrive On Green	0.03	0.79	0.71	0.71	0.13	0.13
Sat Flow, veh/h	1767	3618	3618	1572	3428	1572
Grp Volume(v), veh/h	128	793	859	453	369	108
Grp Sat Flow(s),veh/h/ln	1767	1763	1763	1572	1714	1572
Q Serve(g_s), s	3.1	9.9	15.0	18.8	16.8	10.3
Cycle Q Clear(g_c), s	3.1	9.9	15.0	18.8	16.8	10.3
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	358	2775	2500	1115	436	200
V/C Ratio(X)	0.36	0.29	0.34	0.41	0.85	0.54
Avail Cap(c_a), veh/h	441	2775	2500	1115	763	350
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	0.91	0.91
Uniform Delay (d), s/veh	6.5	4.7	9.0	9.5	68.3	65.4
Incr Delay (d2), s/veh	0.6	0.3	0.4	1.1	4.2	2.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	1.9	5.6	9.3	10.4	11.9	7.4
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	7.1	4.9	9.3	10.6	72.5	67.5
LnGrp LOS	A	A	A	B	E	E
Approach Vol, veh/h		921	1312		477	
Approach Delay, s/veh		5.2	9.8		71.4	
Approach LOS		A	A		E	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	12.5	120.7			133.3	26.7
Change Period (Y+Rc), s	7.3	7.3			7.3	6.4
Max Green Setting (Gmax), s	12.7	90.7			110.7	35.6
Max Q Clear Time (g_c+I1), s	5.1	20.8			11.9	18.8
Green Ext Time (p_c), s	0.2	9.1			5.9	1.5
Intersection Summary						
HCM 6th Ctrl Delay			19.1			
HCM 6th LOS			B			

Lanes, Volumes, Timings
1: SW 59th Street & Manatee Avenue W

DTM 59th Street West
2021 - PM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	32	1230	227	276	1286	97	299	184	346	183	114	26
Future Volume (vph)	32	1230	227	276	1286	97	299	184	346	183	114	26
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		750	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	10.0	10.0	5.0	10.0	10.0	5.0	7.0	7.0	5.0	7.0	
Minimum Split (s)	11.8	49.7	49.7	11.9	42.5	42.5	11.6	52.0	52.0	11.8	51.8	
Total Split (s)	16.0	83.0	83.0	32.0	99.0	99.0	34.0	22.0	22.0	33.0	21.0	
Total Split (%)	9.4%	48.8%	48.8%	18.8%	58.2%	58.2%	20.0%	12.9%	12.9%	19.4%	12.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary


Area Type: Other
 Cycle Length: 170
 Actuated Cycle Length: 170
 Offset: 130 (76%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West
 2021 - PM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	32	1230	227	276	1286	97	299	184	346	183	114	26
Future Volume (veh/h)	32	1230	227	276	1286	97	299	184	346	183	114	26
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	33	1281	236	288	1340	101	311	192	360	191	119	27
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	42	1580	705	264	2034	907	288	256	217	212	133	30
Arrive On Green	0.02	0.45	0.45	0.15	0.57	0.57	0.16	0.14	0.14	0.12	0.09	0.09
Sat Flow, veh/h	1767	3526	1572	1781	3554	1585	1781	1870	1585	1781	1475	335
Grp Volume(v), veh/h	33	1281	236	288	1340	101	311	192	360	191	0	146
Grp Sat Flow(s),veh/h/ln	1767	1763	1572	1781	1777	1585	1781	1870	1585	1781	0	1810
Q Serve(g_s), s	3.2	53.5	16.6	25.2	44.0	4.9	27.5	16.8	23.2	18.0	0.0	13.6
Cycle Q Clear(g_c), s	3.2	53.5	16.6	25.2	44.0	4.9	27.5	16.8	23.2	18.0	0.0	13.6
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.18
Lane Grp Cap(c), veh/h	42	1580	705	264	2034	907	288	256	217	212	0	163
V/C Ratio(X)	0.78	0.81	0.33	1.09	0.66	0.11	1.08	0.75	1.66	0.90	0.00	0.90
Avail Cap(c_a), veh/h	96	1580	705	264	2034	907	288	256	217	285	0	163
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.91	0.91	0.91	1.00	0.00	1.00
Uniform Delay (d), s/veh	82.5	40.6	30.4	72.4	24.9	16.6	71.3	70.6	73.4	73.9	0.0	76.6
Incr Delay (d2), s/veh	25.6	4.6	1.3	81.7	1.7	0.2	73.3	10.7	315.6	24.0	0.0	42.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.1	31.9	10.8	25.3	25.7	3.4	26.0	13.4	44.0	14.7	0.0	12.9
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	108.1	45.3	31.7	154.1	26.6	16.8	144.6	81.3	388.9	97.8	0.0	118.6
LnGrp LOS	F	D	C	F	C	B	F	F	F	F	A	F
Approach Vol, veh/h		1550			1729			863			337	
Approach Delay, s/veh		44.5			47.3			232.4			106.8	
Approach LOS		D			D			F			F	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	10.9	104.1	26.1	29.7	32.0	83.0	34.0	21.8				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	9.2	92.2	* 27	15.5	25.2	76.2	27.5	* 15				
Max Q Clear Time (g_c+I1), s	5.2	46.0	20.0	25.2	27.2	55.5	29.5	15.6				
Green Ext Time (p_c), s	0.0	13.8	0.3	0.0	0.0	10.2	0.0	0.0				

Intersection Summary


HCM 6th Ctrl Delay	86.5
HCM 6th LOS	F

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West
2021 - PM Peak Hour



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↖	↗		↖	↗		↖	↗	
Traffic Volume (vph)	25	28	38	6	23	9	25	577	11	18	524	45
Future Volume (vph)	25	28	38	6	23	9	25	577	11	18	524	45
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		276			328			1746			2258	
Travel Time (s)		6.3			7.5			29.8			38.5	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	24.2	24.2		23.8	23.8		13.6	26.9		13.0	26.9	
Total Split (s)	33.0	33.0		33.0	33.0		17.0	90.0		17.0	90.0	
Total Split (%)	23.6%	23.6%		23.6%	23.6%		12.1%	64.3%		12.1%	64.3%	
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0	6.9	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?							Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 79 (56%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 70
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
2: SW 59th Street & 11th Avenue W

DTM 59th Street West
2021 - PM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕		↕	↕	
Traffic Volume (veh/h)	25	28	38	6	23	9	25	577	11	18	524	45
Future Volume (veh/h)	25	28	38	6	23	9	25	577	11	18	524	45
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	26	29	39	6	24	9	26	595	11	19	540	46
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	58	45	49	131	96	36	643	1397	26	715	1288	110
Arrive On Green	0.07	0.07	0.07	0.07	0.07	0.07	0.04	1.00	1.00	0.03	0.76	0.76
Sat Flow, veh/h	334	603	664	1333	1297	486	1781	1830	34	1781	1700	145
Grp Volume(v), veh/h	94	0	0	6	0	33	26	0	606	19	0	586
Grp Sat Flow(s),veh/h/ln	1601	0	0	1333	0	1783	1781	0	1864	1781	0	1844
Q Serve(g_s), s	5.6	0.0	0.0	0.0	0.0	2.4	0.4	0.0	0.0	0.3	0.0	15.8
Cycle Q Clear(g_c), s	8.1	0.0	0.0	0.8	0.0	2.4	0.4	0.0	0.0	0.3	0.0	15.8
Prop In Lane	0.28		0.41	1.00		0.27	1.00		0.02	1.00		0.08
Lane Grp Cap(c), veh/h	151	0	0	131	0	132	643	0	1423	715	0	1397
V/C Ratio(X)	0.62	0.00	0.00	0.05	0.00	0.25	0.04	0.00	0.43	0.03	0.00	0.42
Avail Cap(c_a), veh/h	337	0	0	288	0	341	726	0	1423	808	0	1397
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.33	1.33	1.33	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	0.91	0.00	0.91	0.56	0.00	0.56
Uniform Delay (d), s/veh	63.7	0.0	0.0	60.4	0.0	61.1	4.0	0.0	0.0	3.3	0.0	6.0
Incr Delay (d2), s/veh	4.1	0.0	0.0	0.1	0.0	1.0	0.0	0.0	0.9	0.0	0.0	0.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.3	0.0	0.0	0.4	0.0	2.1	0.2	0.0	0.6	0.2	0.0	8.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	67.8	0.0	0.0	60.5	0.0	62.1	4.0	0.0	0.9	3.3	0.0	6.5
LnGrp LOS	E	A	A	E	A	E	A	A	A	A	A	A
Approach Vol, veh/h		94			39			632			605	
Approach Delay, s/veh		67.8			61.9			1.0			6.4	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	9.7	113.8		16.6	10.5	113.0		16.6				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	83.1		26.8	11.0	83.1		26.8				
Max Q Clear Time (g_c+I1), s	2.3	2.0		10.1	2.4	17.8		4.4				
Green Ext Time (p_c), s	0.0	4.3		0.4	0.0	4.2		0.1				

Intersection Summary

HCM 6th Ctrl Delay	9.7
HCM 6th LOS	A

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
3: SW 59th Street & 17th Avenue W

DTM 59th Street West
2021 - PM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	66	114	52	25	92	37	50	555	46	39	480	57
Future Volume (vph)	66	114	52	25	92	37	50	555	46	39	480	57
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	1		1	1		1	1		1	1		1
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		839			905			1359			1746	
Travel Time (s)		19.1			20.6			23.2			29.8	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Turn Type	Perm	NA	Perm	Perm	NA	Perm	pm+pt	NA	Perm	pm+pt	NA	Perm
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4		4	8		8	2		2	6		6
Detector Phase	4	4	4	8	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	7.0	7.0	7.0	7.0	7.0	7.0	7.0	20.0	20.0	7.0	20.0	20.0
Minimum Split (s)	24.2	24.2	24.2	23.8	23.8	23.8	13.7	27.0	27.0	13.7	27.0	27.0
Total Split (s)	30.0	30.0	30.0	30.0	30.0	30.0	20.0	90.0	90.0	20.0	90.0	90.0
Total Split (%)	21.4%	21.4%	21.4%	21.4%	21.4%	21.4%	14.3%	64.3%	64.3%	14.3%	64.3%	64.3%
Yellow Time (s)	4.2	4.2	4.2	4.2	4.2	4.2	4.1	5.0	5.0	4.1	5.0	5.0
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.0	2.0	2.6	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.2	6.2	6.2	6.2	6.2	6.2	6.6	7.0	7.0	6.7	7.0	7.0
Lead/Lag							Lead	Lag	Lag	Lead	Lag	Lag
Lead-Lag Optimize?							Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	None	None	None	None	C-Max	C-Max	None	Max	Max

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 112 (80%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 3: SW 59th Street & 17th Avenue W



HCM 6th Signalized Intersection Summary
3: SW 59th Street & 17th Avenue W

DTM 59th Street West
2021 - PM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	66	114	52	25	92	37	50	555	46	39	480	57
Future Volume (veh/h)	66	114	52	25	92	37	50	555	46	39	480	57
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856
Adj Flow Rate, veh/h	68	118	54	26	95	38	52	572	47	40	495	59
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	3	3	3	3	3	3	3	3	3
Cap, veh/h	141	222	188	123	222	188	624	1297	1099	676	1291	1094
Arrive On Green	0.12	0.12	0.12	0.12	0.12	0.12	0.09	1.00	1.00	0.04	0.70	0.70
Sat Flow, veh/h	1247	1856	1572	1203	1856	1572	1767	1856	1572	1767	1856	1572
Grp Volume(v), veh/h	68	118	54	26	95	38	52	572	47	40	495	59
Grp Sat Flow(s),veh/h/ln	1247	1856	1572	1203	1856	1572	1767	1856	1572	1767	1856	1572
Q Serve(g_s), s	7.5	8.4	4.4	2.9	6.7	3.1	1.1	0.0	0.0	0.9	15.5	1.7
Cycle Q Clear(g_c), s	14.1	8.4	4.4	11.3	6.7	3.1	1.1	0.0	0.0	0.9	15.5	1.7
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Lane Grp Cap(c), veh/h	141	222	188	123	222	188	624	1297	1099	676	1291	1094
V/C Ratio(X)	0.48	0.53	0.29	0.21	0.43	0.20	0.08	0.44	0.04	0.06	0.38	0.05
Avail Cap(c_a), veh/h	204	315	267	184	315	267	716	1297	1099	775	1291	1094
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	0.86	0.86	0.86	0.92	0.92	0.92
Uniform Delay (d), s/veh	63.8	58.0	56.2	63.3	57.2	55.6	5.6	0.0	0.0	5.0	8.8	6.7
Incr Delay (d2), s/veh	2.5	2.0	0.8	0.8	1.3	0.5	0.0	0.9	0.1	0.0	0.8	0.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	4.5	7.3	3.2	1.7	5.8	2.2	0.6	0.6	0.0	0.5	9.9	1.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	66.3	59.9	57.0	64.1	58.5	56.1	5.6	0.9	0.1	5.1	9.6	6.8
LnGrp LOS	E	E	E	E	E	E	A	A	A	A	A	A
Approach Vol, veh/h		240			159			671			594	
Approach Delay, s/veh		61.1			58.9			1.2			9.0	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	12.2	104.8		22.9	12.7	104.4		22.9				
Change Period (Y+Rc), s	6.7	7.0		6.2	6.6	7.0		6.2				
Max Green Setting (Gmax), s	13.3	83.0		23.8	13.4	83.0		23.8				
Max Q Clear Time (g_c+I1), s	2.9	2.0		16.1	3.1	17.5		13.3				
Green Ext Time (p_c), s	0.0	4.1		0.6	0.1	3.5		0.4				

Intersection Summary

HCM 6th Ctrl Delay	18.2
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W


DTM 59th Street West
2021 - PM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	90	91	63	125	42	80	47	406	111	102	498	12
Future Volume (vph)	90	91	63	125	42	80	47	406	111	102	498	12
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		571			628			2227			1359	
Travel Time (s)		15.6			14.3			38.0			23.2	
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Heavy Vehicles (%)	3%	3%	3%	4%	4%	4%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	24.2		12.7	23.8		13.7	27.0		13.1	27.0	
Total Split (s)	17.0	36.0		20.0	39.0		17.0	66.0		18.0	67.0	
Total Split (%)	12.1%	25.7%		14.3%	27.9%		12.1%	47.1%		12.9%	47.9%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary


Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 91 (65%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
4: SW 59th Street & 21st Avenue W

DTM 59th Street West
2021 - PM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	90	91	63	125	42	80	47	406	111	102	498	12
Future Volume (veh/h)	90	91	63	125	42	80	47	406	111	102	498	12
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1841	1841	1841	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	91	92	64	126	42	81	47	410	112	103	503	12
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Percent Heavy Veh, %	3	3	3	4	4	4	3	3	3	2	2	2
Cap, veh/h	229	110	77	211	73	140	511	824	225	655	1081	26
Arrive On Green	0.06	0.11	0.11	0.08	0.13	0.13	0.08	1.00	1.00	0.05	0.59	0.59
Sat Flow, veh/h	1767	1019	709	1753	562	1084	1767	1403	383	1781	1819	43
Grp Volume(v), veh/h	91	0	156	126	0	123	47	0	522	103	0	515
Grp Sat Flow(s),veh/h/ln	1767	0	1728	1753	0	1646	1767	0	1787	1781	0	1863
Q Serve(g_s), s	6.3	0.0	12.4	8.8	0.0	9.8	1.4	0.0	0.0	3.1	0.0	21.7
Cycle Q Clear(g_c), s	6.3	0.0	12.4	8.8	0.0	9.8	1.4	0.0	0.0	3.1	0.0	21.7
Prop In Lane	1.00		0.41	1.00		0.66	1.00		0.21	1.00		0.02
Lane Grp Cap(c), veh/h	229	0	187	211	0	213	511	0	1048	655	0	1106
V/C Ratio(X)	0.40	0.00	0.84	0.60	0.00	0.58	0.09	0.00	0.50	0.16	0.00	0.47
Avail Cap(c_a), veh/h	272	0	368	254	0	386	575	0	1048	719	0	1106
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.91	0.00	0.91	0.94	0.00	0.94
Uniform Delay (d), s/veh	51.5	0.0	61.2	50.7	0.0	57.3	11.0	0.0	0.0	9.8	0.0	15.9
Incr Delay (d2), s/veh	1.1	0.0	9.4	2.7	0.0	2.5	0.1	0.0	1.5	0.1	0.0	1.3
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	5.3	0.0	10.0	7.3	0.0	7.6	0.9	0.0	0.8	2.2	0.0	14.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	52.6	0.0	70.6	53.4	0.0	59.8	11.1	0.0	1.5	9.9	0.0	17.3
LnGrp LOS	D	A	E	D	A	E	B	A	A	A	A	B
Approach Vol, veh/h		247			249			569			618	
Approach Delay, s/veh		64.0			56.5			2.3			16.1	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	13.0	89.2	16.5	21.3	12.0	90.2	13.5	24.3				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	59.0	* 14	29.8	10.9	60.0	11.6	32.8				
Max Q Clear Time (g_c+I1), s	5.1	2.0	10.8	14.4	3.4	23.7	8.3	11.8				
Green Ext Time (p_c), s	0.1	3.6	0.1	0.7	0.0	3.4	0.1	0.6				

Intersection Summary

HCM 6th Ctrl Delay	24.4
HCM 6th LOS	C

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West
2021 - PM Peak Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	95	0	45	0	0	1	81	481	0	1	626	99
Future Volume (vph)	95	0	45	0	0	1	81	481	0	1	626	99
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA			NA		pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	110.0		92.0	92.0	
Total Split (%)	21.4%	21.4%		21.4%	21.4%		12.9%	78.6%		65.7%	65.7%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		Max	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 131 (94%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 90
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
5: SW 59th Street & 29th Avenue W

DTM 59th Street West
2021 - PM Peak Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	95	0	45	0	0	1	81	481	0	1	626	99
Future Volume (veh/h)	95	0	45	0	0	1	81	481	0	1	626	99
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	106	0	50	0	0	1	90	534	0	1	696	110
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	180	0	144	0	0	144	475	1518	0	680	1139	180
Arrive On Green	0.09	0.00	0.09	0.00	0.00	0.09	0.05	0.82	0.00	0.72	0.72	0.72
Sat Flow, veh/h	1416	0	1585	0	0	1585	1767	1856	0	870	1576	249
Grp Volume(v), veh/h	106	0	50	0	0	1	90	534	0	1	0	806
Grp Sat Flow(s),veh/h/ln	1416	0	1585	0	0	1585	1767	1856	0	870	0	1826
Q Serve(g_s), s	10.3	0.0	4.1	0.0	0.0	0.1	1.6	10.3	0.0	0.0	0.0	30.7
Cycle Q Clear(g_c), s	10.4	0.0	4.1	0.0	0.0	0.1	1.6	10.3	0.0	0.0	0.0	30.7
Prop In Lane	1.00		1.00	0.00		1.00	1.00		0.00	1.00		0.14
Lane Grp Cap(c), veh/h	180	0	144	0	0	144	475	1518	0	680	0	1319
V/C Ratio(X)	0.59	0.00	0.35	0.00	0.00	0.01	0.19	0.35	0.00	0.00	0.00	0.61
Avail Cap(c_a), veh/h	295	0	274	0	0	274	533	1518	0	680	0	1319
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	0.00	0.00	1.00	0.92	0.92	0.00	0.87	0.00	0.87
Uniform Delay (d), s/veh	62.6	0.0	59.7	0.0	0.0	57.9	7.8	3.2	0.0	5.4	0.0	9.6
Incr Delay (d2), s/veh	3.1	0.0	1.4	0.0	0.0	0.0	0.2	0.6	0.0	0.0	0.0	1.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.0	0.0	3.1	0.0	0.0	0.1	1.1	5.5	0.0	0.0	0.0	16.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.7	0.0	61.1	0.0	0.0	57.9	8.0	3.8	0.0	5.4	0.0	11.5
LnGrp LOS	E	A	E	A	A	E	A	A	A	A	A	B
Approach Vol, veh/h		156			1			624			807	
Approach Delay, s/veh		64.2			57.9			4.4			11.5	
Approach LOS		E			E			A			B	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		121.4		18.6	13.4	108.1		18.6				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		103.1		* 24	11.4	85.1		* 24				
Max Q Clear Time (g_c+I1), s		12.3		12.4	3.6	32.7		2.1				
Green Ext Time (p_c), s		3.6		0.4	0.1	6.9		0.0				

Intersection Summary


HCM 6th Ctrl Delay	13.9
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
 6: Cortez Road W & SW 59th Street

DTM 59th Street West
 2021 - PM Peak Hour



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↑↑	↑↑	↗	↗↗	↗
Traffic Volume (vph)	169	1192	1100	398	508	176
Future Volume (vph)	169	1192	1100	398	508	176
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	210	826
Storage Lanes	1			1	1	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	2%	2%	2%	2%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	25.3	25.3
Total Split (s)	25.0	156.0	131.0	131.0	44.0	44.0
Total Split (%)	12.5%	78.0%	65.5%	65.5%	22.0%	22.0%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.8	6.8
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 200
 Actuated Cycle Length: 200
 Offset: 165 (83%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 75
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
6: Cortez Road W & SW 59th Street

DTM 59th Street West
2021 - PM Peak Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	169	1192	1100	398	508	176
Future Volume (veh/h)	169	1192	1100	398	508	176
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1856	1856
Adj Flow Rate, veh/h	178	1255	1158	419	535	185
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	2	2	2	2	3	3
Cap, veh/h	281	2700	2425	1081	581	267
Arrive On Green	0.04	0.76	0.68	0.68	0.17	0.17
Sat Flow, veh/h	1781	3647	3647	1585	3428	1572
Grp Volume(v), veh/h	178	1255	1158	419	535	185
Grp Sat Flow(s),veh/h/ln	1781	1777	1777	1585	1714	1572
Q Serve(g_s), s	5.9	26.2	30.7	22.8	30.7	22.1
Cycle Q Clear(g_c), s	5.9	26.2	30.7	22.8	30.7	22.1
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	281	2700	2425	1081	581	267
V/C Ratio(X)	0.63	0.46	0.48	0.39	0.92	0.69
Avail Cap(c_a), veh/h	365	2700	2425	1081	638	292
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	0.73	0.73
Uniform Delay (d), s/veh	13.8	8.9	15.0	13.7	81.7	78.2
Incr Delay (d2), s/veh	2.4	0.6	0.7	1.0	14.0	4.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	4.3	14.8	18.1	13.1	20.1	13.6
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	16.2	9.5	15.6	14.8	95.7	82.7
LnGrp LOS	B	A	B	B	F	F
Approach Vol, veh/h		1433	1577		720	
Approach Delay, s/veh		10.3	15.4		92.4	
Approach LOS		B	B		F	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	15.5	143.8			159.3	40.7
Change Period (Y+Rc), s	7.3	7.3			7.3	6.8
Max Green Setting (Gmax), s	17.7	123.7			148.7	37.2
Max Q Clear Time (g_c+I1), s	7.9	32.7			28.2	32.7
Green Ext Time (p_c), s	0.3	13.5			11.9	1.2
Intersection Summary						
HCM 6th Ctrl Delay			28.3			
HCM 6th LOS			C			

D-2: No Build Conditions

Lanes, Volumes, Timings
1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - No Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	35	1255	235	285	1315	100	315	195	365	195	120	30
Future Volume (vph)	35	1255	235	285	1315	100	315	195	365	195	120	30
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		750	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	10.0	10.0	5.0	10.0	10.0	5.0	7.0	7.0	5.0	7.0	
Minimum Split (s)	11.8	49.7	49.7	11.9	42.5	42.5	11.6	26.5	26.5	11.8	25.7	
Total Split (s)	16.0	83.0	83.0	32.0	99.0	99.0	34.0	22.0	22.0	33.0	21.0	
Total Split (%)	9.4%	48.8%	48.8%	18.8%	58.2%	58.2%	20.0%	12.9%	12.9%	19.4%	12.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary


Area Type: Other
 Cycle Length: 170
 Actuated Cycle Length: 170
 Offset: 130 (76%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - No Build
 2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↗	↗↗	↗	↗	↗↗	↗	↗	↗	↗	↗	↗	↗
Traffic Volume (veh/h)	35	1255	235	285	1315	100	315	195	365	195	120	30
Future Volume (veh/h)	35	1255	235	285	1315	100	315	195	365	195	120	30
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	36	1307	245	297	1370	104	328	203	380	203	125	31
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	46	1580	705	264	2026	904	288	243	206	224	130	32
Arrive On Green	0.03	0.45	0.45	0.15	0.57	0.57	0.16	0.13	0.13	0.13	0.09	0.09
Sat Flow, veh/h	1767	3526	1572	1781	3554	1585	1781	1870	1585	1781	1447	359
Grp Volume(v), veh/h	36	1307	245	297	1370	104	328	203	380	203	0	156
Grp Sat Flow(s),veh/h/ln	1767	1763	1572	1781	1777	1585	1781	1870	1585	1781	0	1806
Q Serve(g_s), s	3.4	55.3	17.3	25.2	45.8	5.1	27.5	18.0	22.1	19.1	0.0	14.6
Cycle Q Clear(g_c), s	3.4	55.3	17.3	25.2	45.8	5.1	27.5	18.0	22.1	19.1	0.0	14.6
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	46	1580	705	264	2026	904	288	243	206	224	0	163
V/C Ratio(X)	0.78	0.83	0.35	1.12	0.68	0.12	1.14	0.83	1.84	0.91	0.00	0.96
Avail Cap(c_a), veh/h	96	1580	705	264	2026	904	288	243	206	285	0	163
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	0.89	0.89	0.89	1.00	0.00	1.00
Uniform Delay (d), s/veh	82.3	41.1	30.7	72.4	25.5	16.8	71.3	72.2	73.9	73.3	0.0	77.0
Incr Delay (d2), s/veh	23.6	5.1	1.4	93.2	1.8	0.3	92.9	19.5	395.5	26.2	0.0	58.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	1.9	24.7	6.9	18.3	19.4	1.9	19.9	9.9	31.6	10.3	0.0	9.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	105.9	46.2	32.0	165.6	27.4	17.1	164.1	91.6	469.5	99.6	0.0	135.6
LnGrp LOS	F	D	C	F	C	B	F	F	F	F	A	F
Approach Vol, veh/h		1588			1771			911			359	
Approach Delay, s/veh		45.4			49.9			275.3			115.2	
Approach LOS		D			D			F			F	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	11.3	103.7	27.2	28.6	32.0	83.0	34.0	21.8				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	9.2	92.2	* 27	15.5	25.2	76.2	27.5	* 15				
Max Q Clear Time (g_c+I1), s	5.4	47.8	21.1	24.1	27.2	57.3	29.5	16.6				
Green Ext Time (p_c), s	0.0	14.2	0.3	0.0	0.0	9.9	0.0	0.0				

Intersection Summary

HCM 6th Ctrl Delay	97.8
HCM 6th LOS	F

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - No Build
2025 - Design Hour



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕		↕	↕	
Traffic Volume (vph)	25	30	40	10	25	10	30	605	15	20	550	50
Future Volume (vph)	25	30	40	10	25	10	30	605	15	20	550	50
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		276			328			1746			2258	
Travel Time (s)		6.3			7.5			29.8			38.5	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	24.2	24.2		23.8	23.8		13.6	26.9		13.0	26.9	
Total Split (s)	33.0	33.0		33.0	33.0		17.0	90.0		17.0	90.0	
Total Split (%)	23.6%	23.6%		23.6%	23.6%		12.1%	64.3%		12.1%	64.3%	
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0	6.9	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?							Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 79 (56%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 75
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
 2: SW 59th Street & 11th Avenue W

DTM 59th Street West - No Build
 2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↔		↔	↔		↔	↔		↔	↔	
Traffic Volume (veh/h)	25	30	40	10	25	10	30	605	15	20	550	50
Future Volume (veh/h)	25	30	40	10	25	10	30	605	15	20	550	50
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	26	31	41	10	26	10	31	624	15	21	567	52
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	57	47	51	132	99	38	617	1380	33	695	1268	116
Arrive On Green	0.08	0.08	0.08	0.08	0.08	0.08	0.05	1.00	1.00	0.03	0.75	0.75
Sat Flow, veh/h	316	613	668	1328	1286	495	1781	1819	44	1781	1688	155
Grp Volume(v), veh/h	98	0	0	10	0	36	31	0	639	21	0	619
Grp Sat Flow(s),veh/h/ln	1598	0	0	1328	0	1781	1781	0	1862	1781	0	1842
Q Serve(g_s), s	5.8	0.0	0.0	0.0	0.0	2.7	0.5	0.0	0.0	0.4	0.0	17.6
Cycle Q Clear(g_c), s	8.4	0.0	0.0	1.4	0.0	2.7	0.5	0.0	0.0	0.4	0.0	17.6
Prop In Lane	0.27		0.42	1.00		0.28	1.00		0.02	1.00		0.08
Lane Grp Cap(c), veh/h	156	0	0	132	0	137	617	0	1413	695	0	1385
V/C Ratio(X)	0.63	0.00	0.00	0.08	0.00	0.26	0.05	0.00	0.45	0.03	0.00	0.45
Avail Cap(c_a), veh/h	337	0	0	284	0	341	695	0	1413	785	0	1385
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.33	1.33	1.33	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	0.89	0.00	0.89	0.51	0.00	0.51
Uniform Delay (d), s/veh	63.5	0.0	0.0	60.3	0.0	60.9	4.3	0.0	0.0	3.4	0.0	6.5
Incr Delay (d2), s/veh	4.2	0.0	0.0	0.2	0.0	1.0	0.0	0.0	0.9	0.0	0.0	0.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.6	0.0	0.0	0.3	0.0	1.3	0.2	0.0	0.4	0.1	0.0	6.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	67.6	0.0	0.0	60.5	0.0	61.9	4.4	0.0	0.9	3.5	0.0	7.0
LnGrp LOS	E	A	A	E	A	E	A	A	A	A	A	A
Approach Vol, veh/h		98			46			670			640	
Approach Delay, s/veh		67.6			61.6			1.1			6.9	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	9.9	113.1		17.0	10.9	112.1		17.0				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	83.1		26.8	11.0	83.1		26.8				
Max Q Clear Time (g_c+I1), s	2.4	2.0		10.4	2.5	19.6		4.7				
Green Ext Time (p_c), s	0.0	4.7		0.4	0.0	4.5		0.1				

Intersection Summary

HCM 6th Ctrl Delay	10.1
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
3: SW 59th Street & 17th Avenue W

DTM 59th Street West - No Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	70	120	55	25	95	40	55	585	50	45	505	60
Future Volume (vph)	70	120	55	25	95	40	55	585	50	45	505	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	1		1	1		1	1		1	1		1
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		839			905			1359			1746	
Travel Time (s)		19.1			20.6			23.2			29.8	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Turn Type	Perm	NA	Perm	Perm	NA	Perm	pm+pt	NA	Perm	pm+pt	NA	Perm
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4		4	8		8	2		2	6		6
Detector Phase	4	4	4	8	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	7.0	7.0	7.0	7.0	7.0	7.0	7.0	20.0	20.0	7.0	20.0	20.0
Minimum Split (s)	24.2	24.2	24.2	23.8	23.8	23.8	13.7	27.0	27.0	13.7	27.0	27.0
Total Split (s)	30.0	30.0	30.0	30.0	30.0	30.0	20.0	90.0	90.0	20.0	90.0	90.0
Total Split (%)	21.4%	21.4%	21.4%	21.4%	21.4%	21.4%	14.3%	64.3%	64.3%	14.3%	64.3%	64.3%
Yellow Time (s)	4.2	4.2	4.2	4.2	4.2	4.2	4.1	5.0	5.0	4.1	5.0	5.0
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.0	2.0	2.6	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.2	6.2	6.2	6.2	6.2	6.2	6.6	7.0	7.0	6.7	7.0	7.0
Lead/Lag							Lead	Lag	Lag	Lead	Lag	Lag
Lead-Lag Optimize?							Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	None	None	None	None	C-Max	C-Max	None	Max	Max

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 112 (80%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 70
 Control Type: Actuated-Coordinated

Splits and Phases: 3: SW 59th Street & 17th Avenue W



HCM 6th Signalized Intersection Summary
3: SW 59th Street & 17th Avenue W

DTM 59th Street West - No Build
2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	70	120	55	25	95	40	55	585	50	45	505	60
Future Volume (veh/h)	70	120	55	25	95	40	55	585	50	45	505	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856
Adj Flow Rate, veh/h	72	124	57	26	98	41	57	603	52	46	521	62
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	3	3	3	3	3	3	3	3	3
Cap, veh/h	145	231	195	125	231	195	599	1284	1088	657	1280	1085
Arrive On Green	0.12	0.12	0.12	0.12	0.12	0.12	0.09	1.00	1.00	0.04	0.69	0.69
Sat Flow, veh/h	1240	1856	1572	1194	1856	1572	1767	1856	1572	1767	1856	1572
Grp Volume(v), veh/h	72	124	57	26	98	41	57	603	52	46	521	62
Grp Sat Flow(s),veh/h/ln	1240	1856	1572	1194	1856	1572	1767	1856	1572	1767	1856	1572
Q Serve(g_s), s	8.0	8.8	4.6	2.9	6.8	3.3	1.2	0.0	0.0	1.0	17.0	1.8
Cycle Q Clear(g_c), s	14.8	8.8	4.6	11.7	6.8	3.3	1.2	0.0	0.0	1.0	17.0	1.8
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Lane Grp Cap(c), veh/h	145	231	195	125	231	195	599	1284	1088	657	1280	1085
V/C Ratio(X)	0.50	0.54	0.29	0.21	0.42	0.21	0.10	0.47	0.05	0.07	0.41	0.06
Avail Cap(c_a), veh/h	202	315	267	179	315	267	690	1284	1088	752	1280	1085
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.83	0.83	0.83	0.90	0.90	0.90
Uniform Delay (d), s/veh	63.5	57.5	55.7	63.0	56.7	55.1	5.9	0.0	0.0	5.2	9.4	7.0
Incr Delay (d2), s/veh	2.6	1.9	0.8	0.8	1.2	0.5	0.1	1.0	0.1	0.0	0.9	0.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	2.6	4.3	1.9	0.9	3.3	1.3	0.4	0.4	0.0	0.3	6.6	0.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	66.1	59.5	56.5	63.8	57.9	55.6	6.0	1.0	0.1	5.2	10.2	7.1
LnGrp LOS	E	E	E	E	E	E	A	A	A	A	B	A
Approach Vol, veh/h		253			165			712			629	
Approach Delay, s/veh		60.7			58.3			1.4			9.6	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	12.5	103.9		23.6	12.8	103.6		23.6				
Change Period (Y+Rc), s	6.7	7.0		6.2	6.6	7.0		6.2				
Max Green Setting (Gmax), s	13.3	83.0		23.8	13.4	83.0		23.8				
Max Q Clear Time (g_c+I1), s	3.0	2.0		16.8	3.2	19.0		13.7				
Green Ext Time (p_c), s	0.0	4.5		0.6	0.1	3.7		0.5				

Intersection Summary

HCM 6th Ctrl Delay	18.2
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W

DTM 59th Street West - No Build
2025 - Design Hour




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↖	↗		↖	↗		↖	↗		↖	↗	
Traffic Volume (vph)	95	95	65	130	45	85	50	425	120	110	525	15
Future Volume (vph)	95	95	65	130	45	85	50	425	120	110	525	15
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		571			628			2227			1359	
Travel Time (s)		15.6			14.3			38.0			23.2	
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Heavy Vehicles (%)	3%	3%	3%	4%	4%	4%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	24.2		12.7	23.8		13.7	27.0		13.1	27.0	
Total Split (s)	17.0	36.0		20.0	39.0		17.0	66.0		18.0	67.0	
Total Split (%)	12.1%	25.7%		14.3%	27.9%		12.1%	47.1%		12.9%	47.9%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 91 (65%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
 4: SW 59th Street & 21st Avenue W

DTM 59th Street West - No Build
 2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	95	95	65	130	45	85	50	425	120	110	525	15
Future Volume (veh/h)	95	95	65	130	45	85	50	425	120	110	525	15
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1841	1841	1841	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	96	96	66	131	45	86	51	429	121	111	530	15
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Percent Heavy Veh, %	3	3	3	4	4	4	3	3	3	2	2	2
Cap, veh/h	231	114	79	215	75	143	483	809	228	637	1062	30
Arrive On Green	0.06	0.11	0.11	0.08	0.13	0.13	0.09	1.00	1.00	0.05	0.59	0.59
Sat Flow, veh/h	1767	1024	704	1753	565	1081	1767	1392	393	1781	1810	51
Grp Volume(v), veh/h	96	0	162	131	0	131	51	0	550	111	0	545
Grp Sat Flow(s),veh/h/ln	1767	0	1729	1753	0	1646	1767	0	1785	1781	0	1861
Q Serve(g_s), s	6.7	0.0	12.9	9.1	0.0	10.5	1.5	0.0	0.0	3.4	0.0	23.9
Cycle Q Clear(g_c), s	6.7	0.0	12.9	9.1	0.0	10.5	1.5	0.0	0.0	3.4	0.0	23.9
Prop In Lane	1.00		0.41	1.00		0.66	1.00		0.22	1.00		0.03
Lane Grp Cap(c), veh/h	231	0	193	215	0	218	483	0	1037	637	0	1093
V/C Ratio(X)	0.42	0.00	0.84	0.61	0.00	0.60	0.11	0.00	0.53	0.17	0.00	0.50
Avail Cap(c_a), veh/h	270	0	368	254	0	386	545	0	1037	701	0	1093
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.90	0.00	0.90	0.94	0.00	0.94
Uniform Delay (d), s/veh	50.9	0.0	61.0	50.1	0.0	57.2	11.7	0.0	0.0	10.2	0.0	16.9
Incr Delay (d2), s/veh	1.2	0.0	9.4	3.1	0.0	2.6	0.1	0.0	1.8	0.1	0.0	1.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.1	0.0	6.2	4.2	0.0	4.6	0.6	0.0	0.5	1.3	0.0	10.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	52.1	0.0	70.3	53.2	0.0	59.8	11.7	0.0	1.8	10.3	0.0	18.4
LnGrp LOS	D	A	E	D	A	E	B	A	A	B	A	B
Approach Vol, veh/h		258			262			601			656	
Approach Delay, s/veh		63.6			56.5			2.6			17.0	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	13.0	88.3	16.9	21.8	12.1	89.2	13.9	24.8				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	59.0	* 14	29.8	10.9	60.0	11.6	32.8				
Max Q Clear Time (g_c+I1), s	5.4	2.0	11.1	14.9	3.5	25.9	8.7	12.5				
Green Ext Time (p_c), s	0.1	3.9	0.1	0.8	0.0	3.6	0.1	0.7				

Intersection Summary

HCM 6th Ctrl Delay	24.7
HCM 6th LOS	C

Notes

User approved pedestrian interval to be less than phase max green.
 * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - No Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	100	0	50	0	0	1	85	505	0	1	655	105
Future Volume (vph)	100	0	50	0	0	1	85	505	0	1	655	105
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA			NA		pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	110.0		92.0	92.0	
Total Split (%)	21.4%	21.4%		21.4%	21.4%		12.9%	78.6%		65.7%	65.7%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		Max	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 131 (94%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 90
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - No Build
2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	100	0	50	0	0	1	85	505	0	1	655	105
Future Volume (veh/h)	100	0	50	0	0	1	85	505	0	1	655	105
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	111	0	56	0	0	1	94	561	0	1	728	117
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	185	0	150	0	0	150	445	1511	0	661	1130	182
Arrive On Green	0.09	0.00	0.09	0.00	0.00	0.09	0.05	0.81	0.00	0.72	0.72	0.72
Sat Flow, veh/h	1416	0	1585	0	0	1585	1767	1856	0	849	1572	253
Grp Volume(v), veh/h	111	0	56	0	0	1	94	561	0	1	0	845
Grp Sat Flow(s),veh/h/ln	1416	0	1585	0	0	1585	1767	1856	0	849	0	1825
Q Serve(g_s), s	10.8	0.0	4.6	0.0	0.0	0.1	1.7	11.3	0.0	0.0	0.0	34.0
Cycle Q Clear(g_c), s	10.9	0.0	4.6	0.0	0.0	0.1	1.7	11.3	0.0	0.0	0.0	34.0
Prop In Lane	1.00		1.00	0.00		1.00	1.00		0.00	1.00		0.14
Lane Grp Cap(c), veh/h	185	0	150	0	0	150	445	1511	0	661	0	1311
V/C Ratio(X)	0.60	0.00	0.37	0.00	0.00	0.01	0.21	0.37	0.00	0.00	0.00	0.64
Avail Cap(c_a), veh/h	295	0	274	0	0	274	503	1511	0	661	0	1311
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	0.00	0.00	1.00	0.91	0.91	0.00	0.85	0.00	0.85
Uniform Delay (d), s/veh	62.3	0.0	59.5	0.0	0.0	57.4	8.9	3.5	0.0	5.5	0.0	10.3
Incr Delay (d2), s/veh	3.1	0.0	1.5	0.0	0.0	0.0	0.2	0.6	0.0	0.0	0.0	2.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	4.1	0.0	2.0	0.0	0.0	0.0	0.8	3.4	0.0	0.0	0.0	12.7
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.4	0.0	61.0	0.0	0.0	57.4	9.1	4.1	0.0	5.6	0.0	12.4
LnGrp LOS	E	A	E	A	A	E	A	A	A	A	A	B
Approach Vol, veh/h		167			1			655			846	
Approach Delay, s/veh		63.9			57.4			4.8			12.4	
Approach LOS		E			E			A			B	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		120.9		19.1	13.4	107.5		19.1				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		103.1		* 24	11.4	85.1		* 24				
Max Q Clear Time (g_c+I1), s		13.3		12.9	3.7	36.0		2.1				
Green Ext Time (p_c), s		3.9		0.4	0.1	7.5		0.0				

Intersection Summary


HCM 6th Ctrl Delay	14.6
HCM 6th LOS	B

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
 6: Cortez Road W & SW 59th Street

DTM 59th Street West - No Build
 2025 - Design Hour



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↑↑	↑↑	↗	↖↗	↗
Traffic Volume (vph)	175	1215	1125	410	535	185
Future Volume (vph)	175	1215	1125	410	535	185
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	210	826
Storage Lanes	1			1	1	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	2%	2%	2%	2%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	25.3	25.3
Total Split (s)	25.0	156.0	131.0	131.0	44.0	44.0
Total Split (%)	12.5%	78.0%	65.5%	65.5%	22.0%	22.0%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.8	6.8
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 200
 Actuated Cycle Length: 200
 Offset: 165 (83%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 75
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
 6: Cortez Road W & SW 59th Street

DTM 59th Street West - No Build
 2025 - Design Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	175	1215	1125	410	535	185
Future Volume (veh/h)	175	1215	1125	410	535	185
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1856	1856
Adj Flow Rate, veh/h	184	1279	1184	432	563	195
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	2	2	2	2	3	3
Cap, veh/h	272	2677	2394	1068	604	277
Arrive On Green	0.04	0.75	0.67	0.67	0.18	0.18
Sat Flow, veh/h	1781	3647	3647	1585	3428	1572
Grp Volume(v), veh/h	184	1279	1184	432	563	195
Grp Sat Flow(s),veh/h/ln	1781	1777	1777	1585	1714	1572
Q Serve(g_s), s	6.3	27.8	32.6	24.5	32.4	23.3
Cycle Q Clear(g_c), s	6.3	27.8	32.6	24.5	32.4	23.3
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	272	2677	2394	1068	604	277
V/C Ratio(X)	0.68	0.48	0.49	0.40	0.93	0.70
Avail Cap(c_a), veh/h	353	2677	2394	1068	638	292
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	0.69	0.69
Uniform Delay (d), s/veh	15.6	9.5	16.0	14.6	81.2	77.4
Incr Delay (d2), s/veh	3.3	0.6	0.7	1.1	15.2	4.9
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.0	10.4	13.2	9.0	15.6	9.8
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	18.9	10.1	16.7	15.8	96.4	82.3
LnGrp LOS	B	B	B	B	F	F
Approach Vol, veh/h		1463	1616		758	
Approach Delay, s/veh		11.2	16.5		92.8	
Approach LOS		B	B		F	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	15.9	142.0			157.9	42.1
Change Period (Y+Rc), s	7.3	7.3			7.3	6.8
Max Green Setting (Gmax), s	17.7	123.7			148.7	37.2
Max Q Clear Time (g_c+I1), s	8.3	34.6			29.8	34.4
Green Ext Time (p_c), s	0.3	14.1			12.3	0.9
Intersection Summary						
HCM 6th Ctrl Delay			29.5			
HCM 6th LOS			C			

Lanes, Volumes, Timings
 1: SW 59th Street & Manatee Avenue W


DTM 59th Street West - No Build
 2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	40	1380	255	310	1445	110	395	245	455	240	150	35
Future Volume (vph)	40	1380	255	310	1445	110	395	245	455	240	150	35
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		750	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	10.0	10.0	5.0	10.0	10.0	5.0	7.0	7.0	5.0	7.0	
Minimum Split (s)	11.8	49.7	49.7	11.9	42.5	42.5	11.6	52.0	52.0	11.8	51.8	
Total Split (s)	16.0	83.0	83.0	32.0	99.0	99.0	34.0	22.0	22.0	33.0	21.0	
Total Split (%)	9.4%	48.8%	48.8%	18.8%	58.2%	58.2%	20.0%	12.9%	12.9%	19.4%	12.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary

Area Type: Other
 Cycle Length: 170
 Actuated Cycle Length: 170
 Offset: 130 (76%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - No Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	40	1380	255	310	1445	110	395	245	455	240	150	35
Future Volume (veh/h)	40	1380	255	310	1445	110	395	245	455	240	150	35
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	42	1438	266	323	1505	115	411	255	474	250	156	36
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	54	1580	705	264	2011	897	288	196	166	269	132	31
Arrive On Green	0.03	0.45	0.45	0.15	0.57	0.57	0.16	0.10	0.10	0.15	0.09	0.09
Sat Flow, veh/h	1767	3526	1572	1781	3554	1585	1781	1870	1585	1781	1470	339
Grp Volume(v), veh/h	42	1438	266	323	1505	115	411	255	474	250	0	192
Grp Sat Flow(s),veh/h/ln	1767	1763	1572	1781	1777	1585	1781	1870	1585	1781	0	1809
Q Serve(g_s), s	4.0	64.6	19.1	25.2	54.2	5.8	27.5	17.8	17.8	23.6	0.0	15.3
Cycle Q Clear(g_c), s	4.0	64.6	19.1	25.2	54.2	5.8	27.5	17.8	17.8	23.6	0.0	15.3
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.19
Lane Grp Cap(c), veh/h	54	1580	705	264	2011	897	288	196	166	269	0	163
V/C Ratio(X)	0.78	0.91	0.38	1.22	0.75	0.13	1.43	1.30	2.85	0.93	0.00	1.18
Avail Cap(c_a), veh/h	96	1580	705	264	2011	897	288	196	166	285	0	163
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	0.80	0.80	0.80	1.00	0.00	1.00
Uniform Delay (d), s/veh	81.8	43.7	31.1	72.4	27.8	17.3	71.3	76.1	76.1	71.3	0.0	77.4
Incr Delay (d2), s/veh	20.8	9.4	1.5	129.4	2.6	0.3	207.3	161.9	847.1	34.1	0.0	126.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.9	38.5	12.1	31.1	31.0	4.0	43.1	26.0	70.8	19.2	0.0	19.9
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	102.7	53.1	32.7	201.8	30.4	17.6	278.6	238.0	923.2	105.4	0.0	204.2
LnGrp LOS	F	D	C	F	C	B	F	F	F	F	A	F
Approach Vol, veh/h		1746			1943			1140				442
Approach Delay, s/veh		51.1			58.1			537.5				148.3
Approach LOS		D			E			F				F
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	12.0	103.0	31.5	24.3	32.0	83.0	34.0	21.8				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	9.2	92.2	* 27	15.5	25.2	76.2	27.5	* 15				
Max Q Clear Time (g_c+I1), s	6.0	56.2	25.6	19.8	27.2	66.6	29.5	17.3				
Green Ext Time (p_c), s	0.0	15.4	0.1	0.0	0.0	6.7	0.0	0.0				

Intersection Summary

HCM 6th Ctrl Delay	167.1
HCM 6th LOS	F

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - No Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	30	35	45	10	30	10	35	760	15	25	690	60
Future Volume (vph)	30	35	45	10	30	10	35	760	15	25	690	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40				40
Link Distance (ft)		276			328			1746				2258
Travel Time (s)		6.3			7.5			29.8				38.5
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt		NA
Protected Phases		4			8		5	2		1		6
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1		6
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0		20.0
Minimum Split (s)	24.2	24.2		23.8	23.8		13.6	26.9		13.0		26.9
Total Split (s)	33.0	33.0		33.0	33.0		17.0	90.0		17.0		90.0
Total Split (%)	23.6%	23.6%		23.6%	23.6%		12.1%	64.3%		12.1%		64.3%
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0		4.9
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0		2.0
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0		0.0
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0		6.9
Lead/Lag							Lead	Lag		Lead		Lag
Lead-Lag Optimize?							Yes	Yes		Yes		Yes
Recall Mode	None	None		None	None		None	C-Max		None		Max

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 79 (56%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
 2: SW 59th Street & 11th Avenue W

DTM 59th Street West - No Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕		↕	↕	
Traffic Volume (veh/h)	30	35	45	10	30	10	35	760	15	25	690	60
Future Volume (veh/h)	30	35	45	10	30	10	35	760	15	25	690	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	31	36	46	10	31	10	36	784	15	26	711	62
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	62	53	56	136	119	38	501	1360	26	483	1251	109
Arrive On Green	0.09	0.09	0.09	0.09	0.09	0.09	0.04	0.74	0.74	0.03	0.74	0.74
Sat Flow, veh/h	328	604	640	1316	1355	437	1781	1829	35	1781	1696	148
Grp Volume(v), veh/h	113	0	0	10	0	41	36	0	799	26	0	773
Grp Sat Flow(s),veh/h/ln	1573	0	0	1316	0	1792	1781	0	1864	1781	0	1844
Q Serve(g_s), s	6.9	0.0	0.0	0.0	0.0	3.0	0.6	0.0	26.9	0.5	0.0	26.5
Cycle Q Clear(g_c), s	9.9	0.0	0.0	1.5	0.0	3.0	0.6	0.0	26.9	0.5	0.0	26.5
Prop In Lane	0.27		0.41	1.00		0.24	1.00		0.02	1.00		0.08
Lane Grp Cap(c), veh/h	171	0	0	136	0	158	501	0	1386	483	0	1360
V/C Ratio(X)	0.66	0.00	0.00	0.07	0.00	0.26	0.07	0.00	0.58	0.05	0.00	0.57
Avail Cap(c_a), veh/h	335	0	0	272	0	343	574	0	1386	567	0	1360
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	0.81	0.00	0.81	0.32	0.00	0.32
Uniform Delay (d), s/veh	62.7	0.0	0.0	58.9	0.0	59.6	6.2	0.0	8.0	6.3	0.0	8.3
Incr Delay (d2), s/veh	4.3	0.0	0.0	0.2	0.0	0.9	0.0	0.0	1.4	0.0	0.0	0.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.5	0.0	0.0	0.6	0.0	2.5	0.4	0.0	14.4	0.3	0.0	12.2
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	67.0	0.0	0.0	59.1	0.0	60.4	6.3	0.0	9.5	6.3	0.0	8.8
LnGrp LOS	E	A	A	E	A	E	A	A	A	A	A	A
Approach Vol, veh/h		113			51			835			799	
Approach Delay, s/veh		67.0			60.2			9.3			8.8	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	10.5	111.0		18.5	11.3	110.2		18.5				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	83.1		26.8	11.0	83.1		26.8				
Max Q Clear Time (g_c+I1), s	2.5	28.9		11.9	2.6	28.5		5.0				
Green Ext Time (p_c), s	0.0	6.7		0.4	0.0	6.4		0.2				

Intersection Summary

HCM 6th Ctrl Delay	14.1
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
 3: SW 59th Street & 17th Avenue W

DTM 59th Street West - No Build
 2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	75	130	60	30	105	45	65	730	60	55	630	75
Future Volume (vph)	75	130	60	30	105	45	65	730	60	55	630	75
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	1		1	1		1	1		1	1		1
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		839			905			1359			1746	
Travel Time (s)		19.1			20.6			23.2			29.8	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Turn Type	Perm	NA	Perm	Perm	NA	Perm	pm+pt	NA	Perm	pm+pt	NA	Perm
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4		4	8		8	2		2	6		6
Detector Phase	4	4	4	8	8	8	5	2	2	1	6	6
Switch Phase												
Minimum Initial (s)	7.0	7.0	7.0	7.0	7.0	7.0	7.0	20.0	20.0	7.0	20.0	20.0
Minimum Split (s)	24.2	24.2	24.2	23.8	23.8	23.8	13.7	27.0	27.0	13.7	27.0	27.0
Total Split (s)	30.0	30.0	30.0	30.0	30.0	30.0	20.0	90.0	90.0	20.0	90.0	90.0
Total Split (%)	21.4%	21.4%	21.4%	21.4%	21.4%	21.4%	14.3%	64.3%	64.3%	14.3%	64.3%	64.3%
Yellow Time (s)	4.2	4.2	4.2	4.2	4.2	4.2	4.1	5.0	5.0	4.1	5.0	5.0
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.5	2.0	2.0	2.6	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	6.2	6.2	6.2	6.2	6.2	6.2	6.6	7.0	7.0	6.7	7.0	7.0
Lead/Lag							Lead	Lag	Lag	Lead	Lag	Lag
Lead-Lag Optimize?							Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	None	None	None	None	C-Max	C-Max	None	Max	Max

Intersection Summary


Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 112 (80%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 3: SW 59th Street & 17th Avenue W



HCM 6th Signalized Intersection Summary
 3: SW 59th Street & 17th Avenue W

DTM 59th Street West - No Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	75	130	60	30	105	45	65	730	60	55	630	75
Future Volume (veh/h)	75	130	60	30	105	45	65	730	60	55	630	75
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856	1856
Adj Flow Rate, veh/h	77	134	62	31	108	46	67	753	62	57	649	77
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	3	3	3	3	3	3	3	3	3
Cap, veh/h	149	248	210	129	248	210	499	1261	1069	581	1259	1067
Arrive On Green	0.13	0.13	0.13	0.13	0.13	0.13	0.09	1.00	1.00	0.04	0.68	0.68
Sat Flow, veh/h	1223	1856	1572	1177	1856	1572	1767	1856	1572	1767	1856	1572
Grp Volume(v), veh/h	77	134	62	31	108	46	67	753	62	57	649	77
Grp Sat Flow(s),veh/h/ln	1223	1856	1572	1177	1856	1572	1767	1856	1572	1767	1856	1572
Q Serve(g_s), s	8.7	9.4	5.0	3.5	7.5	3.7	1.5	0.0	0.0	1.3	24.2	2.3
Cycle Q Clear(g_c), s	16.1	9.4	5.0	13.0	7.5	3.7	1.5	0.0	0.0	1.3	24.2	2.3
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Lane Grp Cap(c), veh/h	149	248	210	129	248	210	499	1261	1069	581	1259	1067
V/C Ratio(X)	0.52	0.54	0.30	0.24	0.44	0.22	0.13	0.60	0.06	0.10	0.52	0.07
Avail Cap(c_a), veh/h	194	315	267	172	315	267	586	1261	1069	671	1259	1067
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.67	0.67	0.67	0.80	0.80	0.80
Uniform Delay (d), s/veh	63.2	56.6	54.7	62.7	55.8	54.1	7.4	0.0	0.0	5.5	11.1	7.6
Incr Delay (d2), s/veh	2.7	1.8	0.8	0.9	1.2	0.5	0.1	1.4	0.1	0.1	1.2	0.1
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	5.1	8.1	3.7	2.0	6.5	2.7	0.9	0.9	0.0	0.8	14.1	1.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.9	58.5	55.5	63.6	57.0	54.6	7.5	1.4	0.1	5.6	12.3	7.7
LnGrp LOS	E	E	E	E	E	D	A	A	A	A	B	A
Approach Vol, veh/h		273			185			882			783	
Approach Delay, s/veh		59.9			57.5			1.8			11.4	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	12.9	102.2		24.9	13.1	102.0		24.9				
Change Period (Y+Rc), s	6.7	7.0		6.2	6.6	7.0		6.2				
Max Green Setting (Gmax), s	13.3	83.0		23.8	13.4	83.0		23.8				
Max Q Clear Time (g_c+I1), s	3.3	2.0		18.1	3.5	26.2		15.0				
Green Ext Time (p_c), s	0.1	6.3		0.6	0.1	5.0		0.5				

Intersection Summary

HCM 6th Ctrl Delay	17.7
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W


DTM 59th Street West - No Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	105	105	75	140	50	90	65	535	145	135	655	20
Future Volume (vph)	105	105	75	140	50	90	65	535	145	135	655	20
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40				40
Link Distance (ft)		571			628			2227				1359
Travel Time (s)		15.6			14.3			38.0				23.2
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Heavy Vehicles (%)	3%	3%	3%	4%	4%	4%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	28.2		12.7	23.8		13.7	27.0		13.1	28.0	
Total Split (s)	17.0	36.0		20.0	39.0		17.0	66.0		18.0	67.0	
Total Split (%)	12.1%	25.7%		14.3%	27.9%		12.1%	47.1%		12.9%	47.9%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 91 (65%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 95
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
4: SW 59th Street & 21st Avenue W

DTM 59th Street West - No Build
2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	105	105	75	140	50	90	65	535	145	135	655	20
Future Volume (veh/h)	105	105	75	140	50	90	65	535	145	135	655	20
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1841	1841	1841	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	106	106	76	141	51	91	66	540	146	136	662	20
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Percent Heavy Veh, %	3	3	3	4	4	4	3	3	3	2	2	2
Cap, veh/h	246	124	89	222	85	152	372	794	215	419	1026	31
Arrive On Green	0.07	0.12	0.12	0.08	0.14	0.14	0.06	0.75	0.75	0.05	0.57	0.57
Sat Flow, veh/h	1767	1005	721	1753	593	1058	1767	1407	380	1781	1806	55
Grp Volume(v), veh/h	106	0	182	141	0	142	66	0	686	136	0	682
Grp Sat Flow(s),veh/h/ln	1767	0	1726	1753	0	1650	1767	0	1787	1781	0	1861
Q Serve(g_s), s	7.2	0.0	14.5	9.7	0.0	11.3	2.1	0.0	27.4	4.5	0.0	35.0
Cycle Q Clear(g_c), s	7.2	0.0	14.5	9.7	0.0	11.3	2.1	0.0	27.4	4.5	0.0	35.0
Prop In Lane	1.00		0.42	1.00		0.64	1.00		0.21	1.00		0.03
Lane Grp Cap(c), veh/h	246	0	213	222	0	238	372	0	1008	419	0	1057
V/C Ratio(X)	0.43	0.00	0.85	0.63	0.00	0.60	0.18	0.00	0.68	0.32	0.00	0.65
Avail Cap(c_a), veh/h	277	0	367	254	0	387	428	0	1008	482	0	1057
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.33	1.33	1.33	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.85	0.00	0.85	0.88	0.00	0.88
Uniform Delay (d), s/veh	49.3	0.0	60.1	48.7	0.0	56.1	15.4	0.0	11.0	14.6	0.0	20.6
Incr Delay (d2), s/veh	1.2	0.0	9.3	4.1	0.0	2.4	0.2	0.0	3.2	0.4	0.0	2.7
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.0	0.0	11.3	8.0	0.0	8.5	1.5	0.0	12.6	3.2	0.0	21.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	50.5	0.0	69.4	52.8	0.0	58.5	15.6	0.0	14.2	14.9	0.0	23.3
LnGrp LOS	D	A	E	D	A	E	B	A	B	B	A	C
Approach Vol, veh/h		288			283			752			818	
Approach Delay, s/veh		62.5			55.7			14.3			21.9	
Approach LOS		E			E			B			C	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	13.1	86.0	17.4	23.5	12.6	86.5	14.5	26.4				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	59.0	* 14	29.8	10.9	60.0	11.6	32.8				
Max Q Clear Time (g_c+I1), s	6.5	29.4	11.7	16.5	4.1	37.0	9.2	13.3				
Green Ext Time (p_c), s	0.1	5.0	0.1	0.8	0.1	4.6	0.0	0.7				

Intersection Summary

HCM 6th Ctrl Delay	29.2
HCM 6th LOS	C

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - No Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	110	0	50	0	0	1	110	630	0	1	820	130
Future Volume (vph)	110	0	50	0	0	1	110	630	0	1	820	130
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA			NA		pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	110.0		92.0	92.0	
Total Split (%)	21.4%	21.4%		21.4%	21.4%		12.9%	78.6%		65.7%	65.7%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		C-Max	C-Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 131 (94%), Referenced to phase 2:NBTL and 6:SBTL, Start of Yellow
 Natural Cycle: 100
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - No Build
2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	110	0	50	0	0	1	110	630	0	1	820	130
Future Volume (veh/h)	110	0	50	0	0	1	110	630	0	1	820	130
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	122	0	56	0	0	1	122	700	0	1	911	144
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	196	0	162	0	0	162	305	1497	0	566	1119	177
Arrive On Green	0.10	0.00	0.10	0.00	0.00	0.10	0.05	0.81	0.00	0.71	0.71	0.71
Sat Flow, veh/h	1416	0	1585	0	0	1585	1767	1856	0	746	1576	249
Grp Volume(v), veh/h	122	0	56	0	0	1	122	700	0	1	0	1055
Grp Sat Flow(s),veh/h/ln	1416	0	1585	0	0	1585	1767	1856	0	746	0	1826
Q Serve(g_s), s	11.9	0.0	4.6	0.0	0.0	0.1	2.3	16.4	0.0	0.1	0.0	55.6
Cycle Q Clear(g_c), s	11.9	0.0	4.6	0.0	0.0	0.1	2.3	16.4	0.0	2.9	0.0	55.6
Prop In Lane	1.00		1.00	0.00		1.00	1.00		0.00	1.00		0.14
Lane Grp Cap(c), veh/h	196	0	162	0	0	162	305	1497	0	566	0	1296
V/C Ratio(X)	0.62	0.00	0.34	0.00	0.00	0.01	0.40	0.47	0.00	0.00	0.00	0.81
Avail Cap(c_a), veh/h	295	0	274	0	0	274	361	1497	0	566	0	1296
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	1.00	0.00	0.00	1.00	0.87	0.87	0.00	0.73	0.00	0.73
Uniform Delay (d), s/veh	61.8	0.0	58.4	0.0	0.0	56.4	19.2	4.2	0.0	6.7	0.0	13.9
Incr Delay (d2), s/veh	3.2	0.0	1.3	0.0	0.0	0.0	0.7	0.9	0.0	0.0	0.0	4.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	8.0	0.0	3.5	0.0	0.0	0.1	3.7	8.5	0.0	0.0	0.0	27.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.0	0.0	59.7	0.0	0.0	56.4	20.0	5.1	0.0	6.8	0.0	18.2
LnGrp LOS	E	A	E	A	A	E	B	A	A	A	A	B
Approach Vol, veh/h		178			1			822			1056	
Approach Delay, s/veh		63.3			56.4			7.3			18.2	
Approach LOS		E			E			A			B	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		119.8		20.2	13.5	106.3		20.2				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		103.1		* 24	11.4	85.1		* 24				
Max Q Clear Time (g_c+I1), s		18.4		13.9	4.3	57.6		2.1				
Green Ext Time (p_c), s		5.4		0.4	0.1	9.9		0.0				

Intersection Summary


HCM 6th Ctrl Delay	17.7
HCM 6th LOS	B

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
6: Cortez Road W & SW 59th Street

DTM 59th Street West - No Build
2045 - Design Hour



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↶	↕↕	↕↕	↷	↶↷	↷
Traffic Volume (vph)	190	1340	1235	450	665	230
Future Volume (vph)	190	1340	1235	450	665	230
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	210	826
Storage Lanes	1			1	1	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	2%	2%	2%	2%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	25.3	25.3
Total Split (s)	25.0	156.0	131.0	131.0	44.0	44.0
Total Split (%)	12.5%	78.0%	65.5%	65.5%	22.0%	22.0%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.8	6.8
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 200
 Actuated Cycle Length: 200
 Offset: 165 (83%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
6: Cortez Road W & SW 59th Street

DTM 59th Street West - No Build
2045 - Design Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	190	1340	1235	450	665	230
Future Volume (veh/h)	190	1340	1235	450	665	230
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1856	1856
Adj Flow Rate, veh/h	200	1411	1300	474	700	242
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	2	2	2	2	3	3
Cap, veh/h	245	2642	2344	1045	638	292
Arrive On Green	0.05	0.74	0.66	0.66	0.19	0.19
Sat Flow, veh/h	1781	3647	3647	1585	3428	1572
Grp Volume(v), veh/h	200	1411	1300	474	700	242
Grp Sat Flow(s),veh/h/ln	1781	1777	1777	1585	1714	1572
Q Serve(g_s), s	7.2	33.8	39.3	29.0	37.2	29.6
Cycle Q Clear(g_c), s	7.2	33.8	39.3	29.0	37.2	29.6
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	245	2642	2344	1045	638	292
V/C Ratio(X)	0.82	0.53	0.55	0.45	1.10	0.83
Avail Cap(c_a), veh/h	318	2642	2344	1045	638	292
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	0.39	0.39
Uniform Delay (d), s/veh	25.1	10.9	18.3	16.5	81.4	78.3
Incr Delay (d2), s/veh	12.0	0.8	1.0	1.4	54.0	7.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	11.4	18.7	22.6	16.2	27.4	16.2
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	37.0	11.7	19.2	18.0	135.4	86.0
LnGrp LOS	D	B	B	B	F	F
Approach Vol, veh/h		1611	1774		942	
Approach Delay, s/veh		14.8	18.9		122.7	
Approach LOS		B	B		F	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	16.8	139.2			156.0	44.0
Change Period (Y+Rc), s	7.3	7.3			7.3	6.8
Max Green Setting (Gmax), s	17.7	123.7			148.7	37.2
Max Q Clear Time (g_c+I1), s	9.2	41.3			35.8	39.2
Green Ext Time (p_c), s	0.3	16.9			14.9	0.0
Intersection Summary						
HCM 6th Ctrl Delay			40.0			
HCM 6th LOS			D			

D-3: Build Conditions

Lanes, Volumes, Timings
1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	35	1255	235	285	1315	100	315	195	365	195	120	30
Future Volume (vph)	35	1255	235	285	1315	100	315	195	365	195	120	30
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		0	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	10.0	10.0	5.0	10.0	10.0	5.0	7.0	7.0	5.0	7.0	
Minimum Split (s)	11.8	49.7	49.7	11.9	42.5	42.5	11.6	26.5	26.5	11.8	25.7	
Total Split (s)	16.0	83.0	83.0	32.0	99.0	99.0	34.0	22.0	22.0	33.0	21.0	
Total Split (%)	9.4%	48.8%	48.8%	18.8%	58.2%	58.2%	20.0%	12.9%	12.9%	19.4%	12.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary

Area Type: Other
 Cycle Length: 170
 Actuated Cycle Length: 170
 Offset: 130 (76%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - Build
 2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↘	↗↗	↗	↘	↗↗	↗	↘	↗	↗	↘	↗	↗
Traffic Volume (veh/h)	35	1255	235	285	1315	100	315	195	365	195	120	30
Future Volume (veh/h)	35	1255	235	285	1315	100	315	195	365	195	120	30
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	36	1307	245	297	1370	104	328	203	380	203	125	31
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	46	1580	705	264	2026	904	288	243	206	224	130	32
Arrive On Green	0.03	0.45	0.45	0.15	0.57	0.57	0.16	0.13	0.13	0.13	0.09	0.09
Sat Flow, veh/h	1767	3526	1572	1781	3554	1585	1781	1870	1585	1781	1447	359
Grp Volume(v), veh/h	36	1307	245	297	1370	104	328	203	380	203	0	156
Grp Sat Flow(s),veh/h/ln	1767	1763	1572	1781	1777	1585	1781	1870	1585	1781	0	1806
Q Serve(g_s), s	3.4	55.3	17.3	25.2	45.8	5.1	27.5	18.0	22.1	19.1	0.0	14.6
Cycle Q Clear(g_c), s	3.4	55.3	17.3	25.2	45.8	5.1	27.5	18.0	22.1	19.1	0.0	14.6
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.20
Lane Grp Cap(c), veh/h	46	1580	705	264	2026	904	288	243	206	224	0	163
V/C Ratio(X)	0.78	0.83	0.35	1.12	0.68	0.12	1.14	0.83	1.84	0.91	0.00	0.96
Avail Cap(c_a), veh/h	96	1580	705	264	2026	904	288	243	206	285	0	163
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.98	0.98	0.98	1.00	0.00	1.00
Uniform Delay (d), s/veh	82.3	41.1	30.7	72.4	25.5	16.8	71.3	72.2	73.9	73.3	0.0	77.0
Incr Delay (d2), s/veh	23.6	5.1	1.4	93.2	1.8	0.3	95.2	21.1	397.1	26.2	0.0	58.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	1.9	24.7	6.9	18.3	19.4	1.9	20.1	10.0	31.7	10.3	0.0	9.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	105.9	46.2	32.0	165.6	27.4	17.1	166.4	93.2	471.0	99.6	0.0	135.6
LnGrp LOS	F	D	C	F	C	B	F	F	F	F	A	F
Approach Vol, veh/h		1588			1771			911			359	
Approach Delay, s/veh		45.4			49.9			277.2			115.2	
Approach LOS		D			D			F			F	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	11.3	103.7	27.2	28.6	32.0	83.0	34.0	21.8				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	9.2	92.2	* 27	15.5	25.2	76.2	27.5	* 15				
Max Q Clear Time (g_c+I1), s	5.4	47.8	21.1	24.1	27.2	57.3	29.5	16.6				
Green Ext Time (p_c), s	0.0	14.2	0.3	0.0	0.0	9.9	0.0	0.0				

Intersection Summary

HCM 6th Ctrl Delay	98.2
HCM 6th LOS	F

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	25	30	40	10	25	10	30	605	15	20	550	50
Future Volume (vph)	25	30	40	10	25	10	30	605	15	20	550	50
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		276			328			1746			2258	
Travel Time (s)		6.3			7.5			29.8			38.5	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	24.2	24.2		23.8	23.8		13.6	26.9		13.0	26.9	
Total Split (s)	33.0	33.0		33.0	33.0		17.0	90.0		17.0	90.0	
Total Split (%)	23.6%	23.6%		23.6%	23.6%		12.1%	64.3%		12.1%	64.3%	
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0	6.9	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?							Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 79 (56%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - Build
2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕↕		↕	↕↕	
Traffic Volume (veh/h)	25	30	40	10	25	10	30	605	15	20	550	50
Future Volume (veh/h)	25	30	40	10	25	10	30	605	15	20	550	50
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	26	31	41	10	26	10	31	624	15	21	567	52
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	57	47	51	132	99	38	677	2691	65	660	2474	226
Arrive On Green	0.08	0.08	0.08	0.08	0.08	0.08	0.04	0.76	0.76	0.03	0.75	0.75
Sat Flow, veh/h	316	613	668	1328	1286	495	1781	3547	85	1781	3292	301
Grp Volume(v), veh/h	98	0	0	10	0	36	31	312	327	21	306	313
Grp Sat Flow(s),veh/h/ln	1598	0	0	1328	0	1781	1781	1777	1855	1781	1777	1816
Q Serve(g_s), s	5.8	0.0	0.0	0.0	0.0	2.7	0.5	7.2	7.2	0.4	7.2	7.3
Cycle Q Clear(g_c), s	8.4	0.0	0.0	1.4	0.0	2.7	0.5	7.2	7.2	0.4	7.2	7.3
Prop In Lane	0.27		0.42	1.00		0.28	1.00		0.05	1.00		0.17
Lane Grp Cap(c), veh/h	156	0	0	132	0	137	677	1348	1407	660	1335	1365
V/C Ratio(X)	0.63	0.00	0.00	0.08	0.00	0.26	0.05	0.23	0.23	0.03	0.23	0.23
Avail Cap(c_a), veh/h	337	0	0	284	0	341	754	1348	1407	750	1335	1365
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	0.51	0.51	0.51
Uniform Delay (d), s/veh	63.5	0.0	0.0	60.3	0.0	60.9	3.4	4.9	4.9	3.6	5.2	5.2
Incr Delay (d2), s/veh	4.2	0.0	0.0	0.2	0.0	1.0	0.0	0.4	0.4	0.0	0.2	0.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.6	0.0	0.0	0.3	0.0	1.3	0.2	2.4	2.5	0.1	2.4	2.5
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	67.6	0.0	0.0	60.5	0.0	61.9	3.5	5.3	5.3	3.6	5.4	5.4
LnGrp LOS	E	A	A	E	A	E	A	A	A	A	A	A
Approach Vol, veh/h		98			46			670			640	
Approach Delay, s/veh		67.6			61.6			5.3			5.4	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	9.9	113.1		17.0	10.9	112.1		17.0				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	83.1		26.8	11.0	83.1		26.8				
Max Q Clear Time (g_c+I1), s	2.4	9.2		10.4	2.5	9.3		4.7				
Green Ext Time (p_c), s	0.0	4.0		0.4	0.0	3.9		0.1				

Intersection Summary

HCM 6th Ctrl Delay	11.3
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
 3: SW 59th Street & 17th Avenue W

DTM 59th Street West - Build
 2025 - Design Hour



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	70	120	55	25	95	40	55	585	50	45	505	60
Future Volume (vph)	70	120	55	25	95	40	55	585	50	45	505	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	0		0	0		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Link Speed (mph)		30			30			40				40
Link Distance (ft)		839			905			1359				1746
Travel Time (s)		19.1			20.6			23.2				29.8
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Sign Control		Yield			Yield			Yield			Yield	

Intersection Summary

Area Type: Other
 Control Type: Roundabout

Intersection						
Intersection Delay, s/veh	6.6					
Intersection LOS	A					
Approach	EB	WB	NB		SB	
Entry Lanes	1	1	2		2	
Conflicting Circle Lanes	2	2	2		2	
Adj Approach Flow, veh/h	253	165	712		629	
Demand Flow Rate, veh/h	261	170	734		648	
Vehicles Circulating, veh/h	611	754	249		187	
Vehicles Exiting, veh/h	224	229	623		737	
Ped Vol Crossing Leg, #/h	0	0	0		0	
Ped Cap Adj	1.000	1.000	1.000		1.000	
Approach Delay, s/veh	7.9	7.5	6.6		5.7	
Approach LOS	A	A	A		A	
Lane	Left	Left	Left	Right	Left	Right
Designated Moves	LTR	LTR	LT	TR	LT	TR
Assumed Moves	LTR	LTR	LT	TR	LT	TR
RT Channelized						
Lane Util	1.000	1.000	0.470	0.530	0.471	0.529
Follow-Up Headway, s	2.535	2.535	2.667	2.535	2.667	2.535
Critical Headway, s	4.328	4.328	4.645	4.328	4.645	4.328
Entry Flow, veh/h	261	170	345	389	305	343
Cap Entry Lane, veh/h	845	748	1074	1149	1137	1211
Entry HV Adj Factor	0.970	0.971	0.970	0.970	0.970	0.972
Flow Entry, veh/h	253	165	335	377	296	334
Cap Entry, veh/h	820	726	1041	1115	1102	1178
V/C Ratio	0.309	0.227	0.321	0.338	0.268	0.283
Control Delay, s/veh	7.9	7.5	6.7	6.6	5.8	5.7
LOS	A	A	A	A	A	A
95th %tile Queue, veh	1	1	1	2	1	1

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W

DTM 59th Street West - Build
2025 - Design Hour




Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↖	↗		↖	↗		↖	↕		↖	↕	
Traffic Volume (vph)	95	95	65	130	45	85	50	425	120	110	525	15
Future Volume (vph)	95	95	65	130	45	85	50	425	120	110	525	15
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		571			628			2227			1359	
Travel Time (s)		15.6			14.3			38.0			23.2	
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Heavy Vehicles (%)	3%	3%	3%	4%	4%	4%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	24.2		12.7	23.8		13.7	27.0		13.1	27.0	
Total Split (s)	17.0	36.0		20.0	39.0		17.0	66.0		18.0	67.0	
Total Split (%)	12.1%	25.7%		14.3%	27.9%		12.1%	47.1%		12.9%	47.9%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 91 (65%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
4: SW 59th Street & 21st Avenue W

DTM 59th Street West - Build
2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	95	95	65	130	45	85	50	425	120	110	525	15
Future Volume (veh/h)	95	95	65	130	45	85	50	425	120	110	525	15
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1841	1841	1841	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	96	96	66	131	45	86	51	429	121	111	530	15
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Percent Heavy Veh, %	3	3	3	4	4	4	3	3	3	2	2	2
Cap, veh/h	231	114	79	215	75	143	567	1580	442	637	2072	59
Arrive On Green	0.06	0.11	0.11	0.08	0.13	0.13	0.09	1.00	1.00	0.05	0.59	0.59
Sat Flow, veh/h	1767	1024	704	1753	565	1081	1767	2721	761	1781	3529	100
Grp Volume(v), veh/h	96	0	162	131	0	131	51	277	273	111	267	278
Grp Sat Flow(s),veh/h/ln	1767	0	1729	1753	0	1646	1767	1763	1719	1781	1777	1852
Q Serve(g_s), s	6.7	0.0	12.9	9.1	0.0	10.5	1.5	0.0	0.0	3.4	10.2	10.2
Cycle Q Clear(g_c), s	6.7	0.0	12.9	9.1	0.0	10.5	1.5	0.0	0.0	3.4	10.2	10.2
Prop In Lane	1.00		0.41	1.00		0.66	1.00		0.44	1.00		0.05
Lane Grp Cap(c), veh/h	231	0	193	215	0	218	567	1024	998	637	1043	1087
V/C Ratio(X)	0.42	0.00	0.84	0.61	0.00	0.60	0.09	0.27	0.27	0.17	0.26	0.26
Avail Cap(c_a), veh/h	270	0	368	254	0	386	628	1024	998	701	1043	1087
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.97	0.97	0.97	1.00	1.00	1.00
Uniform Delay (d), s/veh	50.9	0.0	61.0	50.1	0.0	57.2	10.0	0.0	0.0	10.2	14.0	14.0
Incr Delay (d2), s/veh	1.2	0.0	9.4	3.1	0.0	2.6	0.1	0.6	0.7	0.1	0.6	0.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.1	0.0	6.2	4.2	0.0	4.6	0.6	0.2	0.2	1.3	4.2	4.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	52.1	0.0	70.3	53.2	0.0	59.8	10.1	0.6	0.7	10.3	14.6	14.6
LnGrp LOS	D	A	E	D	A	E	B	A	A	B	B	B
Approach Vol, veh/h		258			262			601			656	
Approach Delay, s/veh		63.6			56.5			1.4			13.9	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	13.0	88.3	16.9	21.8	12.1	89.2	13.9	24.8				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	59.0	* 14	29.8	10.9	60.0	11.6	32.8				
Max Q Clear Time (g_c+I1), s	5.4	2.0	11.1	14.9	3.5	12.2	8.7	12.5				
Green Ext Time (p_c), s	0.1	3.5	0.1	0.8	0.0	3.3	0.1	0.7				

Intersection Summary

HCM 6th Ctrl Delay	23.2
HCM 6th LOS	C

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - Build
2025 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	100	0	50	0	0	1	85	505	0	1	655	105
Future Volume (vph)	100	0	50	0	0	1	85	505	0	1	655	105
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA			NA		pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	110.0		92.0	92.0	
Total Split (%)	21.4%	21.4%		21.4%	21.4%		12.9%	78.6%		65.7%	65.7%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		Max	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 131 (94%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
 5: SW 59th Street & 29th Avenue W

DTM 59th Street West - Build
 2025 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↗	↘			↔		↗	↕		↗	↕	
Traffic Volume (veh/h)	100	0	50	0	0	1	85	505	0	1	655	105
Future Volume (veh/h)	100	0	50	0	0	1	85	505	0	1	655	105
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	111	0	56	0	0	1	94	561	0	1	728	117
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	185	0	150	0	0	150	545	2871	0	661	2203	354
Arrive On Green	0.09	0.00	0.09	0.00	0.00	0.09	0.05	0.81	0.00	0.72	0.72	0.72
Sat Flow, veh/h	1416	0	1585	0	0	1585	1767	3618	0	849	3066	493
Grp Volume(v), veh/h	111	0	56	0	0	1	94	561	0	1	422	423
Grp Sat Flow(s),veh/h/ln	1416	0	1585	0	0	1585	1767	1763	0	849	1777	1782
Q Serve(g_s), s	10.8	0.0	4.6	0.0	0.0	0.1	1.7	4.9	0.0	0.0	12.3	12.3
Cycle Q Clear(g_c), s	10.9	0.0	4.6	0.0	0.0	0.1	1.7	4.9	0.0	0.0	12.3	12.3
Prop In Lane	1.00		1.00	0.00		1.00	1.00		0.00	1.00		0.28
Lane Grp Cap(c), veh/h	185	0	150	0	0	150	545	2871	0	661	1277	1280
V/C Ratio(X)	0.60	0.00	0.37	0.00	0.00	0.01	0.17	0.20	0.00	0.00	0.33	0.33
Avail Cap(c_a), veh/h	295	0	274	0	0	274	603	2871	0	661	1277	1280
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	0.00	0.00	1.00	0.91	0.91	0.00	0.96	0.96	0.96
Uniform Delay (d), s/veh	62.3	0.0	59.5	0.0	0.0	57.4	4.4	2.9	0.0	5.5	7.3	7.3
Incr Delay (d2), s/veh	3.1	0.0	1.5	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.7	0.7
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	4.1	0.0	2.0	0.0	0.0	0.0	0.5	1.3	0.0	0.0	4.4	4.4
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.4	0.0	61.0	0.0	0.0	57.4	4.5	3.0	0.0	5.6	7.9	7.9
LnGrp LOS	E	A	E	A	A	E	A	A	A	A	A	A
Approach Vol, veh/h		167			1			655			846	
Approach Delay, s/veh		63.9			57.4			3.2			7.9	
Approach LOS		E			E			A			A	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		120.9		19.1	13.4	107.5		19.1				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		103.1		* 24	11.4	85.1		* 24				
Max Q Clear Time (g_c+I1), s		6.9		12.9	3.7	14.3		2.1				
Green Ext Time (p_c), s		4.0		0.4	0.1	5.9		0.0				


Intersection Summary

HCM 6th Ctrl Delay	11.7
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.
 * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
6: Cortez Road W & SW 59th Street



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↑↑	↑↑	↗	↗↗	↗
Traffic Volume (vph)	175	1215	1125	410	535	185
Future Volume (vph)	175	1215	1125	410	535	185
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	0	826
Storage Lanes	1			1	2	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	2%	2%	2%	2%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	25.3	25.3
Total Split (s)	25.0	156.0	131.0	131.0	44.0	44.0
Total Split (%)	12.5%	78.0%	65.5%	65.5%	22.0%	22.0%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.8	6.8
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 200
 Actuated Cycle Length: 200
 Offset: 165 (83%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 75
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
 6: Cortez Road W & SW 59th Street

DTM 59th Street West - Build
 2025 - Design Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	175	1215	1125	410	535	185
Future Volume (veh/h)	175	1215	1125	410	535	185
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1856	1856
Adj Flow Rate, veh/h	184	1279	1184	432	563	195
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	2	2	2	2	3	3
Cap, veh/h	272	2677	2394	1068	604	277
Arrive On Green	0.04	0.75	0.67	0.67	0.18	0.18
Sat Flow, veh/h	1781	3647	3647	1585	3428	1572
Grp Volume(v), veh/h	184	1279	1184	432	563	195
Grp Sat Flow(s),veh/h/ln	1781	1777	1777	1585	1714	1572
Q Serve(g_s), s	6.3	27.8	32.6	24.5	32.4	23.3
Cycle Q Clear(g_c), s	6.3	27.8	32.6	24.5	32.4	23.3
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	272	2677	2394	1068	604	277
V/C Ratio(X)	0.68	0.48	0.49	0.40	0.93	0.70
Avail Cap(c_a), veh/h	353	2677	2394	1068	638	292
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	0.94	0.94
Uniform Delay (d), s/veh	15.6	9.5	16.0	14.6	81.2	77.4
Incr Delay (d2), s/veh	3.3	0.6	0.7	1.1	19.1	6.6
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(50%),veh/ln	3.0	10.4	13.2	9.0	15.9	10.0
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	18.9	10.1	16.7	15.8	100.3	84.0
LnGrp LOS	B	B	B	B	F	F
Approach Vol, veh/h		1463	1616		758	
Approach Delay, s/veh		11.2	16.5		96.1	
Approach LOS		B	B		F	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	15.9	142.0			157.9	42.1
Change Period (Y+Rc), s	7.3	7.3			7.3	6.8
Max Green Setting (Gmax), s	17.7	123.7			148.7	37.2
Max Q Clear Time (g_c+I1), s	8.3	34.6			29.8	34.4
Green Ext Time (p_c), s	0.3	14.1			12.3	0.9
Intersection Summary						
HCM 6th Ctrl Delay			30.2			
HCM 6th LOS			C			

Lanes, Volumes, Timings
1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	40	1380	255	310	1445	110	395	245	455	240	150	35
Future Volume (vph)	40	1380	255	310	1445	110	395	245	455	240	150	35
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	430		800	700		470	380		0	340		0
Storage Lanes	1		1	1		1	1		1	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		40			40			40			40	
Link Distance (ft)		2898			3163			2258			2195	
Travel Time (s)		49.4			53.9			38.5			37.4	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	Perm	Prot	NA	
Protected Phases	1	6		5	2		7	4		3	8	
Permitted Phases			6			2			4			
Detector Phase	1	6	6	5	2	2	7	4	4	3	8	
Switch Phase												
Minimum Initial (s)	5.0	10.0	10.0	5.0	10.0	10.0	5.0	7.0	7.0	5.0	7.0	
Minimum Split (s)	11.8	49.7	49.7	11.9	42.5	42.5	11.6	52.0	52.0	11.8	51.8	
Total Split (s)	16.0	83.0	83.0	32.0	99.0	99.0	34.0	22.0	22.0	33.0	21.0	
Total Split (%)	9.4%	48.8%	48.8%	18.8%	58.2%	58.2%	20.0%	12.9%	12.9%	19.4%	12.4%	
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8	4.5	4.5	4.5	3.7	3.7	
All-Red Time (s)	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.1	2.0	
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Total Lost Time (s)	6.8	6.8	6.8	6.8	6.8	6.8	6.5	6.5	6.5	5.8	5.7	
Lead/Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	Lag	Lead	Lag	
Lead-Lag Optimize?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Recall Mode	None	C-Max	C-Max	None	Max	Max	None	None	None	None	None	

Intersection Summary

Area Type: Other
 Cycle Length: 170
 Actuated Cycle Length: 170
 Offset: 130 (76%), Referenced to phase 6:EBT, Start of Yellow
 Natural Cycle: 150
 Control Type: Actuated-Coordinated

Splits and Phases: 1: SW 59th Street & Manatee Avenue W



HCM 6th Signalized Intersection Summary
 1: SW 59th Street & Manatee Avenue W

DTM 59th Street West - Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	40	1380	255	310	1445	110	395	245	455	240	150	35
Future Volume (veh/h)	40	1380	255	310	1445	110	395	245	455	240	150	35
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	42	1438	266	323	1505	115	411	255	474	250	156	36
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	54	1580	705	264	2011	897	288	196	166	269	132	31
Arrive On Green	0.03	0.45	0.45	0.15	0.57	0.57	0.16	0.10	0.10	0.15	0.09	0.09
Sat Flow, veh/h	1767	3526	1572	1781	3554	1585	1781	1870	1585	1781	1470	339
Grp Volume(v), veh/h	42	1438	266	323	1505	115	411	255	474	250	0	192
Grp Sat Flow(s),veh/h/ln	1767	1763	1572	1781	1777	1585	1781	1870	1585	1781	0	1809
Q Serve(g_s), s	4.0	64.6	19.1	25.2	54.2	5.8	27.5	17.8	17.8	23.6	0.0	15.3
Cycle Q Clear(g_c), s	4.0	64.6	19.1	25.2	54.2	5.8	27.5	17.8	17.8	23.6	0.0	15.3
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.19
Lane Grp Cap(c), veh/h	54	1580	705	264	2011	897	288	196	166	269	0	163
V/C Ratio(X)	0.78	0.91	0.38	1.22	0.75	0.13	1.43	1.30	2.85	0.93	0.00	1.18
Avail Cap(c_a), veh/h	96	1580	705	264	2011	897	288	196	166	285	0	163
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	0.96	0.96	0.96	1.00	0.00	1.00
Uniform Delay (d), s/veh	81.8	43.7	31.1	72.4	27.8	17.3	71.3	76.1	76.1	71.3	0.0	77.4
Incr Delay (d2), s/veh	20.8	9.4	1.5	129.4	2.6	0.3	210.2	166.4	849.7	34.1	0.0	126.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.9	38.5	12.1	31.1	31.0	4.0	44.2	26.9	71.9	19.2	0.0	19.9
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	102.7	53.1	32.7	201.8	30.4	17.6	281.4	242.5	925.8	105.4	0.0	204.2
LnGrp LOS	F	D	C	F	C	B	F	F	F	F	A	F
Approach Vol, veh/h		1746			1943			1140			442	
Approach Delay, s/veh		51.1			58.1			540.6			148.3	
Approach LOS		D			E			F			F	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	12.0	103.0	31.5	24.3	32.0	83.0	34.0	21.8				
Change Period (Y+Rc), s	6.8	6.8	* 5.8	6.5	6.8	6.8	6.5	* 6.5				
Max Green Setting (Gmax), s	9.2	92.2	* 27	15.5	25.2	76.2	27.5	* 15				
Max Q Clear Time (g_c+I1), s	6.0	56.2	25.6	19.8	27.2	66.6	29.5	17.3				
Green Ext Time (p_c), s	0.0	15.4	0.1	0.0	0.0	6.7	0.0	0.0				

Intersection Summary

HCM 6th Ctrl Delay	167.7
HCM 6th LOS	F

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	30	35	45	10	30	10	35	760	15	25	690	60
Future Volume (vph)	30	35	45	10	30	10	35	760	15	25	690	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0		0	100		0	170		0	120		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		30			30			40			40	
Link Distance (ft)		276			328			1746			2258	
Travel Time (s)		6.3			7.5			29.8			38.5	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	2%	2%	2%	2%	2%	2%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	24.2	24.2		23.8	23.8		13.6	26.9		13.0	26.9	
Total Split (s)	33.0	33.0		33.0	33.0		17.0	90.0		17.0	90.0	
Total Split (%)	23.6%	23.6%		23.6%	23.6%		12.1%	64.3%		12.1%	64.3%	
Yellow Time (s)	4.2	4.2		4.2	4.2		4.0	4.9		4.0	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		6.2		6.2	6.2		6.0	6.9		6.0	6.9	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?							Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 79 (56%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 2: SW 59th Street & 11th Avenue W



HCM 6th Signalized Intersection Summary
2: SW 59th Street & 11th Avenue W

DTM 59th Street West - Build
2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕		↕	↕		↕	↕↕		↕	↕↕	
Traffic Volume (veh/h)	30	35	45	10	30	10	35	760	15	25	690	60
Future Volume (veh/h)	30	35	45	10	30	10	35	760	15	25	690	60
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	31	36	46	10	31	10	36	784	15	26	711	62
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	3	3	3	2	2	2	2	2	2	2	2	2
Cap, veh/h	62	53	56	136	119	38	583	2653	51	565	2440	213
Arrive On Green	0.09	0.09	0.09	0.09	0.09	0.09	0.04	0.74	0.74	0.03	0.74	0.74
Sat Flow, veh/h	328	604	640	1316	1355	437	1781	3567	68	1781	3307	288
Grp Volume(v), veh/h	113	0	0	10	0	41	36	391	408	26	382	391
Grp Sat Flow(s),veh/h/ln	1573	0	0	1316	0	1792	1781	1777	1858	1781	1777	1818
Q Serve(g_s), s	6.9	0.0	0.0	0.0	0.0	3.0	0.6	10.1	10.1	0.5	10.0	10.1
Cycle Q Clear(g_c), s	9.9	0.0	0.0	1.5	0.0	3.0	0.6	10.1	10.1	0.5	10.0	10.1
Prop In Lane	0.27		0.41	1.00		0.24	1.00		0.04	1.00		0.16
Lane Grp Cap(c), veh/h	171	0	0	136	0	158	583	1322	1382	565	1311	1342
V/C Ratio(X)	0.66	0.00	0.00	0.07	0.00	0.26	0.06	0.30	0.30	0.05	0.29	0.29
Avail Cap(c_a), veh/h	335	0	0	272	0	343	656	1322	1382	648	1311	1342
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	0.32	0.32	0.32
Uniform Delay (d), s/veh	62.7	0.0	0.0	58.9	0.0	59.6	4.0	5.9	5.9	4.1	6.1	6.1
Incr Delay (d2), s/veh	4.3	0.0	0.0	0.2	0.0	0.9	0.0	0.6	0.5	0.0	0.2	0.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.5	0.0	0.0	0.6	0.0	2.5	0.4	6.3	6.6	0.3	5.1	5.2
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	67.0	0.0	0.0	59.1	0.0	60.4	4.0	6.5	6.4	4.1	6.3	6.3
LnGrp LOS	E	A	A	E	A	E	A	A	A	A	A	A
Approach Vol, veh/h		113			51			835			799	
Approach Delay, s/veh		67.0			60.2			6.3			6.2	
Approach LOS		E			E			A			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+Rc), s	10.5	111.0		18.5	11.3	110.2		18.5				
Change Period (Y+Rc), s	6.0	6.9		6.2	6.0	6.9		6.2				
Max Green Setting (Gmax), s	11.0	83.1		26.8	11.0	83.1		26.8				
Max Q Clear Time (g_c+I1), s	2.5	12.1		11.9	2.6	12.1		5.0				
Green Ext Time (p_c), s	0.0	5.4		0.4	0.0	5.2		0.2				

Intersection Summary

















HCM 6th Ctrl Delay	11.6
HCM 6th LOS	B

Notes

User approved pedestrian interval to be less than phase max green.

Lanes, Volumes, Timings
 3: SW 59th Street & 17th Avenue W

DTM 59th Street West - Build
 2045 - Design Hour

												
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	75	130	60	30	105	45	65	730	60	55	630	75
Future Volume (vph)	75	130	60	30	105	45	65	730	60	55	630	75
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	110		300	330		330	250		330	280		470
Storage Lanes	0		0	0		0	0		0	0		0
Taper Length (ft)	25			25			25			25		
Link Speed (mph)		30			30			40				40
Link Distance (ft)		839			905			1359				1746
Travel Time (s)		19.1			20.6			23.2				29.8
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%	3%
Shared Lane Traffic (%)												
Sign Control		Yield			Yield			Yield			Yield	

Intersection Summary

Area Type: Other
 Control Type: Roundabout

Intersection						
Intersection Delay, s/veh	7.9					
Intersection LOS	A					
Approach	EB	WB	NB		SB	
Entry Lanes	1	1	2		2	
Conflicting Circle Lanes	2	2	2		2	
Adj Approach Flow, veh/h	273	185	882		783	
Demand Flow Rate, veh/h	281	190	909		806	
Vehicles Circulating, veh/h	759	924	276		212	
Vehicles Exiting, veh/h	259	261	764		902	
Ped Vol Crossing Leg, #/h	0		0		0	
Ped Cap Adj	1.000		1.000		1.000	
Approach Delay, s/veh	9.8	9.5	7.9		6.7	
Approach LOS	A		A		A	
Lane	Left	Left	Left	Right	Left	Right
Designated Moves	LTR	LTR	LT	TR	LT	TR
Assumed Moves	LTR	LTR	LT	TR	LT	TR
RT Channelized						
Lane Util	1.000	1.000	0.470	0.530	0.470	0.530
Follow-Up Headway, s	2.535	2.535	2.667	2.535	2.667	2.535
Critical Headway, s	4.328	4.328	4.645	4.328	4.645	4.328
Entry Flow, veh/h	281	190	427	482	379	427
Cap Entry Lane, veh/h	745	647	1047	1123	1111	1186
Entry HV Adj Factor	0.971	0.972	0.971	0.970	0.970	0.971
Flow Entry, veh/h	273	185	415	468	368	415
Cap Entry, veh/h	724	630	1017	1090	1078	1152
V/C Ratio	0.377	0.293	0.408	0.429	0.341	0.360
Control Delay, s/veh	9.8	9.5	8.0	7.9	6.8	6.7
LOS	A		A		A	
95th %tile Queue, veh	2	1	2	2	2	2

Lanes, Volumes, Timings
4: SW 59th Street & 21st Avenue W


DTM 59th Street West - Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	105	105	75	140	50	90	65	535	145	135	655	20
Future Volume (vph)	105	105	75	140	50	90	65	535	145	135	655	20
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	120		0	300		0	210		0	235		0
Storage Lanes	1		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		571			628			2227			1359	
Travel Time (s)		15.6			14.3			38.0			23.2	
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Heavy Vehicles (%)	3%	3%	3%	4%	4%	4%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	pm+pt	NA		pm+pt	NA		pm+pt	NA		pm+pt	NA	
Protected Phases	7	4		3	8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	7	4		3	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		7.0	20.0	
Minimum Split (s)	12.4	24.2		12.7	23.8		13.7	27.0		13.1	27.0	
Total Split (s)	17.0	36.0		20.0	39.0		17.0	66.0		18.0	67.0	
Total Split (%)	12.1%	25.7%		14.3%	27.9%		12.1%	47.1%		12.9%	47.9%	
Yellow Time (s)	3.4	4.2		3.4	4.2		4.1	5.0		4.0	5.0	
All-Red Time (s)	2.0	2.0		2.3	2.0		2.0	2.0		2.1	2.0	
Lost Time Adjust (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.4	6.2		5.7	6.2		6.1	7.0		6.1	7.0	
Lead/Lag	Lead	Lag		Lead	Lag		Lead	Lag		Lead	Lag	
Lead-Lag Optimize?	Yes	Yes		Yes	Yes		Yes	Yes		Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		None	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 91 (65%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 4: SW 59th Street & 21st Avenue W



HCM 6th Signalized Intersection Summary
 4: SW 59th Street & 21st Avenue W

DTM 59th Street West - Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↖	↗		↖	↗		↖	↕		↖	↗	
Traffic Volume (veh/h)	105	105	75	140	50	90	65	535	145	135	655	20
Future Volume (veh/h)	105	105	75	140	50	90	65	535	145	135	655	20
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1856	1856	1856	1841	1841	1841	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	106	106	76	141	51	91	66	540	146	136	662	20
Peak Hour Factor	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99	0.99
Percent Heavy Veh, %	3	3	3	4	4	4	3	3	3	2	2	2
Cap, veh/h	246	124	89	222	85	152	485	1550	417	567	2000	60
Arrive On Green	0.07	0.12	0.12	0.08	0.14	0.14	0.09	1.00	1.00	0.05	0.57	0.57
Sat Flow, veh/h	1767	1005	721	1753	593	1058	1767	2746	739	1781	3522	106
Grp Volume(v), veh/h	106	0	182	141	0	142	66	346	340	136	334	348
Grp Sat Flow(s),veh/h/ln	1767	0	1726	1753	0	1650	1767	1763	1722	1781	1777	1851
Q Serve(g_s), s	7.2	0.0	14.5	9.7	0.0	11.3	2.1	0.0	0.0	4.5	14.0	14.0
Cycle Q Clear(g_c), s	7.2	0.0	14.5	9.7	0.0	11.3	2.1	0.0	0.0	4.5	14.0	14.0
Prop In Lane	1.00		0.42	1.00		0.64	1.00		0.43	1.00		0.06
Lane Grp Cap(c), veh/h	246	0	213	222	0	238	485	995	972	567	1009	1051
V/C Ratio(X)	0.43	0.00	0.85	0.63	0.00	0.60	0.14	0.35	0.35	0.24	0.33	0.33
Avail Cap(c_a), veh/h	277	0	367	254	0	387	541	995	972	629	1009	1051
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	2.00	2.00	2.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	1.00	0.00	1.00	0.96	0.96	0.96	1.00	1.00	1.00
Uniform Delay (d), s/veh	49.3	0.0	60.1	48.7	0.0	56.1	11.2	0.0	0.0	11.3	16.1	16.1
Incr Delay (d2), s/veh	1.2	0.0	9.3	4.1	0.0	2.4	0.1	0.9	1.0	0.2	0.9	0.8
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.0	0.0	11.3	8.0	0.0	8.5	1.4	0.5	0.5	3.1	9.7	10.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	50.5	0.0	69.4	52.8	0.0	58.5	11.3	0.9	1.0	11.5	17.0	16.9
LnGrp LOS	D	A	E	D	A	E	B	A	A	B	B	B
Approach Vol, veh/h		288			283			752			818	
Approach Delay, s/veh		62.5			55.7			1.8			16.1	
Approach LOS		E			E			A			B	
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	13.1	86.0	17.4	23.5	12.6	86.5	14.5	26.4				
Change Period (Y+Rc), s	6.1	7.0	* 5.7	6.2	6.1	7.0	5.4	6.2				
Max Green Setting (Gmax), s	11.9	59.0	* 14	29.8	10.9	60.0	11.6	32.8				
Max Q Clear Time (g_c+I1), s	6.5	2.0	11.7	16.5	4.1	16.0	9.2	13.3				
Green Ext Time (p_c), s	0.1	4.5	0.1	0.8	0.1	4.3	0.0	0.7				

Intersection Summary

HCM 6th Ctrl Delay	22.5
HCM 6th LOS	C

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
5: SW 59th Street & 29th Avenue W

DTM 59th Street West - Build
2045 - Design Hour

Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	110	0	50	0	0	1	110	630	0	1	820	130
Future Volume (vph)	110	0	50	0	0	1	110	630	0	1	820	130
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Storage Length (ft)	137		0	0		0	108		0	120		0
Storage Lanes	1		0	0		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Right Turn on Red			Yes			Yes			Yes			Yes
Link Speed (mph)		25			30			40			40	
Link Distance (ft)		329			179			4591			2227	
Travel Time (s)		9.0			4.1			78.3			38.0	
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	2%	2%	2%	2%	2%	2%	3%	3%	3%	2%	2%	2%
Shared Lane Traffic (%)												
Turn Type	Perm	NA			NA		pm+pt	NA		Perm	NA	
Protected Phases		4			8		5	2			6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		6	6	
Switch Phase												
Minimum Initial (s)	7.0	7.0		7.0	7.0		7.0	20.0		20.0	20.0	
Minimum Split (s)	23.8	23.8		23.8	23.8		13.6	26.9		26.9	26.9	
Total Split (s)	30.0	30.0		30.0	30.0		18.0	110.0		92.0	92.0	
Total Split (%)	21.4%	21.4%		21.4%	21.4%		12.9%	78.6%		65.7%	65.7%	
Yellow Time (s)	3.8	3.8		3.8	3.8		4.0	4.9		4.9	4.9	
All-Red Time (s)	2.0	2.0		2.0	2.0		2.6	2.0		2.0	2.0	
Lost Time Adjust (s)	0.0	0.0			0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)	5.8	5.8			5.8		6.6	6.9		6.9	6.9	
Lead/Lag							Lead			Lag	Lag	
Lead-Lag Optimize?							Yes			Yes	Yes	
Recall Mode	None	None		None	None		None	C-Max		Max	Max	

Intersection Summary

Area Type: Other
 Cycle Length: 140
 Actuated Cycle Length: 140
 Offset: 131 (94%), Referenced to phase 2:NBTL, Start of Yellow
 Natural Cycle: 65
 Control Type: Actuated-Coordinated

Splits and Phases: 5: SW 59th Street & 29th Avenue W



HCM 6th Signalized Intersection Summary
 5: SW 59th Street & 29th Avenue W

DTM 59th Street West - Build
 2045 - Design Hour



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↖	↗			↔		↖	↕		↖	↕	
Traffic Volume (veh/h)	110	0	50	0	0	1	110	630	0	1	820	130
Future Volume (veh/h)	110	0	50	0	0	1	110	630	0	1	820	130
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1856	1856	1856	1870	1870	1870
Adj Flow Rate, veh/h	122	0	56	0	0	1	122	700	0	1	911	144
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	3	3	3	2	2	2
Cap, veh/h	196	0	162	0	0	162	451	2844	0	581	2183	345
Arrive On Green	0.10	0.00	0.10	0.00	0.00	0.10	0.05	0.81	0.00	0.71	0.71	0.71
Sat Flow, veh/h	1416	0	1585	0	0	1585	1767	3618	0	746	3074	486
Grp Volume(v), veh/h	122	0	56	0	0	1	122	700	0	1	527	528
Grp Sat Flow(s),veh/h/ln	1416	0	1585	0	0	1585	1767	1763	0	746	1777	1783
Q Serve(g_s), s	11.9	0.0	4.6	0.0	0.0	0.1	2.3	6.7	0.0	0.1	17.1	17.1
Cycle Q Clear(g_c), s	11.9	0.0	4.6	0.0	0.0	0.1	2.3	6.7	0.0	0.1	17.1	17.1
Prop In Lane	1.00		1.00	0.00		1.00	1.00		0.00	1.00		0.27
Lane Grp Cap(c), veh/h	196	0	162	0	0	162	451	2844	0	581	1262	1266
V/C Ratio(X)	0.62	0.00	0.34	0.00	0.00	0.01	0.27	0.25	0.00	0.00	0.42	0.42
Avail Cap(c_a), veh/h	295	0	274	0	0	274	507	2844	0	581	1262	1266
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	1.00	0.00	0.00	1.00	0.87	0.87	0.00	0.93	0.93	0.93
Uniform Delay (d), s/veh	61.8	0.0	58.4	0.0	0.0	56.4	5.5	3.3	0.0	5.9	8.4	8.4
Incr Delay (d2), s/veh	3.2	0.0	1.3	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.9	0.9
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	8.0	0.0	3.5	0.0	0.0	0.1	1.3	3.4	0.0	0.0	10.2	10.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	65.0	0.0	59.7	0.0	0.0	56.4	5.8	3.4	0.0	5.9	9.3	9.3
LnGrp LOS	E	A	E	A	A	E	A	A	A	A	A	A
Approach Vol, veh/h		178			1			822			1056	
Approach Delay, s/veh		63.3			56.4			3.8			9.3	
Approach LOS		E			E			A			A	
Timer - Assigned Phs		2		4	5	6		8				
Phs Duration (G+Y+Rc), s		119.8		20.2	13.5	106.3		20.2				
Change Period (Y+Rc), s		6.9		* 5.8	6.6	6.9		* 5.8				
Max Green Setting (Gmax), s		103.1		* 24	11.4	85.1		* 24				
Max Q Clear Time (g_c+I1), s		8.7		13.9	4.3	19.1		2.1				
Green Ext Time (p_c), s		5.3		0.4	0.1	8.3		0.0				


Intersection Summary

HCM 6th Ctrl Delay	11.8
HCM 6th LOS	B

Notes

- User approved pedestrian interval to be less than phase max green.
- * HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Lanes, Volumes, Timings
 6: Cortez Road W & SW 59th Street



Lane Group	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↑↑	↑↑	↗	↖↗	↗
Traffic Volume (vph)	190	1340	1235	450	665	230
Future Volume (vph)	190	1340	1235	450	665	230
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	320			470	0	826
Storage Lanes	1			1	2	1
Taper Length (ft)	25				25	
Right Turn on Red				Yes		Yes
Link Speed (mph)		45	45		40	
Link Distance (ft)		2142	2590		4591	
Travel Time (s)		32.5	39.2		78.3	
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	2%	2%	2%	2%	3%	3%
Shared Lane Traffic (%)						
Turn Type	pm+pt	NA	NA	Perm	Prot	Perm
Protected Phases	1	6	2		8	
Permitted Phases	6			2		8
Detector Phase	1	6	2	2	8	8
Switch Phase						
Minimum Initial (s)	5.0	15.0	15.0	15.0	7.0	7.0
Minimum Split (s)	12.3	25.3	25.3	25.3	25.3	25.3
Total Split (s)	25.0	156.0	131.0	131.0	44.0	44.0
Total Split (%)	12.5%	78.0%	65.5%	65.5%	22.0%	22.0%
Yellow Time (s)	4.8	4.8	4.8	4.8	4.8	4.8
All-Red Time (s)	2.5	2.5	2.5	2.5	2.0	2.0
Lost Time Adjust (s)	0.0	0.0	0.0	0.0	0.0	0.0
Total Lost Time (s)	7.3	7.3	7.3	7.3	6.8	6.8
Lead/Lag	Lead		Lag	Lag		
Lead-Lag Optimize?	Yes		Yes	Yes		
Recall Mode	None	Max	C-Max	C-Max	None	None

Intersection Summary


Area Type: Other
 Cycle Length: 200
 Actuated Cycle Length: 200
 Offset: 165 (83%), Referenced to phase 2:WBT, Start of Yellow
 Natural Cycle: 80
 Control Type: Actuated-Coordinated

Splits and Phases: 6: Cortez Road W & SW 59th Street



HCM 6th Signalized Intersection Summary
6: Cortez Road W & SW 59th Street

DTM 59th Street West - Build
2045 - Design Hour



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations						
Traffic Volume (veh/h)	190	1340	1235	450	665	230
Future Volume (veh/h)	190	1340	1235	450	665	230
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1856	1856
Adj Flow Rate, veh/h	200	1411	1300	474	700	242
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Percent Heavy Veh, %	2	2	2	2	3	3
Cap, veh/h	245	2642	2344	1045	638	292
Arrive On Green	0.05	0.74	0.66	0.66	0.19	0.19
Sat Flow, veh/h	1781	3647	3647	1585	3428	1572
Grp Volume(v), veh/h	200	1411	1300	474	700	242
Grp Sat Flow(s),veh/h/ln	1781	1777	1777	1585	1714	1572
Q Serve(g_s), s	7.2	33.8	39.3	29.0	37.2	29.6
Cycle Q Clear(g_c), s	7.2	33.8	39.3	29.0	37.2	29.6
Prop In Lane	1.00			1.00	1.00	1.00
Lane Grp Cap(c), veh/h	245	2642	2344	1045	638	292
V/C Ratio(X)	0.82	0.53	0.55	0.45	1.10	0.83
Avail Cap(c_a), veh/h	318	2642	2344	1045	638	292
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	0.90	0.90
Uniform Delay (d), s/veh	25.1	10.9	18.3	16.5	81.4	78.3
Incr Delay (d2), s/veh	12.0	0.8	1.0	1.4	63.7	16.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	11.4	18.7	22.6	16.2	30.9	19.0
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	37.0	11.7	19.2	18.0	145.1	94.4
LnGrp LOS	D	B	B	B	F	F
Approach Vol, veh/h		1611	1774		942	
Approach Delay, s/veh		14.8	18.9		132.1	
Approach LOS		B	B		F	
Timer - Assigned Phs	1	2			6	8
Phs Duration (G+Y+Rc), s	16.8	139.2			156.0	44.0
Change Period (Y+Rc), s	7.3	7.3			7.3	6.8
Max Green Setting (Gmax), s	17.7	123.7			148.7	37.2
Max Q Clear Time (g_c+I1), s	9.2	41.3			35.8	39.2
Green Ext Time (p_c), s	0.3	16.9			14.9	0.0
Intersection Summary						
HCM 6th Ctrl Delay			42.0			
HCM 6th LOS			D			


Attachment E: Intersection Control Evaluation

Agency:	Manatee County
Project Name:	59th Street W Project Development and Study Corridor
Project Reference:	-
Intersection:	59th and 11th
City:	Manatee County
State:	FL
Performing Department or Organization:	-
Date:	8/31/2021
Analyst:	KHA
Analysis Type	At-Grade Intersection

Analysis Summary

Cost Categories	Net Present Value of Costs		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Planning, Construction & Right of Way Costs	\$ -	\$ 575,000	\$ 1,701,929
Post-Opening Costs	\$ 98,229	\$ 98,229	\$ 72,952
Auto Passenger Delay	\$ 4,079,279	\$ 3,468,164	\$ 2,270,189
Truck Delay	\$ 348,619	\$ 296,393	\$ 194,031
Safety	\$ 7,441,546	\$ 7,482,920	\$ 6,226,405
Total cost	\$11,967,674	\$11,920,704	\$10,465,506

Select Base Case for Benefit-Cost Comparison: (Choose from list)	Traffic Signal		
Benefit Categories	Net Present Value of Benefits Relative to Base Case		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Auto Passenger Delay		\$ 611,116	\$ 1,809,091
Truck Delay		\$ 52,227	\$ 154,588
Safety		\$ (41,373)	\$ 1,215,141
Net Present Value of Benefits		\$ 621,969	\$ 3,178,820
Net Present Value of Costs		\$ 575,000	\$ 1,676,652
Net Present Value of Improvement		\$ 46,969	\$ 1,502,168
Benefit-Cost (B/C) Ratio		1.08	1.90
Delay B/C		1.15	1.17
Safety B/C		preferred. Benefits are less than base case and cost is greater than base	0.72




Agency:	Manatee County
Project Name:	59th Street W Project Development and Study Corridor
Project Reference:	
Intersection:	59th and 17th
City:	-
State:	FL
Performing Department or Organization:	
Date:	8/31/2021
Analyst:	KHA
Analysis Type	At-Grade Intersection

Analysis Summary

Cost Categories	Net Present Value of Costs		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Planning, Construction & Right of Way Costs	\$ -	\$ 575,000	\$ 1,276,571
Post-Opening Costs	\$ 98,229	\$ 98,229	\$ 72,952
Auto Passenger Delay	\$ 16,425,168	\$ 14,580,759	\$ 4,853,056
Truck Delay	\$ 2,290,147	\$ 2,032,982	\$ 676,584
Safety	\$ 6,670,628	\$ 6,753,330	\$ 6,636,206
Total cost	\$25,484,171	\$24,040,300	\$13,515,368

Select Base Case for Benefit-Cost Comparison: (Choose from list)	Traffic Signal		
Benefit Categories	Net Present Value of Benefits Relative to Base Case		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Auto Passenger Delay		\$ 1,844,409	\$ 11,572,112
Truck Delay		\$ 257,164	\$ 1,613,563
Safety		\$ (82,702)	\$ 34,422
Net Present Value of Benefits		\$ 2,018,871	\$ 13,220,097
Net Present Value of Costs		\$ 575,000	\$ 1,251,294
Net Present Value of Improvement		\$ 1,443,871	\$ 11,968,803
Benefit-Cost (B/C) Ratio		3.51	10.57
Delay B/C		3.65	10.54
Safety B/C		preferred. Benefits are less than base case and cost is greater than base	0.03




Agency:	Manatee County
Project Name:	59th Street W Project Development and Study Corridor
Project Reference:	
Intersection:	59th and 21st
City:	-
State:	FL
Performing Department or Organization:	
Date:	8/31/2021
Analyst:	KHA
Analysis Type	At-Grade Intersection

Analysis Summary

Cost Categories	Net Present Value of Costs		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Planning, Construction & Right of Way Costs	\$ -	\$ 575,000	\$ 1,730,593
Post-Opening Costs	\$ 98,229	\$ 98,229	\$ 72,952
Auto Passenger Delay	\$ 17,735,879	\$ 13,233,411	\$ 5,756,620
Truck Delay	\$ 2,504,598	\$ 1,869,021	\$ 812,873
Safety	\$ 8,135,291	\$ 8,176,661	\$ 7,658,214
Total cost	\$28,473,997	\$23,952,322	\$16,031,251

Select Base Case for Benefit-Cost Comparison: (Choose from list)	Traffic Signal		
Benefit Categories	Net Present Value of Benefits Relative to Base Case		
	Traffic Signal	Traffic Signal (Alt.)	Roundabout
Auto Passenger Delay		\$ 4,502,468	\$ 11,979,259
Truck Delay		\$ 635,577	\$ 1,691,726
Safety		\$ (41,370)	\$ 477,078
Net Present Value of Benefits		\$ 5,096,675	\$ 14,148,063
Net Present Value of Costs		\$ 575,000	\$ 1,705,316
Net Present Value of Improvement		\$ 4,521,675	\$ 12,442,746
Benefit-Cost (B/C) Ratio		8.86	8.30
Delay B/C		8.94	8.02
Safety B/C		preferred. Benefits are less than base case and cost is greater than base	0.28



Federal Highway Administration (FHWA)
 Safety Performance for Intersection Control Evaluation Tool

Results

Summary of crash prediction results for each alternative

Project Information

Project Name:	59th Street West Project Development & Study Corridor	Intersection Type	At-Grade Intersections
Intersection:	59th & 11th	Opening Year	2025
Agency:	Manatee County	Design Year	2045
Project Reference:	-	Facility Type	On Urban and Suburban Arterial
City:	Manatee County	Number of Legs	4-leg
State:	FL	1-Way/2-Way	2-way Intersecting 2-way
Date:	8/31/2021	# of Major Street Lanes (both directions)	5 or fewer
Analyst:	KHA	Major Street Approach Speed	Less than 55 mph

Crash Prediction Summary

Control Strategy	Crash Type	Opening Year	Design Year	Total Project Life Cycle	Rank	AADT Within Prediction Range?	Source of Prediction
Traffic Signal	Total	3.15	3.99	74.94	2	Yes	Calibrated SPF
	Fatal & Injury	1.58	2.02	37.79			
Traffic Signal (Alt)	Total	3.16	4.00	75.18	3	Yes	Calibrated SPF
	Fatal & Injury	1.59	2.03	38.02			
2-lane Roundabout	Total	6.88	8.66	163.09	1	Yes	Uncalibrated SPF
	Fatal & Injury	1.20	1.55	28.82			

Federal Highway Administration (FHWA)
 Safety Performance for Intersection Control Evaluation Tool

Results

Summary of crash prediction results for each alternative

Project Information

Project Name:	59th Project Development & Study Corridor	Intersection Type	At-Grade Intersections
Intersection:	59th & 17th	Opening Year	2025
Agency:	Manatee County	Design Year	2045
Project Reference:	-	Facility Type	On Urban and Suburban Arterial
City:	Manatee County	Number of Legs	4-leg
State:	FL	1-Way/2-Way	2-way Intersecting 2-way
Date:	8/31/2021	# of Major Street Lanes (both directions)	5 or fewer
Analyst:	KHA	Major Street Approach Speed	Less than 55 mph

Crash Prediction Summary

Control Strategy	Crash Type	Opening Year	Design Year	Total Project Life Cycle	Rank	AADT Within Prediction Range?	Source of Prediction
Traffic Signal	Total	3.03	3.80	71.70	2	Yes	Calibrated SPF
	Fatal & Injury	1.42	1.79	33.73			
Traffic Signal (Alt)	Total	3.05	3.82	71.99	3	Yes	Calibrated SPF
	Fatal & Injury	1.44	1.81	34.02			
2-lane Roundabout	Total	7.31	9.08	171.99	1	Yes	Uncalibrated SPF
	Fatal & Injury	1.29	1.64	30.75			

Federal Highway Administration (FHWA)
 Safety Performance for Intersection Control Evaluation Tool

Results

Summary of crash prediction results for each alternative

Project Information

Project Name:	59th Project Development & Study Corridor	Intersection Type	At-Grade Intersections
Intersection:	59th & 21st	Opening Year	2025
Agency:	Manatee County	Design Year	2045
Project Reference:	-	Facility Type	On Urban and Suburban Arterial
City:	Manatee County	Number of Legs	4-leg
State:	FL	1-Way/2-Way	2-way Intersecting 2-way
Date:	8/31/2021	# of Major Street Lanes (both directions)	5 or fewer
Analyst:	KHA	Major Street Approach Speed	Less than 55 mph

Crash Prediction Summary

Control Strategy	Crash Type	Opening Year	Design Year	Total Project Life Cycle	Rank	AADT Within Prediction Range?	Source of Prediction
Traffic Signal	Total	5.58	7.09	132.87	2	Yes	Calibrated SPF
	Fatal & Injury	1.67	2.13	39.86			
Traffic Signal (Alt)	Total	5.59	7.10	133.08	3	Yes	Calibrated SPF
	Fatal & Injury	1.68	2.14	40.08			
2-lane Roundabout	Total	8.31	10.33	195.60	1	Yes	Uncalibrated SPF
	Fatal & Injury	1.49	1.90	35.55			



Design Traffic Memorandum

Prepared by: Vincent Spahr, P.E.
Kimley-Horn and Associates, Inc.
1777 Main Street, Suite 800
Sarasota, FL 34236



**Appendix C –
Natural Resources Assessment Memo**



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

CIP #: 6108360

FINAL October 14, 2021



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

CONTENTS

Introduction.....	3
Methodology.....	6
Historic Review	6
Soils.....	7
Land Cover and Natural Communities.....	11
Upland Land Cover Types.....	11
Wetland/Surface Water Land Cover Types.....	12
Threatened and Endangered Species	16
Listed Species with the Potential to Occur Within the Study Area.....	16
Critical Habitat	20
Permitting Requirements and Coordination	20
SWFWMD Environmental Resource Permit.....	20
FDEP State 404 Program	21
NPDES	21
FWC Gopher Tortoise Relocation Program.....	21
Mitigation	21
Implementation Measures	22

FIGURES

Figure 1: Project Location Map	4
Figure 2: USGS Quad Map.....	5
Figure 3: NRCS Soils Map (Begin Project to Pointe West Blvd W).....	8
Figure 4: NRCS Soils Map (Pointe West Blvd W to Manatee Ave W).....	9
Figure 5: FLUCFCS Map (Begin Project to 21st Ave W)	14
Figure 6: FLUCFCS Map (Pointe West Blvd W to End Project).....	15

TABLES

Table 1: NRCS Soils Within the Study Area	10
Table 2: Listed Species with the Potential to Occur Within the Study Area	17

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Introduction


Manatee County is conducting a Project Development & Corridor Study to evaluate a 2.3-mile segment of 59th Street West (59th Street) from Cortez Road/State Road (SR) 684 to Manatee Avenue/SR 64. The project limits are partially within the City of Bradenton and unincorporated Manatee County, Florida, as shown in **Figure 1**. The study will evaluate options for widening the existing 2-lane roadway to a 4-lane roadway with a center left turn lane and/or median in addition to providing an enhanced mobility experience for all users.

For the purpose of this memorandum, the study area is considered the 2.3-mile segment of 59th Street and an additional 250-foot buffer from the roadway centerline totaling approximately 643 acres. The study area is located in Sections 29 and 32 of Township 34 South and Range 17 East and Section 5 of Township 35 South and Range 17 East. A portion of the U.S. Geological Service (USGS) 7.5-Minute Bradenton, Florida quadrangle map depicting the location of the study area is attached as **Figure 2**.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue


Figure 1: Project Location Map



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Figure 2: USGS Quad Map



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Methodology

To determine the approximate locations and boundaries of existing upland and wetland communities and protected species within the study area, available site-specific data was collected and reviewed.

The information reviewed included:

- *Florida Natural Areas Inventory (FNAI) Biodiversity Matrix* (<http://www.fnai.org/biointro.cfm>)
- *Various Geographic Information System (GIS) data layers from the U.S. Fish and Wildlife Service (USFWS), U.S. Geological Survey (USGS), Florida Fish and Wildlife Conservation Commission (FWC)* (<http://legacy.myfwc.com/bba/data/default.asp>)
- *USFWS IPaC data* [(<https://ecos.fws.gov/ipac/>)]
- *U.S. Department of Agriculture (USDA) / Natural Resources Conservation Service (NRCS) Soil Survey of Manatee County, Florida (Web Soil Survey)* (<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>)
- *USFWS National Wetlands Inventory (NWI) Maps (Web-based maps available from* <http://www.fws.gov/wetlands/Data/mapper.html>)
- *USGS Quadrangle Maps, Land Boundary Information System (LABINS; <http://www.labins.org>)*
- *Audubon Florida EagleWatch Nest Map (Web-based maps available from* <https://www.arcgis.com/apps/SimpleViewer/index.html?appid=75ea06f653f847658c908634ffc6f640>)
- *Florida Water Permitting Portal, Southwest Florida Water Management District (SWFWMD) E-Permitting* (<http://flwaterpermits.org> and <https://www.swfwmd.state.fl.us/business/epermitting>)
- *Florida Department of Environmental Protection (FDEP) MapDirect GIS* (<https://ca.dep.state.fl.us/mapdirect/>)
- *Chapter 62-340, Florida Administrative Code (FAC) and the U.S. Army Corps of Engineers (USACE) 1987 Wetland Delineation Manual*
- *State Historic Preservation Officer (SHPO), Florida Master Site File (FMSF)* (<http://www.flheritage.com>)
- *Federal Emergency Management Agency (FEMA) Digital Flood Insurance Rate Maps (FIRM; Web-based maps available from* <http://msc.fema.gov/>)
- *University of Florida Digital Collections. Aerial Photography: Florida Collection* (<https://ufdc.ufl.edu/aerials/map>)

Historic Review

A review of historic aerials of the study area is included as a part of this investigation. Historic aerials from 1940 show the study area as primarily upland pasture. 59th Street and Cortez Road are visible as dirt roads and Manatee Avenue is visible as a paved 2-lane roadway. In the 1951 historic aerials, 59th Street remains a dirt road; however, it has been widened. The 1957 historic aerials show the north end of the study area as transitioning to residential development. Manatee Avenue has been widened to four lanes with turn lanes and medians. The majority of the study area remains as agriculture or

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

pasture. Beginning in the 1970s, the general study vicinity transitions to residential and/or commercial development. The 1984 historic aerials show the study area as primarily being developed and no pasture remains in the study area. A drainage canal has been constructed between 21st Avenue West and 29th Avenue West. With exception to small use changes, the study area appears to have remained unchanged from 1984 to present.


Soils

The USDA / NRCS Soil Survey of Manatee County, Florida, maps the following soil within the study area: (6) Broward variant fine sand, (7) Canova, Anclote, and Okeelanta soils, (11) Cassia fine sand, 0 to 2 percent slopes, (13) Chobee loamy fine sand, frequently ponded, 0 to 1 percent slopes, (16) Delray complex, (20) Eugallie fine sand, 0 to 2 percent slopes, (22) Felda fine sand, 0 to 2 percent slopes, (26) Floridana-Immokalee-Okeelanta association, (28) Hallandale fine sand, wet, 0 to 2 percent slopes, (38) Palmetto sand, (42) Pomello fine sand, 0 to 2 percent slopes, and (48) Wabasso fine sand. **Figure 3** and **Figure 4** show the mapped soils within the study area and **Table 1** provides details of each soil type.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue


Figure 3: NRCS Soils Map (Begin Project to Pointe West Blvd W)



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Figure 4: NRCS Soils Map (Pointe West Blvd W to Manatee Ave W)



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Table 1: NRCS Soils Within the Study Area

Soil ID No. ¹	Soil Name	Occurrence	Characteristics	Drainage Class	Groundwater Depth	Hydric, Hydric Inclusions, or Non-Hydric ²
6	Broward variant fine sand	Flatwoods on marine terraces, rises on marine terraces, flats on marine terraces	Rapid permeability	Somewhat poorly drained	About 0 to 12 inches	Hydric Inclusions
7	Canova, Anclote, and Okeelanta soils	Depressions on marine terraces				
11	and drainageways on marine terraces	Rapid permeability and internal drainage	Very poorly drained	About 0 inches	Hydric	
13	Cassia fine sand, 0 to 2 percent slopes	Low ridges and knolls on scrubby flatwoods	Rapid permeability in the A and E horizons and moderate to moderately rapid permeability in the Bh horizon	Somewhat poorly drained	About 18 to 42 inches	Non-Hydric
16	Chobee loamy fine sand, frequently ponded, 0 to 1 percent slopes	Flatwoods in depressions, drainageways, low broad flats, and flood plains on marine terraces	Slow to very slow permeability	Very poorly drained	About 0 to 12 inches	Hydric
20	Delray complex	Broad flats, flood plains, and depressions	Moderately permeable	Very poorly drained	About 0 to 12 inches	Hydric
22	Eaugallie fine sand, 0 to 2 percent slopes	Flats, sloughs and depressional areas	Slow permeability	Very poorly or poorly drained	About 6 to 40 inches	Non-hydric
26	Felda fine sand, 0 to 2 percent slopes	Flatwoods, low broad flats, drainageways, sloughs, depressions, and flood plains	Rapid permeability in the A and E horizons and very slow or slow permeability in the Btg horizon	Very poorly and poorly drained	About 0 to 24 inches	Hydric
28	Floridana-Immokalee-Okeelanta association	Low broad flats, flood plains, and in depressional areas	Very slow permeability	Very poorly drained	About 0 to 10 inches	Hydric
38	Hallandale fine sand, wet, 0 to 2 percent slopes	Low broad flats, sloughs, flatwoods, and in depressions on marine terraces	Rapid permeability	Very poorly to poorly drained	About 0 to 20 inches	Hydric
42	Palmetto sand	Sloughs, depressions, and poorly defined drainageways in the flatwoods	Moderately slow permeability	Poorly drained	About 0 to 10 inches	Hydric
48	Pomello fine sand, 0 to 2 percent slopes	Ridges, hills, and knolls in the flatwoods on marine terraces	Moderately rapid permeability throughout	Moderately well to somewhat poorly drained	18 to 48 inches	Non-Hydric

1: Reference: Soil Survey of Manatee County (Web Soil Survey) - <http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
2: Reference: Hydric Soils of Florida Handbook, 4th Edition, March 2007

Land Cover and Natural Communities

Field reconnaissance was conducted on July 21, 2021 and vegetative communities within the proposed study area were identified through pedestrian transects and aerial photograph interpretation. Vegetative communities were classified using the Florida Land Use, Cover, and Forms Classification System (FLUCFCS, Florida Department of Transportation, 1999). A FLUCFCS map of the study area is attached as **Figure 5** and **Figure 6**.

Upland Land Cover Types

A description of the upland land cover types included below characterizes the dominant vegetation observed along random pedestrian transects and does not represent an all-inclusive vegetative inventory. The acreage provided for each land cover is approximate based on aerial mapping.

FLUCFCS 120 – Residential Medium Density (2 to 5 Dwelling Units per Acre) (+/- 10.92 Acres)

This classification comprises the majority of residential development within the study area. Approximately three to four houses per acre exists in these single-family home neighborhoods. No remaining natural habitat exists in these areas.

FLUCFCS 130 – Residential High Density (6 or more Dwelling Units per Acre) (+/- 28.01 Acres)

This classification represents all of the condominiums, apartments, or multi-family development within the study area. No remaining natural habitat exists in these areas.

FLUCFCS 140 – Commercial and Services (+/- 17.60 Acres)

This classification comprises the gas stations, shopping centers, grocery stores, etc. within the study area. These areas consist of commercial buildings and associated infrastructure such as parking lots and utilities. No remaining natural habitat exists in these areas.

FLUCFCS 143 – Professional Services (+/- 16.43 Acres)

This classification comprises the professional services, such as law offices, consulting firms, medical offices, and dental offices within the study area. These areas consist of commercial buildings and associated infrastructure such as parking lots and utilities. No remaining natural habitat exists in these areas.

FLUCFCS 170s – Institutional Facilities (+/- 13.78 Acres)

This classification comprises the institutional facilities within the study area. This consists of Educational Facilities (schools) (FLUCFCS 171), Religious Facilities (churches) (FLUCFCS 172), Medical and Healthcare Facilities (hospital) (FLUCFCS 174), and Governmental Facilities (government buildings, police, fire, etc.) (FLUCFCS 175) and the associated infrastructure such as parking lots and utilities. No remaining natural habitat exists in these areas.

FLUCFCS 185 – Parks and Zoos (+/- 10.32 Acres)

This classification comprises the Manatee County Activity Center baseball fields located on the east side of 59th Street. Bahiagrass (*Paspalum notatum*), planted laurel oaks (*Quercus laurifolia*), and

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

planted live oaks (*Quercus virginiana*) are located within this portion of the study area. No remaining natural habitat exists in this area.

FLUCFCS 253 – Kennels (+/- 6.64 Acres)

This classification comprises the Bishop Animal Shelter located at the southeast corner of 59th Street and 17th Avenue. The majority of this area remains cleared pasture consisting of bahiagrass, cabbage palms (*Sabal palmetto*), laurel oaks, and live oaks.

FLUCFCS 422 – Brazilian Pepper (+/- 0.94 Acres)

This classification consists of one stand of Brazilian pepper (*Schinus terebinthifolia*) located at the northeast corner of 59th Street and 17th Avenue along the banks of a stormwater pond. Small amounts of Carolina willow (*Salix caroliniana*) and wax myrtle (*Morella cerifera*) were also observed.

FLUCFCS 810 – Transportation (+/- 16.99 Acres)

This classification consists of paved roadway, turn lanes, and medians within the study area. Roadside ditches were also located throughout this portion of the study area.

FLUCFCS 830 – Utilities (+/- 0.68 Acres)

This classification consists of the Manatee County water tower located at the southwest corner of Cortez Road and 59th Street.

Wetland/Surface Water Land Cover Types

The presence of wetlands was evaluated based on the Florida unified wetland delineation methodologies in accordance with Chapter 62-340, Florida Administrative Code (FAC) and the U.S. Army Corps of Engineers (USACE) 1987 Wetland Delineation Manual. These methods consider prevalence of wetland vegetation, hydric soil indicators, and wetland hydrology. Surface waters include both natural and manmade bodies of water, such as streams, lakes, ponds, canals, and ditches. One drainage canal which flows east to west through the study area near Pointe West Boulevard West (FLUCFCS 510) would be considered wetland due to the presence of wetland vegetation and hydrologic indicators such as flow lines and flowing water. Two surface waters which appear to be flood compensation ponds exist within the study area.

FLUCFCS 510 – Streams and Waterways (+/- 0.26 Acres)

This classification comprises a drainage canal which runs east to west through the study area approximately 600 feet south of Pointe West Boulevard West. During the July 2021 visit, flowing water was observed in the canal. Vegetation within the flow way consisted of chain fern (*Woodwardia virginica*), cinnamon fern (*Osmunda cinnamomea*), smartweed (*Polygonum hydropiperoides*), and Peruvian primrose-willow (*Ludwigia peruviana*). Vegetation observed along the banks of the waterway consisted of cabbage palm, live oak, Chinese tallow (*Triadica sebifera*), beggarticks (*Bidens alba*), air potato (*Dioscorea bulbifera*) and ragweed (*Ambrosia* spp.). Based on the current design, no impacts are proposed to this system.

FLUCFCS 530 – Reservoirs (+/- 1.40 Acres)

Natural Resources Assessment Memo


59th Street West – Cortez Rd to Manatee Avenue

This classification comprises two stormwater ponds. One is located within the Manatee County Activity Center property and the other is located at the northeast corner of 59th Street and 17th Avenue. Vegetation noted within the pond located at the activity center included Peruvian primrose-willow, Brazilian pepper, and cattail (*Typha* sp.). Vegetation noted within the pond at the northeast corner of 59th Street and 17th Avenue consisted of pennywort (*Hydrocotyle ranunculoides*), torpedograss (*Panicum repens*), Peruvian primrose-willow, and Carolina willow. Based on the current design, no impacts are proposed to these systems.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue


Figure 5: FLUCFCS Map (Begin Project to Pointe West Blvd W)



Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Figure 6: FLUCFCS Map (Pointe West Blvd W to End Project)



Threatened and Endangered Species

In order to determine federal and state listed protected plant and animal species that have potential to occur within the study area, available site-specific data was collected and evaluated by a Kimley-Horn environmental scientist. In addition, a field review of the study area was conducted on July 21, 2021 to assess the potential for occurrence of protected species and to identify any critical habitat that might be located within or adjacent to the study area.

During this survey, the study area was reviewed for direct observations of listed species or signs of their presence including trails, tracks, scats, nests (cavity or stick), burrows, or calls. No listed species or signs of listed species were observed during the survey. Mourning dove (*Zenaida macroura*) was the only wildlife observed during the survey.

The FWC wading bird rookery database was searched for active wading bird rookeries within one (1) mile of the study area. According to this FWC database, there are no active wading bird rookeries within one (1) mile of the study area.

The FWC Wildlife Observations database and Florida Natural Area Inventory (FNAI) Biodiversity Matrix Map server were reviewed for documented occurrences of listed species within one (1) mile of the study area. Two (2) bald eagles' nests have been documented within the study area; no other documented wildlife observations were noted from the database.

The study area lies within the USFWS consultation area for piping plover (*Charadrius melodus*) and Florida scrub-jay (*Aphelocoma coerulescens*). However, habitat for the piping plover and scrub-jay does not exist within the study area.

Listed Species with the Potential to Occur Within the Study Area

Based on field reconnaissance and database reviews, a listing of the state and federally listed species potentially occurring within the immediate vicinity of the study area has been compiled. **Table 2** lists species that may occur and their likelihood of occurrence. Likelihood of occurrence is based on actual observation of the species, signs of the species (burrows, tracks, scat, etc.), observance of suitable habitat, or documented occurrences of the species within various databases. A Low ranking indicates that preferred habitat for that species was found within the study area, but the species has not been documented within one (1) mile of the study area. A Moderate ranking indicates that suitable habitat exists, and the species has been documented within one (1) mile of the study area. A High ranking indicates that suitable habitat exists, and the species was observed during field reconnaissance.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Table 2: Listed Species with the Potential to Occur Within the Study Area

Common Name	Scientific Name	Status	Documented (<1 mile)	Habitat Present	Likelihood of Occurrence
Avian					
Wood stork	<i>Mycteria americana</i>	FT	No	Yes; foraging	Low
Bald eagle	<i>Haliaeetus leucocephalus</i>	NL*	Yes	Yes; foraging	Low
Little blue heron	<i>Egretta caerulea</i>	ST	No	Yes; foraging	Low
Roseate spoonbill	<i>Platalea ajaja</i>	ST	No	Yes; foraging	Low
Tricolored heron	<i>Egretta tricolor</i>	ST	No	Yes; foraging	Low
Reptilian					
Eastern indigo snake	<i>Drymarchon corais couperi</i>	FT	No	Yes, foraging and nesting	Low
Gopher tortoise	<i>Gopherus polyphemus</i>	C	No	Yes; foraging and burrowing	Low
<p>Legend: FE - Federally Endangered; FT - Federally Threatened; FT(S/A) – Threatened due to Similarity of Appearance; C - Candidate for Listing SE - State Endangered; ST - State Threatened NL - Not Listed, but have other regulatory protections * The Bald eagle is still protected under the Bald and Golden Eagle Protection Act, Migratory Bird Treaty Act and FWC Management Plan regulations. Note: Coordination is not required with FWC for federally listed species Species in bold were observed on-site during field reconnaissance</p>					

All habitat types within the study area were evaluated to determine the presence or potential for occurrence of federal and/or state protected species. No signs or evidence of protected species were observed within the study area. While the proposed project has taken all practicable measures to avoid and minimize impacts to potentially occurring protected species habitats, unavoidable impacts may occur as a result of construction. A determination of the anticipated project “effect” on protected species was made based on their probability of occurrence within the study area, anticipated changes to their habitat quality, quantity and availability as a result of project construction, and how each species is expected to respond to anticipated habitat changes. Listed below are the “effect” determinations for each species.

Wood stork (*Mycteria americana*)

This large, white, wading bird is listed as *threatened* by the USFWS. The wood stork is opportunistic and utilizes various habitat types, including freshwater marshes, swamps, lagoons, ponds, tidal creeks, flooded pastures, and ditches. Water that is relatively calm, uncluttered by dense aquatic vegetation, and with a permanent or seasonal water depth between 2 and 15 inches deep is considered suitable foraging habitat for this species. Suitable foraging habitat is present within the study area for this species. The USFWS wood stork colony website was reviewed for active wood stork colonies located within 15 miles of the study area. This 15-mile distance corresponds to the core foraging area (CFA) established by the USFWS for the wood stork in the region. According to the USFWS wood stork colony website, the study area is located within the 15-mile CFA of the Ayers Point – Dot Dash wood stork nesting colony; however, there have been no documented sightings of the wood stork within

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

one (1) mile of the study area, and it was not observed during the field review. As a result, the probability of occurrence of the wood stork within the study area has been determined to be *low*. Wetland impacts resulting from construction of this project will be minimal and under the threshold for required mitigation. Based on the assessment of the project utilizing the Effect Determination Key for the Wood Stork in South Florida (USFWS 2008), it is anticipated that the project will “not likely to adversely affect” the wood stork. The path to this determination followed the key steps A →B→C→NLAA.

Eastern indigo snake (*Drymarchon corais couperi*)

This large, glossy black snake is listed as *threatened* by the USFWS. The eastern indigo snake can be found in a variety of habitat types, including pine flatwoods, scrubby flatwoods, high pine, dry prairie, tropical hardwood hammocks, edges of freshwater marshes, agricultural fields, coastal dunes, as well as human-altered habitats. It may also utilize gopher tortoise burrows for shelter to escape hot or cold ambient temperatures within its range. Suitable habitat is present within the study area for this species; however, there have been no documented sightings of the eastern indigo snake within one (1) mile of the study area, and it was not observed during field reviews. As a result, the probability of occurrence of the eastern indigo snake within the study area has been determined to be *low*. However, it is possible that this species could utilize suitable habitat within the study area. Because there is suitable habitat for this species to occur, Standard Protection Measures for the Eastern Indigo Snake (USFWS, 2017) will be utilized during site preparation and construction of the project. Based upon assessment of the project utilizing the Eastern Indigo Snake Programmatic Effect Determination Key (USFWS 2013), it is anticipated that the project is “not likely to adversely affect” the eastern indigo snake. The path to this determination followed the key steps A →B→C→ D→ E→NLAA.

Gopher tortoise (*Gopherus polyphemus*)

This medium-sized land tortoise is listed as *threatened* by the FWC. The gopher tortoise prefers areas of well-drained loose soils that support adequate low-growing herbs and grasses for food. Gopher tortoises are most often found in xeric oak, sandhills, dry pine flatwoods, scrub habitats as well as old fields, pastures and roadsides. Gopher tortoise burrows also provide refuge and home to numerous species (burrow commensals), including listed species, which are either partially or wholly reliant upon the burrow. Suitable habitat is present within the study area for this species; however, there have been no documented sightings of the gopher tortoise within one (1) mile of the study area, and it was not observed during field reviews. As a result, the probability of occurrence for the gopher tortoise within the study area has been determined to be *low*. Avoidance or relocation of gopher tortoises and their commensal species in accordance with FWC regulations will be conducted if a burrow is located within 25 ft of the limits of work. Due to the limited amount of suitable habitat and lack of occurrences during field reviews, and the commitment to avoid/relocate any gopher tortoises that may be impacted by the project, it has been determined that “no adverse effect is anticipated” for the gopher tortoise as a result of the project.

Little blue heron (*Egretta caerulea*)

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

The little blue heron is a medium-sized, slate-blue, wading bird listed as *threatened* by the FWC. The little blue heron forages in shallow marine, brackish, or freshwater areas, including tidal ponds, sloughs, marshes, and human-created impoundments. It nests in colonies in woody shrubs that are separated from land by open water. Suitable habitat is present within the study area for this species; however, there have been no documented sightings of the little blue heron within one (1) mile of the study area, and it was not observed during field reviews. As a result, the probability of occurrence of the little blue heron within the study area has been determined to be *low*.

Roseate spoonbill (*Platalea ajaia*)

The roseate spoonbill is a bright pink bird with a spoon-like bill. This bird is listed as *threatened* by the FWC. Habitats such as freshwater mudflats and marshes, saltwater marshes, coastal flats, mangrove swamps, lagoons, wet prairies, and ditches are preferred by the roseate spoonbill for feeding. Suitable habitat is present within the study area for this species; however, there have been no documented sightings of the roseate spoonbill within one (1) mile of the study area, and it was not observed during field reviews. As a result, the probability of occurrence of the roseate spoonbill within the study area has been determined to be *low*.

Tricolored heron (*Egretta tricolor*)

The tricolored heron is a medium-sized, two-toned, wading bird listed as *threatened* by the FWC. The tricolored heron prefers both fresh- and saltwater habitats such as fresh- and saltwater marshes and mudflats, brackish marshes, coastal beaches, mangrove swamps, hardwood and cypress swamps, and wet prairies. Suitable habitat is present within the study area for this species; however, there have been no documented sightings of the tricolored heron within one (1) mile of the study area, and it was not observed during field reviews. As a result, the probability of occurrence of the tricolored heron within the study area has been determined to be *low*. It is reasonable to expect that these species could utilize suitable habitat within the study area.

The primary concern for impacts to these wading bird species is the loss of foraging habitat. Wetland impacts resulting from construction of this project will be minimal and under the threshold for required mitigation. It has been determined that “no adverse effect” is anticipated for the little blue heron, roseate spoonbill, or tricolored heron as a result of the project.

Bald eagle (*Haliaeetus leucocephalus*)

The bald eagle is a large raptor with a distinctive white head and yellow bill. The bald eagle has been de-listed by both the USFWS and FWC. However, it is still federally protected under the Bald and Golden Eagle Protection Act (BGEPA) in accordance with 16 United States Code 668 and the Migratory Bird Treaty Act of 1918. The bald eagle tends to utilize riparian habitat associated with coastal areas, lake shorelines, and riverbanks. Nests are generally located near water bodies that provide a dependable food source. The Audubon Florida Eagle Watch nest locator website was reviewed for bald eagle nests within one (1) mile of the study area. According to the database, there are two (2) bald eagle nests located within one (1) mile of the study area (MN050 and MN050a). According to

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Audubon, nest MN050 was active during the 2021 season and nest MN050a was inactive during the 2021 season. Both nests were observed during the July 2021 visit; however, no activity was observed. The nests are located approximately 0.25 and 0.29 miles from the study area, respectively. As a result, the probability of occurrence of the bald eagle within the study area has been determined to be *low*. If any active nests are located within 660 ft of the project limits, coordination with the USFWS will be initiated. Based on this commitment, it has been determined that the project “may affect, not likely to adversely affect” the bald eagle.

Critical Habitat

The study area was also evaluated for the presence of Critical Habitat as defined by the Endangered Species Act of 1973, as amended and 50 CFR part 424. The USFWS is the authority, as a federal agency, to protect from destruction or adverse modification the biological or physical constituent elements essential to the conservation of listed species. Critical Habitat is defined as the specific areas within the geographical area occupied by a species on which are found those physical or biological features essential to the conservation of the species and which may require special management considerations or protection. No Critical Habitat or Proposed Critical Habitat for any federally listed species was identified within the study area.

Permitting Requirements and Coordination

Both the FDEP and SWFWMD regulate impacts to wetlands within the project area. Other agencies, including the USFWS, NMFS, EPA, and FWC, review and comment on wetland permit applications. The FWC also issues permit for gopher tortoise relocation activities and incidental takes for state protected avian species, and the USFWS is the lead agency for eagle nest take permitting or coordination. In addition, the FDEP regulates stormwater discharges from construction sites. The complexity of the permitting process will depend on the degree of the impact to jurisdictional areas. It is anticipated that the following permits will be required for this project:

<u>Permit</u>	<u>Issuing Agency</u>
Environmental Resource Permit (ERP)	SWFWMD
Section 404 State Assumption	FDEP
National Pollutant Discharge Elimination System (NPDES)	FDEP
Gopher Tortoise Relocation Permit, if needed	FWC

SWFWMD Environmental Resource Permit

SWFWMD requires an ERP when construction of any project results in the creation of a new or modification of an existing surface water management system or results in impacts to waters of the state. As with FDEP permits, the complexity associated with the ERP permitting process will depend on the size of the project and/or the extent of wetland impacts. Under current state rules, the SWFWMD will likely require a standard or individual permit for this project.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

FDEP State 404 Program

In 2018, FDEP was given the authority to begin the rulemaking process to assume the federal dredge and fill permitting program under section 404 of the Clean Water Act within state-assumed waters. This process was completed in July 2020 and created the State 404 Program within Chapter 62-330 and 62-331, F.A.C. to facilitate this assumption. This State 404 Program is responsible for overseeing permitting for any project proposing dredge or fill activities within state-assumed waters. The State 404 Program is a separate program from the existing SWFWMD ERP program, and projects within the state-assumed waters require both an ERP and a State 404 Program authorization. The wetlands and surface waters associated with this project would fall under the state-assumed waters definition and therefore would require a permit through this program.

NPDES

40 CFR Part 122 prohibits point source discharges of stormwater to waters of the U.S. without a NPDES permit. Under the State of Florida's delegated authority to administer the NPDES program, construction sites that will result in greater than one acre of disturbance must file for and obtain either coverage under an appropriate generic permit contained in Chapter 62-621, F.A.C., or an individual permit issued pursuant to Chapter 62-620, F.A.C. A major component of the NPDES permit is the development of a Stormwater Pollution Prevention Plan (SWPPP). The SWPPP identifies potential sources of pollution that may reasonably be expected to affect the quality of stormwater discharges from the site and discusses good engineering practices (i.e., best management practices) that will be used to reduce the pollutants.

FWC Gopher Tortoise Relocation Program

At the time of the site reviews, no gopher tortoise burrows were observed within or adjacent to the project limits. However, if gopher tortoises or burrows are found within the project area, Manatee County will coordinate with the FWC to secure all permits needed to relocate the tortoises and associated commensal species prior to construction. FWC requires the excavation and relocation of any gopher tortoise burrows and individuals within the project limits prior to construction. Permits to excavate and relocate tortoises are issued through FWC and would be completed as either a 10 or Fewer Burrows permit or a Conservation permit.

Mitigation

In 2008, the USACE and the EPA issued regulations governing compensatory mitigation for activities authorized by the Department of the Army (Federal Register, 2008). These regulations, as promulgated in 33 Code of Federal Regulations (CFR) Part 332, establish a hierarchy for determining the type and location of compensatory mitigation. To briefly summarize, the rule establishes a preference for the use of mitigation bank credits if a mitigation bank has the appropriate number and resource type of credits available. If the permitted impacts are not in the service area of an approved mitigation bank, or if the appropriate number and resource type of credits are otherwise unavailable, then the rule establishes a preference for in-lieu fee program credits. If an approved mitigation bank or in-lieu fee program cannot be used to provide the required compensatory mitigation, the rule establishes a preference for permittee responsible mitigation conducted under a watershed approach.

Natural Resources Assessment Memo

59th Street West – Cortez Rd to Manatee Avenue

Wetland impacts which will result from the construction of this project will be mitigated pursuant to Section 373.4137, F.S., to satisfy all mitigation requirements of Part IV of Chapter 373, F.S., and 33 U.S.C. §1344. Compensatory mitigation for this project will be completed through the use of mitigation banks and any other mitigation options that satisfy state and federal requirements.

Presently, the study area is located within the service areas of the Long Bar Pointe and Manatee Mitigation Banks. These banks have freshwater herbaceous and forested credits available and are within the South Coastal and Manatee River Drainage Basins. They service Charlotte, Hillsborough, Manatee, and Sarasota Counties. Should the purchase of credits from the Long Bar Pointe or Manatee Mitigation Banks be pursued as a mitigation option for this project, this option would be available to offset all direct impacts for the project.

Implementation Measures

Based on the field and literature reviews outlined in this report, federal- or state-listed protected species have the potential to occur within the project study area. To assure that the proposed project will not adversely impacts these species, Manatee County will adhere to the following:

- Manatee County will perform updated wildlife surveys for the species discussed in this report, and other wildlife species, during the project Design phase to ascertain the involvement, if any, of listed species.
- If gopher tortoises or burrows are found within the project area, Manatee County will coordinate with the FWC to secure all permits needed to relocate the tortoises and associated commensal species prior to construction.
- If a bald eagle nest is observed within 660 feet of the project area, Manatee County will coordinate with the USFWS to secure necessary approvals prior to constructing the project



Natural Resources Assessment Memo

Prepared by: Jeff Hemphill
Kimley-Horn and Associates, Inc.
955 North Franklin Street, Suite 150
Tampa, FL 33602



**Appendix D –
Cultural Resources Memo**



Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

CIP #: 6108360

FINAL October 14, 2021



CONTENTS

Introduction.....	3
Memorandum Purpose.....	3
Resource Identification Methodology	3
Area of Potential Impact Identification.....	3
Methodology and Process.....	5
Resource Identification Results.....	6
Recommendations.....	8

FIGURES

Figure 1: Project Location Map.....	3
Figure 2: 59th St W Area of Potential Effect (APE).....	5
Figure 3: Tanglewood Homes (Source: Google).....	7
Figure 4: MeadowCroft Condominiums (Source: Google).....	7

ATTACHMENTS

Attachment A - Structures in the APE Build In or Before 1981

Introduction

Manatee County is conducting a Project Development & Corridor Study to evaluate a 2.3-mile segment of 59th Street West (59th Street) from Cortez Road/State Road (SR) 684 to Manatee Avenue/SR 64. The project limits are partially within the City of Bradenton and unincorporated Manatee County, Florida, as shown in **Figure 1**. The study will evaluate options for widening the existing 2-lane roadway to a 4-lane roadway with a center left turn lane and/or median in addition to providing an enhanced mobility experience for all users.

Memorandum Purpose

The purpose of this Cultural Resource Assessment Memorandum (CRAM) is to evaluate and summarize the cultural resources within the 59th Street study corridor's Area of Potential Effects (APE) and to assess their significance in terms of eligibility for listing in the National Register of Historic Places (NRHP). As defined in Section 1.1 of the Florida Department of Transportation (FDOT) Cultural Resource Management Handbook, cultural resources are "archaeological sites, historic structures, objects, and districts, which are typically 50 or more years old".

For additional guidance on the analysis of cultural resources, this assessment referred to the National Historic Preservation Act of 1966, as amended, Chapter 267, FS, Chapter 1A-46, FAC (revised August 2002), and FDHR's Cultural Resources Standards and Operational Manual (FDHR 2003). It was also conducted with guidance from with Part 2, Chapter 8 (Archaeological and Historical Resources) of the FDOT PD&E Manual (FDOT, 2020).

Resource Identification Methodology

In order to evaluate potential impacts on cultural resources near the 59th Street project, an Area of Potential Effect (APE) was established. The APE serves as the geographic limits of the area surrounding the project limits that have potential to be affected by the project. Within the APE, data was collected from Manatee County Property Appraiser, the Florida State Historic Preservation Office, and field analysis.

Area of Potential Impact Identification

As defined in 36 CFR Part § 800.16(d), and recognized by Chapter 267, FS, the APE is the "geographic area or areas within which an undertaking may directly or indirectly cause alterations in the character or use of historic properties, if any such properties exist." Based on the scale and nature of the proposed improvements, the project has a limited potential for any indirect (visual or audible) or cumulative effects outside the right-of-way footprint. Therefore, the archaeological and historic/architectural APE was defined as 0.25 mile from the centerline of the 59th Street corridor as shown in **Figure 2**.

Figure 1: Project Location Map

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave





Figure 2: 59th St W Area of Potential Effect (APE)



Methodology and Process

Background research was conducted to gather available information about the cultural resources that have been identified within the APE of the 59th Street corridor. The Florida State Historic Preservation Office (SHPO) was contacted for initial consideration of identifying cultural resources in the Florida Master Site File (FMSF) database, an inventory of significant historical and cultural resources throughout the state.

An inventory of potential eligible resources was developed using additional resources such as the Manatee County Open Data Portal, Manatee County Property Appraiser data, and field visits. Parcel information from the Manatee County Property Appraiser was utilized in order to identify buildings that may be 50 years of age or older by the buildout of this project. Geographic Information Systems (GIS) was used to add geographic data to the inventory and to spatially confirm the cultural resources located within the APE.

To be sure all structures at least 50 years when the project is complete are analyzed, structures built between 1971-1981 were included in the query as they may be over 50 years of age by the anticipated completion of the project. The historical buildings identified by the initial parcel query were then cross-referenced with satellite imagery to confirm the location and architectural style of each property.

The Manatee County Open Data Portal was accessed to collect GIS information about potential cultural resources within the APE of the 59th Street corridor. This portal provided shapefiles that contained the location and details of topics such as the National Register of Historic Places (NHRP), Historical and Archaeological (HA) Overlay Districts, Cemeteries, Parks, and Preserves.

Resource Identification Results

It was determined by SHPO that there were no cultural resources currently identified in the Florida Master Site File within the APE boundaries of the 59th Street project. (See *Figure 2 above*.) Additional sources were used to confirm that there are no culturally significant resources within the APE. These sources included the NRHP GIS shapefile maintained by Manatee County and the NRHP database maintained by the U.S. National Park Service.

Based on the GIS information available through the Manatee County Open Data Portal, no officially designated and protected Historical and Archaeological Overlay Districts fall within the APE of the 59th Street corridor.

According to Section 6.1.3 of the FDOT *Cultural Resource Management Handbook*, cemeteries can contain important cultural and historic significance due to “graves of persons of transcendent importance, from age, from distinctive design features, or from association with historic events”.¹ However, none of the 27 cemeteries located within Manatee County are located within the study corridor’s APE boundary.

Attachment A includes a list of the buildings adjacent to the project corridor that are identified per Manatee County Property Appraiser as having been built in 1981 or prior. These properties are at least or nearing 50 years old and have not been evaluated for NRHP eligibility. None of the items included on this inventory are currently NRHP-recognized or included in the FMSF. Impacted properties should be evaluated during the design phase, and coordination should occur with SHPO. As such, there are no effects anticipated to culturally significant resources throughout the 59th Street improvements.

The APE does include two mature neighborhoods that were initially built in the late 1970’s and have not been evaluated. The Tanglewood Homes community features single family homes built in a ranch architectural style with angled and asymmetrical rooflines indicative of shed style (**Figure 3**). The MeadowCroft Condominiums features multifamily homes built in a mission revival style.

¹ FDOT. 2013. Cultural Resources Handbook. Page 149. Accessed on July 29, 2021 from https://www.fdot.gov/docs/default-source/environment/pubs/cultmgmt/SEMO-CRM-Handbook_2013.pdf

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

Figure 3: Tanglewood Homes (Source: Google)



Figure 4: MeadowCrest Condominiums (Source: Google)



Recommendations

Manatee County's unique cultural and historical richness need to continue to be preserved to allow for reflection and education of the local community and beyond. One of the goals of this evaluation is to limit and ultimately not impact cultural resources along the 59th Street corridor.

It should be noted that the adjacent neighborhoods built in the 1970s have no individual buildings currently eligible for National Register listing and lack distinct and unique features that would make them an exceptional example of neighborhoods planned in that timeframe.

Although there are no existing cultural resources within the APE, potential historic properties should be evaluated by an architectural historian during the design phase. The NRHP eligibility finding can then be coordinated with the SHPO for concurrence.

Attachment A

Structures in the APE Build In or Before 1981

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

Table 1 – Structures in the APE Built in or Before 1981

	Parcel ID	Address	Year Built
1	3818900007	5811 10TH AVENUE DR W	1967
2	3818800009	5818 10TH AVENUE DR W	1969
3	3937414757	5817 11TH AVE W	1978
4	3937413957	5818 11TH AVE W	1977
5	5110810602	5902 34TH AVE W	1981
6	5110810354	5901 35TH AVE W	1980
7	5141300003	5903 40TH AVE W	1977
8	5141900000	5904 42ND AVE W	1981
9	5141900000	5906 42ND AVE W	1981
10	5142000008	5910 42ND AVE W	1981
11	3937420556	1218 58TH ST W	1979
12	3937420606	1220 58TH ST W	1979
13	3937420655	1222 58TH ST W	1979
14	3937420705	1224 58TH ST W	1979
15	3937420754	1226 58TH ST W	1979
16	3937420804	1228 58TH ST W	1979
17	3937420853	1230 58TH ST W	1979
18	3937420903	1232 58TH ST W	1979
19	3937418659	1234 58TH ST W	1978
20	3937418709	1236 58TH ST W	1978
21	3937418758	1238 58TH ST W	1978
22	3937418808	1240 58TH ST W	1978
23	3937418857	1242 58TH ST W	1978
24	3937418907	1244 58TH ST W	1978
25	3937418956	1246 58TH ST W	1978
26	3937419004	1248 58TH ST W	1978
27	3937416406	1302 58TH ST W	1977
28	3937416455	1304 58TH ST W	1977
29	3937416505	1306 58TH ST W	1977
30	3937416554	1308 58TH ST W	1977
31	3937416604	1310 58TH ST W	1977
32	3937416653	1312 58TH ST W	1977
33	3937416703	1314 58TH ST W	1977
34	3937416752	1316 58TH ST W	1977
35	3937412900	1403 58TH ST W	1975
36	3937412959	1404 58TH ST W	1975
37	3937413007	1405 58TH ST W	1975
38	3937413056	1406 58TH ST W	1975
39	3937413106	1407 58TH ST W	1975
40	3937413155	1408 58TH ST W	1975
41	3937413205	1409 58TH ST W	1975
42	3937413254	1410 58TH ST W	1975
43	3937413304	1411 58TH ST W	1975
44	3937413353	1412 58TH ST W	1975
45	3937413403	1413 58TH ST W	1975

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

	Parcel ID	Address	Year Built
46	3937413452	1414 58TH ST W	1975
47	3937413502	1415 58TH ST W	1975
48	3937413551	1416 58TH ST W	1975
49	3937413601	1417 58TH ST W	1975
50	3937413650	1418 58TH ST W	1975
51	3780700005	908 59TH ST W	1973
52	3780800003	912 59TH ST W	1973
53	3937800500	916 59TH ST W	1973
54	3937800450	920 59TH ST W	1973
55	3937800401	924 59TH ST W	1973
56	3937800351	928 59TH ST W	1973
57	3937800302	1004 59TH ST W	1973
58	3937800252	1008 59TH ST W	1973
59	3937800203	1012 59TH ST W	1974
60	3937800153	1016 59TH ST W	1974
61	3937800104	1020 59TH ST W	1974
62	3937800708	1108 59TH ST W	1974
63	3937800658	1204 59TH ST W	1974
64	3937800609	1208 59TH ST W	1974
65	3937800559	1212 59TH ST W	1973
66	5141400001	4012 59TH ST W	1977
67	5141400001	4014 59TH ST W	1977
68	5141500008	4020 59TH ST W	1961
69	5141600006	4028 59TH ST W	1970
70	5141600006	4030 59TH ST W	1970
71	5141700004	4108 59TH ST W	1971
72	5141700004	4110 59TH ST W	1971
73	5141800002	4116 59TH ST W	1971
74	5141800002	4118 59TH ST W	1971
75	5130200008	4230 59TH ST W	1968
76	5110810552	3401 60TH ST W	1981
77	5110810503	3405 60TH ST W	1981
78	5110810453	3501 60TH ST W	1980
79	5110810404	3505 60TH ST W	1981
80	3782816205	5902 7TH AVE W	1979
81	3782816254	5904 7TH AVE W	1979
82	3782816304	5906 7TH AVE W	1979
83	3782816353	5908 7TH AVE W	1979
84	3782816403	5910 7TH AVE W	1979
85	3782816452	5912 7TH AVE W	1979
86	3782816502	5914 7TH AVE W	1979
87	3782816551	5916 7TH AVE W	1979
88	3782816601	5918 7TH AVE W	1979
89	3782816650	5920 7TH AVE W	1979
90	3782816700	5922 7TH AVE W	1979
91	3782816759	5924 7TH AVE W	1979

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

	Parcel ID	Address	Year Built
92	3782816809	5926 7TH AVE W	1979
93	3782816858	5928 7TH AVE W	1979
94	3782816908	5930 7TH AVE W	1979
95	3782816957	5932 7TH AVE W	1979
96	3782817005	5934 7TH AVE W	1979
97	3782817054	5936 7TH AVE W	1979
98	3782817104	5938 7TH AVE W	1979
99	3782817153	5940 7TH AVE W	1979
100	3782817203	5942 7TH AVE W	1979
101	3782817252	5944 7TH AVE W	1979
102	3782817302	5946 7TH AVE W	1979
103	3782817351	5948 7TH AVE W	1979
104	3782817401	5950 7TH AVE W	1979
105	3782817450	5952 7TH AVE W	1979
106	3782817500	5954 7TH AVE W	1979
107	3782817559	5956 7TH AVE W	1979
108	3782817609	5958 7TH AVE W	1979
109	3782817658	5960 7TH AVE W	1979
110	3782817708	5962 7TH AVE W	1979
111	3782817757	5964 7TH AVE W	1979
112	3782817807	5966 7TH AVE W	1979
113	3782817856	5968 7TH AVE W	1979
114	3811000003	5811 7TH AVENUE DR W	1974
115	3810700009	5812 7TH AVENUE DR W	1974
116	3810900005	5815 7TH AVENUE DR W	1974
117	3777200001	5905 7TH AVENUE DR W	1971
118	3775400009	5906 7TH AVENUE DR W	1973
119	3777300009	5911 7TH AVENUE DR W	1960
120	3775500006	5912 7TH AVENUE DR W	1960
121	3813600008	5817 8TH AVENUE DR W	1977
122	3813500000	5818 8TH AVENUE DR W	1973
123	3780600007	5905 8TH AVENUE DR W	1961
124	3780400002	5906 8TH AVENUE DR W	1973
125	3816100006	5817 9TH AVENUE DR W	1967
126	3816000008	5818 9TH AVENUE DR W	1977
127	3947712356	2304 FALCON CT	1979
128	3947712406	2402 FALCON CT	1979
129	3947712455	2406 FALCON CT	1979
130	3947712505	2410 FALCON CT	1979
131	3947712604	2502 SONGBIRD LN	1979
132	3947712653	2506 SONGBIRD LN	1979
133	3782800109	600 59TH ST W	1979
134	3801610509	615 59TH ST W	1977
135	3938210154	1410 59TH ST W	1978
136	3938400052	1700 59TH ST W	1981
137	3948010008	2103 59TH ST W	1979

Cultural Resources Memo

59th Street West – Cortez Rd to Manatee Ave

	Parcel ID	Address	Year Built
138	3948010008	2105 59TH ST W	1979
139	3948030006	2109 59TH ST W	1977
140	5130100000	4220 59TH ST W	1978
141	5130300006	4236 59TH ST W	1979
142	5144210001	4300 59TH ST W	1979
143	5166300003	5861 CORTEZ RD W	1960
144	3782800109	5905 MANATEE AVE W	1979



Cultural Resources Memo

Prepared by Marc Ispass, AICP
Kimley Horn and Associates, Inc.
1777 Main Street, Suite 800
Sarasota, FL 34236



**Appendix E –
Potential Contamination Screening Memo**



Potential Contamination Screening Memo

59th Street West – Cortez Road to Manatee Avenue

CIP #: 6108360

FINAL October 14, 2021



CONTENTS

Introduction.....	3
Memorandum Purpose.....	3
Findings and Summary.....	5
Aerial Photograph and City Directory Review.....	5
Environmental Database Review	5
Current Conditions.....	6
Conclusions.....	6
Recommendations.....	7

FIGURES

Figure 1: Project Location Map	4
--------------------------------------	---

ATTACHMENTS

Attachment A – Historic Aerials & City Directories

Attachment B – ERIS Database Report

Attachment C - FDEP’s Map Direct Database

Introduction

Manatee County is conducting a Project Development & Corridor Study to evaluate a 2.3-mile segment of 59th Street West (59th Street) from Cortez Road/State Road (SR 684) to Manatee Avenue/SR 64. The project limits are partially within the City of Bradenton and unincorporated Manatee County, Florida, as shown in **Figure 1**. The study will evaluate options for widening the existing 2-lane roadway to a 4-lane roadway with a center left turn lane and/or median in addition to providing an enhanced mobility experience for all users

Memorandum Purpose


The purpose of this Potential Contamination Screening Memo is to document historical and environmental regulatory information that would be indicative of potential environmental hazards in connection with the project corridor. This is particularly important in areas where excavation activities would be most likely to occur (e.g., storm drainage modifications and traffic signal improvements). The scope of the evaluation consisted of the following tasks:

- Review of historical aerial photographs (1940, 1951, 1957, 1962, 1970, 1979, 1984, 1994, 1998, 2005, 2006, 2010, 2013, 2015, 2017 and 2019).
- Review of historical city reverse directories.
- Review of local, state, and federal records of known potentially hazardous waste sites or landfills, and sites currently under investigation for environmental violations, including any underground storage tanks (ERIS database report dated July 1, 2021)
- Review of Florida Department of Environmental Protection (FDEP) databases (Map Direct: <https://ca.dep.state.fl.us/mapdirect/>)
- Review other pertinent and readily available environmental records for adjacent properties.
- Conduct a site inspection.

Potential Contamination Screening Memo

59th Street West– Cortez Road to Manatee Avenue

Figure 1: Project Location Map



Findings and Summary

Aerial Photograph and City Directory Review

Kimley-Horn reviewed aerial photographs and city directories provided by Environmental Resource Information Services (ERIS) for the project corridor. Prior to 1970, the project corridor was primarily undeveloped land both east and west of 59th Street. Since the 1970s, the project corridor has been developed as roadway with adjacent commercial and residential use. Development along 59th Street was heavily commercial and residential use in the 1980's and continued to steadily develop until the 2010's. Prior to the 1980's, the commercial space was primarily owned by individuals. By the late 1990's, the commercial space began to be used by religious organizations, medical offices, financial business and general consumer stores. City directories reviewed did not identify any occupants that are of an environmental concern. The aerial photographs and city directories are provided in **Attachment A**.

Environmental Database Review

The environmental database (**Attachment B**) provided by ERIS was reviewed for facilities with identified contamination, within 500 feet of the project corridor, that could impact the planned project corridor activities. Facilities identified in the database report are described below:

- 2020 59th Street West Bradenton, FL, 34209-4604 – Blake Medical Center – Leaking Tank (LST)/ Above Ground Storage Tank (AST)/ Underground Storage Tank (UST)

According to the ERIS database, Blake Medical Center (Fac. ID No. 9046028) reported discharge of fuel oil for onsite heating in October 1995. Cleanup of this discharge has been completed and the facility was issued a Site Rehabilitation Completion Order (SRCO) on 03/19/2019. This facility contains five tanks, one UST (Tank ID: 1) and four ASTs (Tank ID: 2, 3, 4 and 5). Tank 1 consists of a 10,000-gallon tank installed on 07/01/1973 that is currently not in service and remains at the site. Tanks 2, 3, 4 and 5 are 1,500, 2,000, 8,000, and 2,000-gallon diesel fuel tanks, respectively. Tank 2 was installed on 07/01/1973 and has been removed from the site. Tanks 3, 4, and 5 were installed on 12/01/1995, and are made of double-walled steel that are currently in service. Based on the regulatory status of this facility, it is considered a Low Risk. (Map Key – 3, Facility ID: 9046028)

- 5904 Cortez Rd West Bradenton, Fl, 34210-2705 – Amoco Gas Station – LST/ UST

According to the ERIS database, an Amoco gas station is located on the northwest corner of Cortez Road and 59th Street. This facility had two reported discharges occurring on 12/19/1988 and 3/05/1990. The 1988 discharge was eligible for State cleanup funding through the Early Detection Incentive (EDI) Program, and cleanup activities begun. A second discharge occurred in 1990; however, this discharge was not eligible for cleanup funding, but is listed as complete in June 2010. Historically, this facility contained four other USTs (Tank ID: 1, 2, 3 and 4), 10,000, 8,000, 8,000, and 4,000-gallons, respectively. Tanks 1, 2, 3, and 4 are no longer in use and have been removed from the site. Currently there are two, 12,000 gallon underground storage tanks

Potential Contamination Screening Memo

59th Street West– Cortez Road to Manatee Avenue

(Tank ID: 1R and 2R) that were installed on 5/01/2009. Tank 1R is used to store unleaded gas and Tank 2R is used to store diesel gas. Contaminants of concern are naphthalene, 1-methylnaphthalene and 2-methylnaphthalene, and appear to be migrating toward the south on that property. Based on the current regulatory status and location from the project corridor, this facility is considered a Medium Risk. (Map Key – 11) (Facility ID: 8510822)

- 5818 Manatee Avenue West Bradenton, FL, 34209-2541 – Westway Services LLC – LST/UST

According to the ERIS database, Westway Services LLC, located on the northeast corner of Manatee Avenue and 59th Street, reported an unleaded gasoline discharge on 12/15/1998. The facility was found eligible for State Cleanup funding through the Petroleum Liability and Restoration Insurance Program (PLIRP) with a cleanup priority score of 6. Cleanup activities are currently ongoing. Currently, this facility contains one 20,000-gallon unleaded gas tank (Tank ID: 5) that was installed on 3/01/2010. Historically, this facility contained four USTs (Tank ID: 1, 2, 3 and 4) that were 10,000, 6,000, 8,000, and 1,000-gallons in size, respectively. Tanks 1, 2, and 3 stored gas for vehicles and Tank 4 stored waste oil. These tanks have been removed from the site. Groundwater flow at this facility is toward the northwest, and the groundwater plume appears to be limited to within the property boundary of this facility. Contaminants of concern are volatile organic aromatics (VOAs) and naphthalene. Based on the regulatory status of this facility, documented contaminant plume, and location from the project corridor, this facility is considered a Medium Risk. (Map Key – 13, Facility ID: 8510863)

Current Conditions

Kimley-Horn visited the project corridor on August 17, 2021 and no environmental concerns were identified during the site visit.

Review of Readily Available Environmental Reports

Kimley-Horn performed a desktop review of FDEP's Map Direct Database (**Attachment C**). Results of the review identified the same facilities that the ERIS database provided.

Depth to Shallow Groundwater for the Project Corridor

Based on the topographic relief and location within Manatee County, groundwater is anticipated to be encountered 3-7 feet below land surface.

Conclusions

Based on available information, the following facilities are considered a Medium Risk due to existing groundwater plumes:

- 5904 Cortez Rd West Bradenton, FL, 34210-2705 – Amoco Gas Station – LST/ UST
- 5818 Manatee Avenue West Bradenton, FL, 34209-2541 – Westway Services LLC – LST/UST

Recommendations

Should dewatering be required for the proposed changes in the area of the two identified regulated facilities, dewatering operations must obtain a NPDES Generic Permit for Discharge of Groundwater. Dewatering operations in areas identified with contamination issues require treatment of effluent to limits and requirements specified in the NPDES Generic Permit.

Attachment A – Historic Aerials & City Directories



HISTORICAL **AERIALS**

Project Property: 59th St. Corridor
59th St W
Bradenton FL 34209

Requested By: Kimley-Horn & Associates, Inc

Order No: 21062500523

Data Completed: June 28,2021


Date	Source	Scale	Comments
2019	National Agriculture Information Program	1" to 1400'	
2017	National Agriculture Information Program	1" to 1400'	
2015	National Agriculture Information Program	1" to 1400'	
2013	National Agriculture Information Program	1" to 1400'	
2010	National Agriculture Information Program	1" to 1400'	
2006	National Agriculture Information Program	1" to 1400'	
2005	National Agriculture Information Program	1" to 1400'	
1998	US Geological Survey	1" to 1400'	
1994	US Geological Survey	1" to 1400'	
1984	National High Altitude Photography	1" to 1400'	
1979	US Geological Survey	1" to 1400'	Best Copy Available
1970	Agriculture and Soil Conservation Service	1" to 1400'	
1962	US Geological Survey	1" to 1400'	Best Copy Available
1957	Agriculture and Soil Conservation Service	1" to 1400'	
1951	Agriculture and Soil Conservation Service	1" to 1400'	
1940	Agriculture and Soil Conservation Service	1" to 1400'	

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

one inch




Year: 2019
Source: NAIP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch




Year: 2017
Source: NAIP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch



Year: 2015

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: NAIP


Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:



one inch




Year: 2013
Source: NAIP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch




Year: 2010
Source: NAIP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch




Year: 2006
Source: NAIP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch



Year: 2005

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: NAIP


Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:



one inch



Year: 1998

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: USGS


Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:



one inch



Year: 1994

Address: 59th St W, Bradenton, FL

Order No: 21062500523


Source: USGS

Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:






Year: 1984
Source: NHAP
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch



Year: 1979

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: USGS

Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment: Best Copy Available



one inch



Year: 1970
Source: ASCS
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523





Year: 1962

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: USGS

Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment: Best Copy Available



one inch



Year: 1957
Source: ASCS
Scale: 1" to 1400'
Comment:

Address: 59th St W, Bradenton, FL
Approx Center: -82.62045915,27.47926867

Order No: 21062500523



one inch 



Year: 1951

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: ASCS


Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:



one inch



CDO 2 27

Year: 1940

Address: 59th St W, Bradenton, FL

Order No: 21062500523

Source: ASCS

Approx Center: -82.62045915,27.47926867

Scale: 1" to 1400'

Comment:





CITY
DIRECTORY

Project Property: *59th St. Corridor
59th St W
Bradenton, FL 34209*

Project No: *148400073*

Requested By: *Kimley-Horn & Associates, Inc*

Order No: *21062500523*

Date Completed: *June 30, 2021*

June 30, 2021
RE: CITY DIRECTORY RESEARCH
59th St. Corridor
59th St W Bradenton, FL

Thank you for contacting ERIS for an City Directory Search for the site described above. Our staff has conducted a reverse listing City Directory search to determine prior occupants of the subject site and adjacent properties. We have provided the nearest addresses(s) when adjacent addresses are not listed. If we have searched a range of addresses, all addresses in that range found in the Directory are included.

Note: Reverse Listing Directories generally are focused on more highly developed areas. Newly developed areas may be covered in the more recent years, but the older directories will tend to cover only the "central" parts of the city. To complete the search, we have either utilized the ACPL, Library of Congress, State Archives, and/or a regional library or history center as well as multiple digitized directories. These do not claim to be a complete collection of all reverse listing city directories produced.

ERIS has made every effort to provide accurate and complete information but shall not be held liable for missing, incomplete or inaccurate information. To complete this search we used the general range(s) below to search for relevant findings. If you believe there are additional addresses or streets that require searching please contact us at 866-517-5204.

Search Criteria:

400-End of 59th Street West

Search Results Summary

Date	Source	Comment
2020	DIGITAL BUSINESS DIRECTORY	
2016	DIGITAL BUSINESS DIRECTORY	
2012	DIGITAL BUSINESS DIRECTORY	
2008	DIGITAL BUSINESS DIRECTORY	
2003	DIGITAL BUSINESS DIRECTORY	
1998	DIGITAL BUSINESS DIRECTORY	
1992	POLKS	
1987	POLKS	
1981-1982	POLKS	
1977	POLKS	
1972	POLKS	
1967	POLKS	
1964	POLKS	
1960	POLKS	
1955	POLKS	
1950	POLKS	
1945	POLKS	
1939	POLKS	
1936	POLKS	
1931	POLKS	
1927	POLKS	

237 total records. Part 1 of 5

400 SCHOLFIELD REALTY INC...Real Estate
 400 SCHOLFIELD REALTY INC...Real Estate Management
 400 SCHOLFIELD REALTY INC...Real Estate Consultants
 615 BLESSED DISTRESSED VINTAGE...Antiques-dealers
 623 NEW AGE TECH SOLUTIONS INC...Computer & Equipment Dealers
 623 NEW AGE TECH SOLUTIONS INC...Computer Software
 1220 BRADENTON PLASTIC SURGERY...Medical & Surgical Svc Organizations
 1220 BRADENTON PLASTIC SURGERY...Physicians & Surgeons
 1220 UNIVERSAL WELLN ESS GROUP...Physicians & Surgeons
 1400 DE GROAT THOMAS S MD...Physicians & Surgeons
 1410 ORAL MAXILLOFACIAL SURGERY...Physicians & Surgeons
 1410 POLIS JR CHARLES T MD...Physicians & Surgeons
 1414 CHARLES-LOGAN CONSTANCE MD...Dentists
 1416 BEARD JEFFREY S MD...Physicians & Surgeons
 1416 BEARD MARGITA V MD...Physicians & Surgeons
 1416 CATALANO & FUGHUM PA...Physicians & Surgeons
 1416 CATALANO PHILIP M MD...Physicians & Surgeons
 1450 BELLINO ROBERT J MD...Physicians & Surgeons
 1450 BENDER ALBERT ALAN...Counselors
 1450 BENDER ALBERT ALAN...Counselorscouples
 1450 GRUBBS INSURANCE...Insurance-homeowners
 1450 GRUBBS DARA...Insurance-automobile
 1450 LIFECARE MANAGEMENT INC...Business Management Consultants
 1500 TINSWORTH ORTHODONTICS...Dentists
 1500 TINSWORTH ORTHODONTICS...Federal Government Contractors
 1500 TINSWORTH STEVEN DDS...Dentists
 1616 CHURCH OF THE NAZARENE...Missions
 1616 CHURCH OF THE NAZARENE...Churches
 1616 FAMILY LIFE COMMUNITY SCHOOL...Schoolsuniversities & Colleges Academic
 1616 FAMILY LIFE COMMUNITY SCHOOL...Child Care Service
 1616 FAMILY LIFE COMMUNITY SCHOOL...Religious Schools
 1616 FAMILY LIFE COMMUNITY SCHOOL...Schools
 1700 WELLS FARGO BANK...Real Estate Loans
 1700 WELLS FARGO BANK...Banks
 1700 WELLS FARGO BANK...Savings & Loan Associations
 1700 WELLS FARGO BANK...Credit Unions
 1802 EYE DEPOT...Nonclassified Establishments
 1802 FLORIDA HOME HEALTH...Health Care Alternatives
 1802 FLORIDA HOME HEALTH...Home Health Service
 1802 FLORIDA HOME HEALTH...Nurses & Nurses' Registries
 1804 EMERGENCY INNOVATIVE SVC LLC...Services Nec
 1810 LAUKHUF EVA MD...Physicians & Surgeons
 1810 LAUKHUF EVA MD...Medical & Surgical Svc Organizations
 1814 BRADENTON WOMEN'S CARE...Physicians & Surgeons
 1814 MANATEE ORAL & FACIAL CTR...Dentists
 1824 DAVID M WILLIAMS ENTERPRISES...Grocerswholesale
 1824 DAVID M WILLIAMS ENTERPRISES...Pharmacies
 1826 EDWARD JONES...Financial Advisory Services
 1828 PIONEER GREEN USA...Pharmacies
 1830 NICKI'S WEST 59TH RESTAURANT...Restaurants
 1830 NICKI'S WEST 59TH RESTAURANT...Foodscarry Out
 1838 EDWARD JONES...Financial Advisory Services
 1838 EDWARD JONES...Financial Planning Consultants

Part 2 of 5

1838 GREENBRIER MASTECTOMY...Artificial Breasts
 1850 DESAI, KINNARI P MD...Medical & Surgical Svc Organizations
 1850 DESAI, KINNARI P MD...Physicians & Surgeons
 1850 GRATHWOHL, TRACY LYNN NP...Nurses-practitioners
 1880 LEGACY PHYSICAL THRPY & SPORTS...Physical Therapists
 1882 ALL ABOUT KIDS PEDIATRIC...Physicians & Surgeons
 1882 THOMPSON, LESLIE DDS...Dentists
 1884 ADDICTION TREATMENT CTR-MED...Substance Abuse Centers
 1884 PERRONE, MARIA RN...Nurses & Nurses' Registries
 1884 PERRONE, VINCENZO MD...Physicians & Surgeons
 1884 PERRONE, VINCENZO MD...Medical & Surgical Svc Organizations
 1884 PROTEIN FIT DIET WEIGHT LOSS...Weight Control Services
 1886 BELSITO, ALPHONSO A MD...Physicians & Surgeons
 1886 FEDOR, BRITNEY M PA...Physicians Assistants
 1886 GASTROENTEROLOGY ASSOCIATES...Physicians & Surgeons
 1886 GASTROENTEROLOGY ASSOCIATES...Medical & Surgical Svc Organizations
 1886 HILLESHEIM, ANGELA C...Nurses-practitioners
 1886 HYDE, TAMMIE NP...Nurses-practitioners
 1886 JEFFREYS, CHANTIL D NP...Nurses-practitioners
 1886 LAPRADE, MARY ELLEN...Nurses-practitioners
 1894 BLAKE MEDICAL CTR OUTPATIENT...X-ray Laboratories Medical & Dental
 1894 BLAKE MEDICAL CTR OUTPATIENT...Physicians & Surgeons
 1894 BLAKE MEDICAL CTR OUTPATIENT...Physical Therapists
 1894 BLAKE MEDICAL CTR OUTPATIENT...Exercise & Physical Fitness Programs
 1902 CASA MORA REHAB EXTENDED CR...Convalescent Homes
 1902 CASA MORA REHAB EXTENDED CR...Skilled Nursing Care Facilities
 1902 CASA MORA REHABILITATION...Rehabilitation Services
 1902 CASA MORA REHABILITATION...Crisis Intervention Service
 1902 EXTENDICARE HEALTH NETWORK...Residential Care Homes
 1902 EXTENDICARE HEALTH NETWORK...Health Services
 1906 BAYVIEW DENTAL ASSOC...Dentists
 1906 BAYVIEW DENTAL ASSOC...Federal Government Contractors
 1906 BLAKE DENTAL/PROFESSIONAL PARK...Dentists
 1906 BURGESS, GEORGE H DDS...Cosmetic Dentistry
 1906 BURGESS, GEORGE H DDS...Dentists
 1906 BURGESS, GEORGE H DDS...Federal Government Contractors
 1906 ELFERVIG, MARK T DDS...Dentists
 1906 MUNOZ LATORRE, SONJA DDS...Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Federal Government Contractors
 1906 PERIODONTAL SPECIALISTS...Dentists
 1906 PLACHERIL, LILLIBET M MD...Physicians & Surgeons
 1906 RICHMOND, H JOHN DDS...Dentists
 1906 SABLE, RICHARD P DDS...Dentists
 1906 THOMAS G RUBINO PA...Dentists
 1906 THOMAS G RUBINO PA...Federal Government Contractors
 1906 VOGT, MISSY...Dental Hygienists
 1906 WAITE, CYNTHIA...Dental Hygienists
 2010 AMERICAN HEALTH ASSOC...Social Service & Welfare Organizations
 2010 BELLA VIVA MEDSPA...Spas-beauty & Day
 2010 BLAKE MEDICAL CTR BREAST CARE...Physicians & Surgeons
 2010 BLAKE MEDICAL CTR BREAST CARE...Medical Centers

Part 3 of 5

2010 **BLAKE MEDICAL CTR BREAST CARE...**General Medical & Surgical Hospitals
 2010 **BLAKE MEDICAL CTR THE HEART...**General Medical & Surgical Hospitals
 2010 **BOSE, ANGELA ANN...**Nurses-licensed-anesthetist
 2010 **BRADENTON HEART CTR...**Physicians & Surgeons
 2010 **BRADENTON HEART CTR...**Medical & Surgical Svc Organizations
 2010 **BRADENTON TRAUMA & SURGERY CTR...**Physicians & Surgeons
 2010 **DISH NETWORK...**Television-cable & Catv
 2010 **DOW, AMY...**Nurses-practitioners
 2010 **GIBSON, TOBIAS Q MD...**Physicians & Surgeons
 2010 **H C A BRADENTON HEART CTR...**Physicians & Surgeons
 2010 **HALL, AIMEE S...**Nurses-practitioners
 2010 **HARDWICKE, SAMANTHA...**Physicians Assistants
 2010 **LIEBERMAN, L J MD...**Physicians & Surgeons
 2010 **MCWI...**Nonclassified Establishments
 2010 **NOVA CLINICAL RESEARCH LLC...**Marketing Research & Public Opinion Polling
 2010 **RIVERA, ENRIQUE MD...**Physicians & Surgeons
 2010 **RIVERA, ENRIQUE MD...**Medical & Surgical Svc Organizations
 2020 **BLAKE MEDICAL CTR...**Hospitals
 2020 **BLAKE MEDICAL CTR...**Nursing & Convalescent Homes
 2020 **BLAKE MEDICAL CTR...**Drug Abuse & Addiction Info & Treatment
 2020 **BLAKE MEDICAL CTR...**Nonprofit Organizations
 2020 **BULLEY, DAVID A MD...**Physicians & Surgeons
 2020 **BULLOCK, CHRISTINA A...**Nurses-licensed-anesthetist
 2020 **DEVRIES, JENNIFER M...**Nurses-licensed-anesthetist
 2020 **EKG PANEL OF BLAKE...**Offices Of Physicians (exc Mental Health Specs)
 2020 **EKG PANEL OF BLAKE...**Medical & Surgical Svc Organizations
 2020 **GIBSON, TOBIAS Q MD...**Physicians & Surgeons
 2020 **HERNANDEZ, JUAN C MD...**Physicians & Surgeons
 2020 **HERNANDEZ, JUAN C MD...**Medical & Surgical Svc Organizations
 2020 **HIERHOLZER, DANNY M DO...**Physicians & Surgeons
 2020 **HIERHOLZER, DANNY M DO...**Medical & Surgical Svc Organizations
 2020 **JOINT CARE CTR...**Clinics
 2020 **KANAPATHIPPILL, NARRANI MD...**Physicians & Surgeons
 2020 **KHAN, AYESHA F MD...**Physicians & Surgeons
 2020 **KHAN, AYESHA F MD...**Medical & Surgical Svc Organizations
 2020 **MANDERSCHIED, RITA M...**Nurses-practitioners
 2020 **MANDERSCHIED, RITA M...**Nurses-practitioners
 2020 **MATHEW, JERRY MD...**Physicians & Surgeons
 2020 **NAJJAR, BRYAN A PA...**Physicians Assistants
 2020 **NEILANDS, PAMELA S MD...**Physicians & Surgeons
 2020 **PACE, JOSEPH N MD...**Physicians & Surgeons
 2020 **PENICO III, PETER MD...**Physicians & Surgeons
 2020 **RASHID, TARIQ MD...**Physicians & Surgeons
 2020 **RASMUSSEN, HEATHER M...**Nurses-licensed-anesthetist
 2020 **RUPERTO-SWALLS, JASHIRA...**Physicians Assistants
 2020 **SINGH, DILPREET MD...**Medical & Surgical Svc Organizations
 2020 **SINGH, DILPREET MD...**Physicians & Surgeons
 2020 **SNYDER, ASHLEY...**Physicians Assistants
 2020 **SNYDER, ASHLEY...**Physicians & Surgeons
 2020 **VAN VLIET, MICHAEL M MD...**Physicians & Surgeons
 2020 **WARNER, TRACEY G...**Nurses-practitioners
 2020 **WHELAN, BLANNIE M NP...**Nurses-practitioners

Part 4 of 5

2020 **WILLIAMS, KARIN ANN...**Speech Pathologists
 2020 **ZIMMERMAN, WESTON B DO...**Physicians & Surgeons
 2102 **BANK OF THE OZARKS...**Real Estate Loans
 2102 **BANK OF THE OZARKS...**Commercial Banking
 2103 **DIAZ, LYDIA...**Dental Hygienists
 2103 **JUNGMAN, DOUGLAS C DDS...**Dentists
 2104 **BENZER PHARMACY...**Pharmacies
 2105 **INTERNATIONAL MEDICAL LAB INC...**Laboratories-medical
 2107 **FAMILY MEDICAL CARE LLC...**Medical & Surgical Svc Organizations
 2107 **FAMILY MEDICAL CARE LLC...**Physicians & Surgeons
 2107 **TANGLEWOOD FAMILY DENTAL...**Dentists
 2107 **TANGLEWOOD FAMILY DENTAL...**Federal Government Contractors
 2107 **WARNKEN, REBECCA L DDS...**Dentists
 2109 **ARROJO, GUSTAVO B MD...**Physicians & Surgeons
 2111 **FABRE, DAVID D DDS...**Dentists
 2215 **ACUPUNCTURE HERBAL SOLUTIONS...**Dentists
 2215 **ACUPUNCTURE HERBAL SOLUTIONS...**Freestanding Ambulatory Surgical & Emergency Ctrs
 2215 **AULL, SUSAN MD...**Physicians & Surgeons
 2215 **AULL, SUSAN MD...**Medical & Surgical Svc Organizations
 2215 **NATURAL HEALING ARTS MED CTR...**Chiropractors Dc
 2215 **NATURAL HEALING ARTS MED CTR...**Massage Therapists
 2221 **CATASTROPHE TRAINING CTR...**Attorneys
 2221 **CATASTROPHE TRAINING CTR...**Insurance Adjusters
 2221 **IMS CLAIM SVC INC...**Insurance Adjusters
 2221 **IMS CLAIM SVC INC...**Attorneys
 2225 **HASARA, LAWRENCE C MD...**Physicians & Surgeons
 2225 **HYNTON, J ROBERT DDS...**Dentists
 2227 **BURKHART, YVONNE...**Nurses & Nurses' Registries
 2227 **PALMA SOLA MEDICAL ASSOC...**Physicians & Surgeons
 2227 **PALMA SOLA MEDICAL ASSOC...**Medical & Surgical Svc Organizations
 2227 **STRANJAC, ADISA DPT...**Physical Therapists
 2302 **HERITAGE PARK CARE & REHAB...**Nursing & Convalescent Homes
 2302 **HERITAGE PARK CARE & REHAB...**Nonprofit Organizations
 2902 **ADVANCED DERMATOLOGY-COSMETIC...**Physicians & Surgeons
 2902 **ADVANCED DERMATOLOGY-COSMETIC...**Offices Of Physicians (exc Mental Health Specs)
 2902 **BRADENTON ENDOSCOPY CTR...**Physicians & Surgeons
 2902 **CHRISTIAN, DAVID J DDS...**Dentists
 2902 **DAVID, CHRISTIAN DDS...**Dentists
 2902 **DAVID, CHRISTIAN J DDS...**Offices Of Dentists
 2902 **FAMILY MEDICAL CARE LLC...**Health Care Facilities
 2902 **GHAFFHAICHI & PETROSINO...**Physicians & Surgeons
 2902 **HANUSA, JAMES J MD...**Physicians & Surgeons
 2902 **HCA HEALTHCARE...**Health Care Management
 2902 **HCA HOLDINGS INC...**Holding Companies (non-bank)
 2902 **HELP AT HOME HOMECARE LLC...**Home Health Service
 2902 **KIRKLAND, MARGARET DDS...**Dentists
 2902 **LEAVITT MEDICAL ASSOC OF FL...**Dermatologists
 2902 **LEAVITT MEDICAL ASSOC OF FL...**Physicians & Surgeons
 2902 **LEVITT, STEPHAN MD...**Physicians & Surgeons
 2902 **LUCAS GROUP INSURANCE...**Insurance-automobile
 2902 **LUCAS GROUP INSURANCE...**Insurance-automobile
 2902 **ROSE, GAIL DC...**Acupuncture

Part 5 of 5

2902 WOOSLEY, KERRY DC...Chiropractors Dc
 2902 YATHIRAJ, SANJAY MD...Physicians & Surgeons
 3801 W D SUGG MIDDLE SCHOOL...Schools
 3801 W D SUGG MIDDLE SCHOOL...Schoolsuniversities & Colleges Academic
 3805 HARBOUR COMMUNITY CHURCH...Religious Organizations
 3805 MANATEE COUNTY YMCA...Restaurants
 3805 MANATEE COUNTY YMCA...Youth Organizations & Centers
 3805 MANATEE COUNTY YMCA...Clubs
 3805 YMCA...Federal Government Contractors
 3805 YMCA...Youth Organizations & Centers
 3805 YMCA...Associations
 3805 YMCA...Clubs
 3805 YMCA...Social Service & Welfare Organizations
 3809 JUST FOR GIRLS...Federal Government Contractors
 3809 JUST FOR GIRLS...Community Action Agencies
 4207 BRADENTON PODIATRIST...Podiatrists
 4208 7-ELEVEN...Convenience Stores
 4208 7-ELEVEN...Grocers-retail
 4211 HUNGRY HOWIE'S PIZZA...Pizza
 4230 BARB SLAVIK LMT...Other Personal Care Services
 4230 NU COMPLEXIONS NEW OWNERS LLC...Beauty Salons
 4230 PAMPERED HAIR...Beauty Salons
 4236 A ACCREDITED COUNSELING SVC...Counseling Services
 4236 DEVELOPMENTAL PSYC CTR...Psychiatric Treatment Facilities
 4236 JAMES, RICHARD L MD...Physicians & Surgeons
 4236 STACHO, DAVE...Other Individual & Family Services
 4236 WILLEY, BRIE-ANNA...Counselors
 4236 WILLEY, BRIE-ANNA...Counselorscouples

169 total records. Part 1 of 4

400 SCHOLFIELD REALTY INC...Real Estate
 400 SCHOLFIELD REALTY INC...Real Estate Management
 615 PREZTIGE...Nonclassified Establishments
 623 NEW AGE TECH SOLUTIONS INC...Computer & Equipment Dealers
 916 ADVANCED COPY SVC LLC...Copying Machines-service & Repair
 1220 BRADENTON PLASTIC SURGERY...Physicians & Surgeons
 1400 DE GROAT THOMAS S MD...Physicians & Surgeons
 1410 POLIS JR CHARLES T MD...Physicians & Surgeons
 1414 CHARLES-LOGAN CONSTANCE MD...Dentists
 1416 BEARD JEFFREY S MD...Physicians & Surgeons
 1416 BEARD MARGITA V MD...Physicians & Surgeons
 1416 CATALANO & FUGHUM PA...Physicians & Surgeons
 1416 CATALANO PHILIP M MD...Physicians & Surgeons
 1450 BELLINO ROBERT J MD...Physicians & Surgeons
 1450 BENDER ALBERT ALAN...Counselors
 1450 GRUBBS INSURANCE...Insurance-homeowners
 1450 GRUBBS DARA...Insurance-automobile
 1450 LIFECARE MANAGEMENT INC...Business Management Consultants
 1500 TINSWORTH ORTHODONTICS...Dentists
 1500 TINSWORTH STEVEN DDS...Dentists
 1616 CHURCH OF THE NAZARENE...Churches
 1616 FAMILY LIFE COMMUNITY SCHOOL...Religious Schools
 1616 FAMILY LIFE COMMUNITY SCHOOL...Schools
 1700 WELLS FARGO BANK...Savings & Loan Associations
 1700 WELLS FARGO BANK...Banks
 1700 WELLS FARGO BANK ATM...Automated Teller Machines
 1802 FLORIDA HOME HEALTH...Home Health Service
 1802 FLORIDA HOME HEALTH...Nurses & Nurses' Registries
 1810 LAUKHUF EVA MD...Physicians & Surgeons
 1810 SINGH SATNAM MD...Physicians & Surgeons
 1810 WESTSIDE MEDICAL CARE...Physicians & Surgeons
 1814 MANATEE ORAL & FACIAL CTR...Dentists
 1824 BLAKE PARK PHARMACY...Pharmacies & Drug Stores
 1824 DAVID M WILLIAMS ENTERPRISES...Pharmacies
 1824 SOOTHE PHARMACY COMPOUNDING...Pharmacies
 1830 NICKI'S WEST 59TH RESTAURANT...Restaurants
 1838 EDWARD JONES...Financial Planning Consultants
 1838 EDWARD JONES...Financial Advisory Services
 1838 GREENBRIER MASTECTOMY...Artificial Breasts
 1840 SAME DAY STD TESTING...Laboratories-medical
 1850 DESAI KINNARI P MD...Physicians & Surgeons
 1850 GRATHWOHL TRACY LYNN NP...Nurses-practitioners
 1850 LIEBERT KAREN F MD...Physicians & Surgeons
 1850 PANDISCIO MARION M MD...Physicians & Surgeons
 1850 SOCAS VERONICA MD...Physicians & Surgeons
 1880 LEGACY PHYSICAL THRPY & SPORTS...Physical Therapists
 1882 THOMPSON LESLIE DDS...Dentists
 1884 PERRONE VINCENZO MD...Physicians & Surgeons
 1886 GASTROENTEROLOGY ASSOCIATES...Physicians & Surgeons
 1886 LEIGH JENNIFER H MD...Physicians & Surgeons
 1886 PESONO SHARON L...Offices Of All Other Misc Health Practitioners
 1886 RASCON-AGUILAR IVAN MD...Physicians & Surgeons
 1886 RODDENBERRY JOHN MD...Physicians & Surgeons

Part 2 of 4

1886 RODRIGUEZ, MANUEL E MD...Physicians & Surgeons
 1894 BLAKE MEDICAL CTR OUTPATIENT...X-ray Laboratories Medical & Dental
 1894 BLAKE MEDICAL CTR OUTPATIENT...Physical Therapists
 1902 CASA MORA REHABILITATION...Rehabilitation Services
 1902 EXTENDICARE HEALTH NETWORK...Residential Care Homes
 1902 EXTENDICARE HEALTH NETWORK...Health Care Instruction
 1906 BAYVIEW DENTAL ASSOC...Dentists
 1906 BLAKE DENTAL/PROFESSIONAL PARK...Dentists
 1906 BURGESS, GEORGE H DDS...Cosmetic Dentistry
 1906 ELFERVIG, MARK T DDS...Dentists
 1906 MINT DENTAL...Offices Of Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Dentists
 1906 PERIODONTAL SPECIALISTS...Dentists
 1906 PLACHERIL, LILLIBET M MD...Physicians & Surgeons
 1906 RICHMOND, H JOHN DDS...Dentists
 1906 SABLE, RICHARD P DDS...Dentists
 1906 THOMAS G RUBINO PA...Dentists
 1906 VOGT, MISSY...Dental Hygienists
 1906 WAITE, CYNTHIA...Dental Hygienists
 2010 AMERICAN HEALTH ASSOC...Social Service & Welfare Organizations
 2010 BLAKE IMAGING...Diagnostic Imaging Centers
 2010 BLAKE MEDICAL CTR BREAST CARE...General Medical & Surgical Hospitals
 2010 BLAKE MEDICAL CTR THE HEART...General Medical & Surgical Hospitals
 2010 BRADENTON HEART CTR...Physicians & Surgeons
 2010 BRADENTON TRAUMA & SURGERY CTR...Physicians & Surgeons
 2010 DISH NETWORK...Satellite Equipment & Systems-retail
 2010 GIBSON, TOBIAS Q MD...Physicians & Surgeons
 2010 H C A BRADENTON HEART CTR...Physicians & Surgeons
 2010 MCWI...Unclassified Establishments
 2010 NOVA CLINICAL RESEARCH LLC...Marketing Research & Public Opinion Polling
 2010 PINNACLE CARDIOVASCULAR...Physicians & Surgeons
 2010 PINNACLE PULMONARY CONSULTANTS...Physicians & Surgeons
 2010 RADIOLOGY-OUTPATIENT AT BLAKE...Outpatient Services
 2010 RIVERA, ENRIQUE MD...Physicians & Surgeons
 2020 AUCAR, ALFRED S MD...Physicians & Surgeons
 2020 BLAKE HOSPITAL LW REGISTERED...Hospitals
 2020 BLAKE MEDICAL CTR...Nursing & Convalescent Homes
 2020 EKG PANEL OF BLAKE...Offices Of Physicians (exc Mental Health Specs)
 2020 GIBSON, TOBIAS Q MD...Physicians & Surgeons
 2020 HIERHOLZER, DANNY M DO...Physicians & Surgeons
 2020 JOINT CARE CTR...Clinics
 2020 KHAN, AYESHA F MD...Physicians & Surgeons
 2020 LYSSY, DOUGLAS A MD...Physicians & Surgeons
 2020 MANDERSCHIED, RITA M...Nurses-practitioners
 2020 MAYER, ZOLTAN MD...Physicians & Surgeons
 2020 NEILANDS, PAMELA S MD...Physicians & Surgeons
 2020 PACE, JOSEPH N MD...Physicians & Surgeons
 2020 PENICO III, PETER MD...Physicians & Surgeons
 2020 RASHID, TARIQ MD...Physicians & Surgeons
 2020 VANVLIET, MICHAEL M MD...Physicians & Surgeons
 2020 VELCU, LAURA MD...Physicians & Surgeons
 2020 WILLIAMS, KARIN ANN...Speech Pathologists

Part 3 of 4

2020 ZAHARCU, ALEXANDRU MD...Physicians & Surgeons
 2102 BANK OF THE OZARKS...Commercial Banking
 2103 DIAZ, LYDIA...Dental Hygienists
 2103 DUBE, FAITH...Dental Hygienists
 2103 JUNGMAN, DOUGLAS C DDS...Dentists
 2103 KLEMENT, ROBERT J DDS...Dentists
 2103 VARGA, ANDREW I DDS...Dentists
 2103 ZAMIKOFF, IRVING DDS...Dentists
 2105 INTERNATIONAL MEDICAL LAB INC...Laboratories-medical
 2107 TANGLEWOOD FAMILY DENTAL...Dentists
 2109 ARROJO, GUSTAVO B MD...Physicians & Surgeons
 2111 FABRE, DAVID D DDS...Dentists
 2215 ACUPUNCTURE HERBAL SOLUTIONS...Freestanding Ambulatory Surgical & Emergency Ctrs
 2215 LIPO X...Physicians & Surgeons
 2215 NATURAL HEALING ARTS MED CTR...Chiropractors Dc
 2221 CATASTROPHE TRAINING CTR...Insurance Adjusters
 2221 IMS CLAIM SVC INC...Insurance Adjusters
 2225 HASARA, LAWRENCE C MD...Physicians & Surgeons
 2225 HYNTON, J ROBERT DDS...Dentists
 2225 PECORARO, JOSEPH P MD...Physicians & Surgeons
 2227 BURKHART, YVONNE...Nurses & Nurses' Registries
 2227 WEST FLORIDA LIPIDOLOGY...Health Care Instruction
 2302 HERITAGE PARK CARE & REHAB...Nursing & Convalescent Homes
 2902 ADVANCED DERMATOLOGY-COSMETIC...Offices Of Physicians (exc Mental Health Specs)
 2902 ADVANCED DERMATOLOGY-COSMETIC...Physicians & Surgeons
 2902 AMERICAN VAN LINES OF BRADENTO...Movers
 2902 BELSITO, ALPHONSO A MD...Physicians & Surgeons
 2902 BRADENTON ENDOSCOPY CTR...Physicians & Surgeons
 2902 BRADENTON ORAL SURGERY CTR...Dentists
 2902 CHRISTIAN, DAVID J DDS...Dentists
 2902 DAVID, CHRISTIAN DDS...Dentists
 2902 DAVID, CHRISTIAN J DDS...Offices Of Dentists
 2902 FAMILY MEDICAL CARE LLC...Health Care Facilities
 2902 GHAFFHAICHI & PETROSINO...Physicians & Surgeons
 2902 HANUSA, JAMES J MD...Physicians & Surgeons
 2902 HCA HOLDINGS INC...Holding Companies (non-bank)
 2902 HELP AT HOME HOMECARE LLC...Home Health Service
 2902 KIRKLAND, MARGARET DDS...Dentists
 2902 LUCAS GROUP INSURANCE...Insurance-automobile
 2902 ROSE, GAIL DC...Acupuncture
 2902 WOOSLEY, KERRY DC...Chiropractors Dc
 3701 MANATEE WEST LITTLE LEAGUE...Youth Organizations & Centers
 3701 MANATEE WILDCATS FOOTBALL INC...Youth Organizations & Centers
 3801 W D SUGG MIDDLE SCHOOL...Schools
 3805 HARBOUR COMMUNITY CHURCH...Religious Organizations
 3805 MANATEE COUNTY YMCA...Clubs
 3805 YMCA...Social Service & Welfare Organizations
 3805 YMCA...Associations
 3809 JUST FOR GIRLS...Community Action Agencies
 4207 BRADENTON PODIATRIST...Podiatrists
 4208 7-ELEVEN...Convenience Stores
 4208 7-ELEVEN...Grocers-retail

Part 4 of 4

4208 CITIBANK ATM...Automated Teller Machines
 4211 HUNGRY HOWIE'S PIZZA...Restaurants
 4211 HUNGRY HOWIE'S PIZZA...Pizza
 4230 AUTOMOTIVE PERSONAL...Automobile Repairing & Service
 4230 BARB SLAVIK LMT...Other Personal Care Services
 4230 NU COMPLEXIONS NEW OWNERS LLC...Beauty Salons
 4230 PAMPERED HAIR...Beauty Salons
 4236 A ACCREDITED COUNSELING SVC...Counseling Services
 4236 JAMES, RICHARD L MD...Physicians & Surgeons
 4236 RICHARD, L JAMES MD...Physicians & Surgeons
 4236 STACHO, DAVE...Other Individual & Family Services
 4236 WILLEY, BRIE-ANNA...Counselors

552 total records. Part 1 of 11

320 OGGIES LAWN SERVICE...Lawn/garden Services
 400 SCHOLFIELD REALTY INC...Real Estate
 400 SCHOLFIELD REALTY INC...Offices Of Real Estate Agents & Brokers
 400 SCHOLFIELD REALTY INC...Real Estate Agt mgr
 627 BAY WEST LAUNDRY MAT...Laundries-self Service
 627 BAY WEST LAUNDRY MAT...Coin-oper Laundries
 916 ADVANCED COPY SVC LLC...Copying & Duplicating Service
 1220 BRADENTON PLASTIC SURGERY...Physicians & Surgeons
 1220 BRADENTON PLASTIC SURGERY...Dermatology
 1220 FERNANDEZ ENRIQUE J MD...Physicians & Surgeons
 1400 BARON FLYERS INC...Unclassified
 1400 CARDIOLOGY ASSOCIATES...Physicians & Surgeons
 1400 CARDIOLOGY ASSOCIATES...Offices Of Physicians Except Mental Health
 1400 CARDIOLOGY ASSOCIATES...Medical Grps &clnics
 1400 DAY MICHAEL MD...Physicians & Surgeons
 1400 DE GROAT THOMAS S MD...Physicians & Surgeons
 1400 DAY MICHAEL MD...Offices Of Physicians Except Mental Health
 1400 DE GROAT THOMAS S MD...Offices Of Physicians Except Mental Health
 1400 LIEBERT HUGH P MD...Physicians & Surgeons
 1400 LIEBERT HUGH P...Medical Doctor's Office
 1400 LIEBERT HUGH P MD...Offices Of Physicians Except Mental Health
 1410 GULF UROLOGY ASSOCIATES...Medical Doctor's Office
 1410 HERMAN EDWARD MD...Medical Doctor's Office
 1410 POLIS JR CHARLES T MD...Physicians & Surgeons
 1410 POLIS JR CHARLES T MD...Offices Of Physicians Except Mental Health
 1410 UROLOGY ASSOCIATES...Physicians & Surgeons
 1410 UROLOGY ASSOCIATES...Offices Of Physicians Except Mental Health
 1410 UROLOGY ASSOCIATES...Surgery - Urological
 1414 CHARLES-LOGAN CONSTANCE MD...Physicians & Surgeons
 1414 CHORMAN CANDY...Nurses & Nurses` Registries
 1414 CHARLES LOGAN CONSTANCE MD...Offices Of Physicians Except Mental Health
 1414 J R KENNEDY MD...Medical Doctors Off
 1414 J R KENNEDY MD...Physicians & Surgeons
 1414 KENNEDY J R MD...Physicians & Surgeons
 1414 KENNEDY J R MD...Offices Of Physicians Except Mental Health
 1414 STEWART HEATHER...Nurses & Nurses` Registries
 1414 SWILLEY TRESTA...Nurses & Nurses` Registries
 1414 WEST COAST PEDIATRICS...Physicians & Surgeons
 1414 WEST COAST PEDIATRICS...Physicians Office Specializing In Pediatrics
 1414 WEST COAST PEDIATRICS...Pediatrics
 1414 WEST COAST PEDIATRICS...Offices Of Physicians Except Mental Health
 1416 BEARD JEFFREY S MD...Physicians & Surgeons
 1416 BEARD MARGITA V MD...Physicians & Surgeons
 1416 BEARD JEFFREY MD PA...Medical Doctor's Office
 1416 BEARD JEFFREY S MD...Offices Of Physicians Except Mental Health
 1416 BEARD MARGITA V MD...Offices Of Physicians Except Mental Health
 1416 CATALANO PHILIP M MD...Physicians & Surgeons
 1416 CATALANO PHILIP M MD...Offices Of Physicians Except Mental Health
 1416 JEFFREY S BEARD PA...Physicians & Surgeons
 1416 JEFFREY S BEARD PA...Medical Doctors Off
 1416 MARGITA V BEARD MD...Medical Doctors Off
 1416 MARGITA V BEARD MD...Physicians & Surgeons
 1416 PHILIP CATALANO MD PA...Medical Doctor's Office

Part 2 of 11

1416 PHILIP M CATALANO MD...Physicians & Surgeons
 1416 PHILIP M CATALANO MD...Medical Doctors Off
 1450 BELLINO, ROBERT J MD...Physicians & Surgeons
 1450 BELLINO, ROBERT J MD...Offices Of Physicians Except Mental Health
 1450 CHASE HOME FINANCE...Real Estate Credit
 1450 CHASE HOME FINANCE...Mortgage Bankers
 1450 CHASE MANHATTAN...Mortgage Banker/correspondent
 1450 CHASE MANHATTAN MORTGAGE CORP...Real Estate Loans
 1450 DARA GRUBBS...Insurance Agents,brkr
 1450 GRUBBS INSURANCE...Insurance-automobile
 1450 GRUBBS, DARA...Insurance-automobile
 1450 GRUBBS INSURANCE...Insurance Agencies & Brokerages
 1450 GRUBBS INSURANCE...Insurance-homeowners
 1450 GRUBBS INSURANCE AGENCY...Insurance Agent/broker
 1450 GRUBBS, DARA...Insurance Agencies & Brokerages
 1450 LIFECARE MANAGEMENT INC...Business Management Consultants
 1450 LIFECARE MANAGEMENT INC...Process & Logistics Consulting Svcs
 1450 LIFECARE MANAGEMENT INC...Mgmt Consulting
 1450 ROBERT J BELLINO MD...Medical Doctors Off
 1450 ROBERT J BELLINO MD...Physicians & Surgeons
 1500 ORTHO LAB ONE...Dental Laboratories
 1500 QUEST DIAGNOSTICS...Medical Laboratories
 1500 STEVEN H TINSWORTH DMD PA...Dentist's Office
 1500 STEVEN TINSWORTH ORTHODONTICS...Dentists
 1500 STEVEN TINSWORTH ORTHODONTICS...Dentists Off,clinic
 1500 TINSWORTH ORTHODONTICS...Dentists
 1500 TINSWORTH, STEVEN H DDS...Dentists
 1500 TINSWORTH ORTHODONTICS...Offices Of Dentists
 1500 TINSWORTH, STEVEN H DDS...Offices Of Dentists
 1616 CHURCH OF THE NAZARENE...Churches
 1616 CHURCH OF NAZARENE...Church Of The Nazarene
 1616 CHURCH OF NAZARENE...Churches
 1616 CHURCH OF NAZARENE...Religious Organization
 1616 CHURCH OF THE NAZARENE...Religious Organization
 1616 FAMILY LIFE COMMUNITY SCHOOL...Religious Schools
 1616 FAMILY LIFE COMMUNITY SCHOOL...Elementary & Secondary Schools
 1616 FAMILY LIFE COMMUNITY SCHOOL...Cath Elem,second Schs
 1700 WACHOVIA BANK...Banks
 1700 WACHOVIA BANK...Banks
 1700 WACHOVIA BANK...National Coml Banks
 1700 WACHOVIA BANK...National Coml Banks
 1700 WACHOVIA BANK...Commercial Banking
 1700 WORLD SAVINGS BANK...Federal Savings & Loan Association
 1802 COMPOUNDING CENTER...Pharmacies & Drug Stores
 1802 EYE DEPOT...Physicians & Surgeons
 1802 FLORIDA HOME HEALTH...Home Health Service
 1802 TUTEN CORP...Opticians
 1804 MEDICAL ARTS PHARMACY...Drug,proprietary Str
 1804 MEDICAL ARTS PHARMACY...Pharmacies & Drug Stores
 1810 DEAN R LAUKHUF DDS...Dentists
 1810 EVA S LAUKHUF MD PA...Medical Doctor's Office
 1810 LAUKHUF, EVA MD...Physicians & Surgeons

Part 3 of 11

1810 LAUKHUF, EVA MD...Offices Of Physicians Except Mental Health
 1810 MARTIN, LYNN...Nurses & Nurses' Registries
 1810 POLAVARAPU, PADMAJA MD...Physicians & Surgeons
 1810 SINGH, SATNAM MD...Physicians & Surgeons
 1810 SINGH, SATNAM MD...Offices Of Physicians Except Mental Health
 1810 SWEET TIERS...Retail Bakery
 1810 WESTSIDE MEDICAL CARE...Physicians & Surgeons
 1810 WESTSIDE MEDICAL CARE...Offices Of Physicians Except Mental Health
 1810 WESTSIDE MEDICAL CARE...Family Practice
 1810 WESTSIDE MEDICAL CARE...Medical Grps & Clincs
 1810 WESTSIDE MEDICAL CARE INC...Medical Doctor's Office
 1812 ALL PRO THERAPY...Physical Therapists
 1812 MEDICAL ARTS REHABILITATION...Offices Of Specialty Therapists
 1812 MEDICAL ARTS REHABILITATION...Medical Grps & Clincs
 1812 NORRIS, GREG...Offices Of Specialty Therapists
 1812 RICHARDSON, TIMOTHY...Offices Of Specialty Therapists
 1812 SOLEUS HEALTHCARE SERVICES...Help Supply Services
 1816 BON BONE MEDICAL IMAGING INC...X Ray Scanning
 1822 TANGLES SALON OF BRADENTON INC...Beauty Salons
 1822 TANGLES...Beauty Shop
 1822 TANGLES...Beauty Salons
 1822 TANGLES...Hairdressers
 1824 DAVID M WILLIAMS ENTERPRISES...Pharmacies
 1830 NICKI'S WEST 59TH RESTAURANT...Restaurants
 1830 NICKIS WEST 59TH RESTAURANT...Restaurants
 1830 NICKIS WEST 59TH RESTAURANT...Eating Places
 1830 NICKIS WEST 59TH RESTAURANT...Eating Place
 1830 NICKIS WEST 59TH RESTAURANT...Full-service Restaurants
 1838 EDWARD JONES...Financial Advisory Services
 1838 EDWARD JONES...Invest Firm General
 1838 EDWARD JONES 03061...Security Brokers And Dealers
 1838 EDWARD JONES CO...Investment Securities
 1838 GREENBRIER MASTECTOMY...Artificial Breasts
 1838 INFINITY HOME CARE...Home Health Care Svcs
 1838 POST MASTECTOMY BOUTIQUE...Ret Misc Merchandise
 1840 QUEST DIAGNOSTICS...Laboratories-medical
 1840 QUEST DIAGNOSTICS...Medical Laboratory
 1840 QUEST DIAGNOSTICS INC...Laboratories-medical
 1850 ALBON NEUROMUSCULAR THRPHY INC...Physical Therapists
 1850 ALBON NEUROMUSCULAR THRPHY INC...Misc Personal Svcs
 1850 ALBON NEUROMUSCULAR THRPHY INC...Other Personal Care Svcs
 1878 SUNCOAST BRACE & LIMB INC...Orthopedic Appliances
 1878 SUNCOAST BRACE & LIMB INC...All Other Health & Personal Care Stores
 1878 SUNCOAST BRACE & LIMB INC...Misc Retail Stores
 1878 SUNCOAST BRACE & LIMB INC...Prosthetics
 1882 LESLIE THOMPSON DDS...Dentists Off,clinic
 1882 LESLIE THOMPSON DDS...Dentists
 1882 THOMPSON, LESLIE DDS...Dentists
 1882 THOMPSON, LESLIE DDS...Offices Of Dentists
 1884 HALL ROGER W MD PA...Medical Doctor's Office
 1884 PERRONE, VINCENZO MD...Physicians & Surgeons
 1886 GASTROENTEROLOGY ASSOCIATES...Physicians & Surgeons

Part 4 of 11

1886 GASTROENTEROLOGY ASSOCIATES...Gastroenterology
 1886 GASTROENTEROLOGY ASSOCIATES...Offices Of Physicians Except Mental Health
 1886 MONTERO, CARLOS MD...Physicians & Surgeons
 1886 MONTERO, CARLOS MD...Offices Of Physicians Except Mental Health
 1886 RODDENBERRY, JOHN MD...Physicians & Surgeons
 1886 RODRIGUEZ, MANUEL E MD...Physicians & Surgeons
 1886 RODDENBERRY, JOHN MD...Offices Of Physicians Except Mental Health
 1886 RODRIGUEZ, MANUEL E MD...Offices Of Physicians Except Mental Health
 1886 THOMPSON, STACI R...Nurses-practitioners
 1894 BLAKE MEDICAL CTR OUTPATIENT...Physical Therapists
 1894 BLAKE MEDICAL CTR...Job Training,rel Sv
 1894 BLAKE MEDICAL CTR...Offices Of Specialty Therapists
 1894 BLAKE MEDICAL CTR...Rehabilitation Services
 1902 CASA MORA REHABILITATION...Rehabilitation Services
 1902 CASA MORA REHABILITATION...Job Training,rel Sv
 1902 CASA MORA REHABILITATION...Rehabilitation Services
 1902 CASA MORA REHABILITATION...Vocational Rehabilitation Svcs
 1902 EXTENDICARE...Health Care Instruction
 1906 BAYVIEW DENTAL ASSOC...Dentists
 1906 BLAKE DENTAL/PROFESSIONAL PARK...Dentists
 1906 BROOKS, TERRY...Dental Hygienists
 1906 BURGESS, GEORGE H DDS...Dentists
 1906 BAYVIEW DENTAL ASSOC...Dentists Off,clinic
 1906 BRADENTON ENDOCRINOLOGY...Physicians & Surgeons
 1906 BRADENTON ENDOCRINOLOGY...Medical Doctor's Office
 1906 BURGESS, GEORGE H DDS...Offices Of Dentists
 1906 CUMMINGS, DONALD B DDS...Dentists
 1906 CUMMINGS, DONALD B DDS...Offices Of Dentists
 1906 DONALD B CUMMINGS PA...Dentists
 1906 DONALD B CUMMINGS DDS...Dentists
 1906 DONALD B CUMMINGS DDS...Dentists Off,clinic
 1906 DONALD CUMMINGS DDS...Dentist's Office
 1906 EASTMAN, LINDSAY B DDS...Dentists
 1906 ELFERVIG, MARK T DDS...Dentists
 1906 EASTMAN & RUBINO...Dentists Off,clinic
 1906 EASTMAN, LINDSAY B DDS...Offices Of Dentists
 1906 ELFERVIG, MARK T DDS...Offices Of Dentists
 1906 GARY L LAUKHUF DDS...Dentist's Office
 1906 GEORGE H BURGESS DDS...Dentists
 1906 GEORGE H BURGESS DDS...Dentists Off,clinic
 1906 H JOHN RICHMOND DDS...Dentists
 1906 H JOHN RICHMOND DDS...Dentists Off,clinic
 1906 LINDSAY B EASTMAN PA...Dentists
 1906 LISZEWSKI, KENNETH DDS...Dentists
 1906 MARK ELFERVIG DDS...Dentist's Office
 1906 MARK T ELFERVIG DDS...Dentists
 1906 MARK T ELFERVIG DDS...Dentists Off,clinic
 1906 ORAL & MAXILLOFACIAL SURGERY...Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Offices Of Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Dentists
 1906 ORAL & MAXILLOFACIAL SURGERY...Oral & Maxillofacial Surger
 1906 PLACHERIL, LILLIBET M MD...Physicians & Surgeons

Part 5 of 11

1906 PERIDONTAL SPECIALISTS...Dentist's Office
 1906 RICHMOND, H JOHN DDS...Dentists
 1906 RUBINO, THOMAS G DDS...Dentists
 1906 RICHMOND H JOHN DMD PA...Dentist's Office
 1906 RICHMOND, H JOHN DDS...Offices Of Dentists
 1906 RUBINO, THOMAS G DDS...Offices Of Dentists
 1906 SCOVANNER, JANE...Dental Hygienists
 1906 THOMAS G RUBINO PA...Dentists
 1906 TOMELO, CHARLES A DDS...Dentists
 1906 TOMELO, CHARLES C DDS...Dentists
 1906 THOMAS G RUBINO DDS MS PA...Dentist's Office
 1906 THOMAS G RUBINO PA...Dentists
 1906 THOMAS G RUBINO PA...Offices Of Dentists
 1906 THOMAS G RUBINO PA...Dentists Off,clinic
 1906 TOMELO, CHARLES C DDS...Offices Of Dentists
 1906 TOMELO, CHARLES A DDS...Offices Of Dentists
 1906 VOGT, MISSY...Dental Hygienists
 1906 WAITE, CYNTHIA...Dental Hygienists
 1906 WILDCATS AVIATORS INC...Flying Service
 2010 AMERICAN HEALTH ASSOC...Social Service & Welfare Organizations
 2010 ALLEN W BOYCE MD...Medical Doctor's Office
 2010 ALLERGY CARE CTR...Physicians & Surgeons
 2010 BERMAN, ERIC E MD...Physicians & Surgeons
 2010 BLAKE IMAGING...Physicians & Surgeons
 2010 BRADENTON HEART CTR...Physicians & Surgeons
 2010 BERMAN, ERIC E MD...Offices Of Physicians Except Mental Health
 2010 BLAKE IMAGING...Diagnostic Imaging Centers
 2010 BLAKE IMAGING...Medical Grps &clnics
 2010 BLAKE MEDICAL CTR...Priv Elem,second Schs
 2010 BLAKE MEDICAL CTR...General Medical & Surgical Hospitals
 2010 BRADENTON HEART CTR...Medical Grps &clnics
 2010 BRADENTON HEART CTR...Physicians & Surgeons
 2010 BRADENTON HEART CTR...Offices Of Physicians Except Mental Health
 2010 BROWN, RICHARD L MD...Offices Of Physicians Except Mental Health
 2010 CALLAHAN, CLAIBORNE H MD...Offices Of Physicians Except Mental Health
 2010 CHIN WARREN DO...Medical Doctor's Office
 2010 COMPOUNDING CENTER...Pharmacies
 2010 CRAGER KENNETH H MD...Medical Doctor's Office
 2010 DAROLD, PETER E MD...Physicians & Surgeons
 2010 DEFREITAS, EDWARD A MD...Physicians & Surgeons
 2010 DAROLD, PETER E MD...Offices Of Physicians Except Mental Health
 2010 DEFREITAS, EDWARD A MD...Offices Of Physicians Except Mental Health
 2010 DIMINO, JOSEPH M MD...Offices Of Physicians Except Mental Health
 2010 EDELMAN, ROBERT E MD...Physicians & Surgeons
 2010 EDELMAN, ROBERT E MD...Offices Of Physicians Except Mental Health
 2010 EDWARD A DEFREITAS MD...Medical Doctors Off
 2010 FLECK, MELISSA J MD...Physicians & Surgeons
 2010 FRIEDBERG, MURRAY L MD...Physicians & Surgeons
 2010 FLECK, MELISSA J MD...Offices Of Physicians Except Mental Health
 2010 FRIEDBERG, MURRAY L MD...Offices Of Physicians Except Mental Health
 2010 GIBSON, TOBIAS Q MD...Physicians & Surgeons
 2010 HUCKABY, TIMOTHY MD...Physicians & Surgeons

Part 6 of 11

2010 HEART & VASCULAR CENTER FLA...Medical Doctor's Office
 2010 HEART & VASCULAR CTR...Cardiovascular Disease
 2010 HOBBS DAVID J PHD...Medical Doctor's Office
 2010 HUCKABY, TIMOTHY MD...Offices Of Physicians Except Mental Health
 2010 JAMES M PSYD MCGOVERN...Health Practitioner's Office
 2010 JOSEPH M DIMINO MD...Medical Doctor's Office
 2010 KHATOR, POOJA MD...Physicians & Surgeons
 2010 KOSELAK, DENNIS E MD...Physicians & Surgeons
 2010 KHATOR, POOJA MD...Offices Of Physicians Except Mental Health
 2010 KOSELAK, DENNIS E MD...Offices Of Physicians Except Mental Health
 2010 MALLARI, IRENA C MD...Physicians & Surgeons
 2010 MANATEE EYE CLINIC...Physicians & Surgeons
 2010 MOSCOSO, WALTER E MD...Physicians & Surgeons
 2010 MALLARI, IRENA C MD...Offices Of Physicians Except Mental Health
 2010 MANATEE EYE CLINIC...Optometrists Office
 2010 MANATEE EYE CLINIC...Physicians & Surgeons
 2010 MANATEE EYE CLINIC...Offices Of Physicians Except Mental Health
 2010 MOSCOSO, WALTER E MD...Offices Of Physicians Except Mental Health
 2010 OLSON, SUZANNE M MD...Physicians & Surgeons
 2010 OLSON, SUZANNE M MD...Offices Of Physicians Except Mental Health
 2010 PERRONE, VINCENZO MD...Offices Of Physicians Except Mental Health
 2010 QUICKSCREEN FOR WOMEN...Nclassifiable Estab
 2010 QUICKSCREEN FOR WOMEN...Nonclassified Establishments
 2010 RADIOLOGY-OUTPATIENT AT BLAKE...Outpatient Services
 2010 RAVVIN, MIKHAIL MD...Physicians & Surgeons
 2010 RADIOLOGY OUTPATIENT AT BLAKE...Offices Of Physicians Except Mental Health
 2010 RADIOLOGY SERVICES...Radiologists
 2010 RAJAN, RAJ MD...Offices Of Physicians Except Mental Health
 2010 RAVVIN, MIKHAIL MD...Offices Of Physicians Except Mental Health
 2010 SAMBURSKY, ROBERT MD...Physicians & Surgeons
 2010 SILVERMAN, SCOTT E MD...Physicians & Surgeons
 2010 SAMBURSKY, ROBERT MD...Offices Of Physicians Except Mental Health
 2010 SILVERMAN, SCOTT E MD...Offices Of Physicians Except Mental Health
 2010 VINCENZO PERRONE MD...Medical Doctors Off
 2010 VINCENZO PERRONE MD...Physicians & Surgeons
 2010 W FLORIDA ANESTHESIA...Physicians & Surgeons
 2010 W FLORIDA ANESTHESIA...Offices Of Physicians Except Mental Health
 2010 W FLORIDA ANESTHESIA...Physicians & Surgeons
 2010 W FLORIDA ANESTHESIA...Anesthesiology
 2020 BLAKE HOSPITAL LW REGISTERED...Hospitals
 2020 BLAKE MEDICAL CTR...Hospitals
 2020 BRADENTON PATHOLOGY...Physicians & Surgeons
 2020 BLAKE HOSPITAL...Hospitals
 2020 BLAKE HOSPITAL...Medical Doctors Off
 2020 BLAKE HOSPITAL LW REGISTERED...Gen Med, Surg Hosp
 2020 BLAKE HOSPITAL LW REGISTERED...General Medical & Surgical Hospitals
 2020 BLAKE HOSPITAL LW REGISTERED...Hospitals
 2020 BRADENTON PATHOLOGY...Offices Of Physicians Except Mental Health
 2020 BRADENTON PATHOLOGY...Pathology
 2020 BRADENTON PATHOLOGY...Physicians & Surgeons
 2020 COASTAL MECHANICAL SVC...Mechanical Contractors
 2020 FARMER, JEFFREY WIL MD...Offices Of Physicians Except Mental Health

Part 7 of 11

2020 GESSNER, ROBERT C MD...Offices Of Physicians Except Mental Health
 2020 JOINT CARE CTR...Clinics
 2020 JEFFREY WIL FARMER MD...Pathology
 2020 JOINT CARE CTR...Offices Of Physicians Except Mental Health
 2020 JOTOGO COFFEE & ESPRESSO...Coffee Shop
 2020 KIMBRELL, BRIAN J MD...Physicians & Surgeons
 2020 LISKIEWICZ, ANDREW Z MD...Offices Of Physicians Except Mental Health
 2020 MAYER, ZOLTAN MD...Physicians & Surgeons
 2020 MANATEE COMMUNITY BLOOD CENTER...Health/allied Services
 2020 PENICO III, PETER MD...Physicians & Surgeons
 2020 PUPELLO BESSONE & LOPEZ...Medical Doctor's Office
 2020 R R SIMMONS CONSTRUCTION...General Contractors
 2020 ROBERT C GESSNER MD...Emergency Medicine
 2020 SENTENEY, GARY MD...Physicians & Surgeons
 2020 SENTENEY, GARY MD...Offices Of Physicians Except Mental Health
 2020 WEIGHT LOSS SOLUTIONS...Physicians & Surgeons
 2020 WEIGHT LOSS SOLUTIONS...Offices Of Physicians Except Mental Health
 2020 YOUMANS, GARY MD...Physicians & Surgeons
 2020 YOUMANS, GARY MD...Offices Of Physicians Except Mental Health
 2102 BANK OF THE OZARKS...Banks
 2102 HORIZON BANK...Commercial Banking
 2102 HORIZON BANK...National Com'l Banks
 2102 HORIZON BANK...State Bank
 2103 DIAZ, LYDIA...Dental Hygienists
 2103 DUBE, FAITH...Dental Hygienists
 2103 JUNGMAN, DOUGLAS C DDS...Dentists
 2103 JUNGMAN, DOUGLAS C DDS...Offices Of Dentists
 2103 KLEMENT, ROBERT J DDS...Dentists
 2103 KLEMENT, ROBERT J DDS...Offices Of Dentists
 2103 POTTER, LISA...Dental Hygienists
 2103 VARGA, ANDREW I DDS...Dentists
 2103 VARGA, ANDREW I DDS...Offices Of Dentists
 2103 ZAMIKOFF, IRVING DDS...Dentists
 2103 ZAMKOFF KLEMENT & JUNGMAN...Dentists
 2103 ZAMIKOFF IRVING DDS MS PA...Dentist's Office
 2103 ZAMIKOFF, IRVING DDS...Offices Of Dentists
 2103 ZAMKOFF KLEMENT & JUNGMAN...Dentists
 2103 ZAMKOFF KLEMENT & JUNGMAN...Specialty Unknown
 2103 ZAMKOFF KLEMENT & JUNGMAN...Offices Of Dentists
 2107 COHEN, DANIEL C DDS...Dentists
 2107 COHEN, DANIEL C DDS...Offices Of Dentists
 2107 DANIEL C COHEN PA...Dentists Off, clinic
 2107 DANIEL C COHEN PA...Dentists
 2107 TANGLEWOOD FAMILY DENTAL...Dentists
 2109 ARROJO, GUSTAVO B MD...Physicians & Surgeons
 2109 ARROJO, GUSTAVO B MD...Offices Of Physicians Except Mental Health
 2109 B ARROJO GUSTAVO MD...Medical Doctors Off
 2109 GUSTAVO, B ARROJO MD...Offices Of Physicians Except Mental Health
 2109 PREMIER INTERNAL MEDICINE...Family Practice
 2109 PREMIER INTERNAL MEDICINE...Offices Of Physicians Except Mental Health
 2109 TANGLEWOOD PERIODONTICS...Dentist's Office
 2111 DE JONGH, JOSEPH DDS...Dentists

Part 8 of 11

2111 DE JONGH, L CARL DDS...Dentists
 2111 DE JONGH, L CARL DDS...Offices Of Dentists
 2111 FABRE, DAVID D DDS...Dentists
 2111 FABRE, DAVID D DDS...Offices Of Dentists
 2111 MANATEE ENDODONTICS...Dentists
 2111 MANATEE ENDODONTICS...Dentists
 2111 MANATEE ENDODONTICS...Endodontists (root Canals)
 2111 MANATEE ENDODONTICS...Offices Of Dentists
 2111 MANITEE ENDODONICS...Dentist's Office
 2111 STRIMER, ADAM P DDS...Dentists
 2111 STRIMER, ADAM P DDS...Offices Of Dentists
 2215 ACCIDENT & INJURY CTR...Chiropractors Dc
 2215 AULL, SUSAN DC...Chiropractors Dc
 2215 ELLIOTT, SCOTT DC...Offices Of Chiropractors
 2215 HOUSE, J MICHAEL DC...Chiropractors Dc
 2215 HART, MARY...Offices Of Specialty Therapists
 2215 JASCH, KIM DC...Chiropractors Dc
 2215 LANNING, JOHN A MD...Physicians & Surgeons
 2215 MAXIMUM REHABILITATION CENTER...Health Practitioner's Office
 2215 NATURAL HEALING ARTS MEDICAL...Chiropractors Dc
 2215 NATURAL HEALING ARTS MED CTR...Chiropractor's Office
 2215 NATURAL HEALING ARTS MEDICAL...Chiropractors Dc
 2215 NATURAL HEALING ARTS MEDICAL...Chiropractors Off
 2215 NATURAL HEALING ARTS MEDICAL...Offices Of Chiropractors
 2215 PILLEGI, AMANDA DC...Chiropractors Dc
 2215 ROSENKRANS, JEREMIAH DC...Chiropractors Dc
 2215 SANCHEZ, DANILLO DC...Chiropractors Dc
 2215 YAFFE, MICHAEL DC...Offices Of Chiropractors
 2215 ZAMIKOFF CHIROPRACTIC LIFE CTR...Chiropractor's Office
 2221 CATASTROPHE TRAINING CTR...Insurance Adjusters
 2221 EVA LAUKHUF MD...Physicians & Surgeons
 2221 IMS CLAIM SVC INC...Insurance Adjusters
 2221 IMSCS INC...Nclassifiable Estab
 2221 JAP PA...Operates As A Medical Doctor
 2221 STEPHANIE MUFF MD...Medical Doctor's Office
 2225 AUSTIN HILL MD...Physicians & Surgeons
 2225 BATEY CARDIOLOGY CTR...Medical Doctors Off
 2225 COSMETIC VEIN CLINIC...Physicians & Surgeons
 2225 COSMETIC VEIN CLINIC FLORIDA...Vein Clinic
 2225 COSMETIC VEIN CLINIC OF FL...Surgery - General
 2225 HASARA, LAWRENCE C MD...Physicians & Surgeons
 2225 HYNTON, J ROBERT DDS...Dentists
 2225 HASARA, LAWRENCE C MD...Offices Of Physicians Except Mental Health
 2225 HYNTON, J ROBERT DDS...Offices Of Dentists
 2225 J ROBERT HYNTON DDS...Dentists Off,clinic
 2225 J ROBERT HYNTON DDS...Dentists
 2225 LAWRENCE C HASARA MD...Physicians & Surgeons
 2225 LEGACY PHYSICAL THERAPY...Health Practitioner's Office
 2225 LEGACY PHYSICAL THRPY & SPORTS...Medical Grps & Clinics
 2225 LEGACY PHYSICAL THRPY & SPORTS...Physical Therapists
 2225 PECORARO, JOSEPH P MD...Physicians & Surgeons
 2225 PREMIER INTERNAL MEDICINE...Physicians & Surgeons

Part 9 of 11

2225 PREMIER INTERNAL MEDICINE...Medical Doctor's Office
 2227 BURKHART, YVONNE...Nurses & Nurses' Registries
 2227 PALMA SOLA MEDICAL ASSOC...Physicians & Surgeons
 2227 PALMA SOLA MEDICAL ASSOC...Internal Medicine
 2227 SAMMOUR, ADNAN MD...Physicians & Surgeons
 2227 WAGNER, BARBARA MD...Physicians & Surgeons
 2227 WEST FLORIDA LIPIDOLOGY...Nurses-practitioners
 2302 HERITAGE PARK CARE & REHAB...Nursing & Convalescent Homes
 2302 HERITAGE PARK CARE & REHAB...Nursing Homes
 2302 HERITAGE PARK CARE & REHAB...Nursing Care Facilities
 2302 I H S OF BRADENTON...Nursing Home
 2902 AMERICAN VAN LINES OF BRADENTO...Movers
 2902 ANDERSON, THOMAS A DDS...Dentists
 2902 ANDERSON, THOMAS A DDS...Offices Of Dentists
 2902 BELSITO, ALPHONSO A MD...Physicians & Surgeons
 2902 BRADENTON ORAL SURGERY CTR...Physicians & Surgeons
 2902 BELSITO, ALPHONSO A MD...Offices Of Physicians Except Mental Health
 2902 BRADENTON ENDOSCOPY CENTER...Medical Doctor's Office
 2902 BRADENTON GASTROENTEROLOGY...Gastroenterology
 2902 BRADENTON GASTROENTEROLOGY...Physicians & Surgeons
 2902 BRADENTON GASTROENTEROLOGY...Offices Of Physicians Except Mental Health
 2902 BRADENTON ORAL SURGERY CTR...Dentists Off,clinic
 2902 BRADENTON ORAL SURGERY CTR...Dentists
 2902 BRADENTON ORAL SURGERY CTR...Offices Of Dentists
 2902 BRADENTON PLASTIC SURGERY...Offices Of Physicians Except Mental Health
 2902 BRADENTON SURGERY CTR...Offices Of Physicians Except Mental Health
 2902 BRADENTON SURGERY CTR...Medical Grps & Clinics
 2902 COSMETIC VEIN CLINIC OF FL...Offices Of Physicians Except Mental Health
 2902 FAMILY MEDICAL CARE LLC...Health Care Facilities
 2902 FAMILY MEDICAL CARE LLC...Skilled Nursing
 2902 FAMILY MEDICAL CARE LLC...Health Care Facilities
 2902 FAMILY MEDICAL CARE LLC...Nursing Care Facilities
 2902 FERNANDEZ, ENRIQUE J MD...Offices Of Physicians Except Mental Health
 2902 GHAFFHAICHI & PETROSINO...Physicians & Surgeons
 2902 GHAFGHAICHI, MEHRZAD MD...Physicians & Surgeons
 2902 GAIL R ROSE DC...Chiropractor's Office
 2902 GAIL ROSE DC...Chiropractors Off
 2902 GHAFFHAICHI & PETROSINO...Offices Of Physicians Except Mental Health
 2902 GHAFFHAICHI & PETROSINO...Physicians & Surgeons
 2902 GHAFGHAICHI, MEHRZAD MD...Offices Of Physicians Except Mental Health
 2902 GUSTAVO B ARROJO MD...Physicians & Surgeons
 2902 HELP AT HOME HOMECARE LLC...Home Health Service
 2902 INTERNATIONAL MEDICAL LAB INC...Laboratories-medical
 2902 INTERNATIONAL MEDICAL LAB INC...Medical Laboratories
 2902 INTERNATIONAL MEDICAL LAB INC...Medical Laboratory
 2902 INTREPID USA...Nurses & Nurses' Registries
 2902 INTREPID USA HEALTHCARE SVC...Home Health Care Svcs
 2902 INTREPID USA HEALTHCARE SVC...Home Health Care Sv
 2902 K J WOOSLEY DC...Chiropractors Dc
 2902 KIRKLAND, MARGARET DDS...Dentists
 2902 KIRKLAND DENTAL ARTS...Dentists
 2902 KIRKLAND DENTAL ARTS...Dentists Off,clinic

Part 10 of 11

2902 KIRKLAND, BARCLAY DDS...Offices Of Dentists
 2902 KIRKLAND, MARGARET DDS...Offices Of Dentists
 2902 LEVITT, STEPHAN MD...Physicians & Surgeons
 2902 LUCAS GROUP INSURANCE...Insurance-automobile
 2902 LUCAS GROUP INSURANCE...Insurance Agencies & Brokerages
 2902 MANJU SINGH MD...Medical Doctors Off
 2902 PETROSINO, ALBERT T MD...Physicians & Surgeons
 2902 PECORARO, JOSEPH P MD...Offices Of Physicians Except Mental Health
 2902 PERFECT PURCHASE INC...Business Services Nec
 2902 PERFECT PURCHASE INC...Business Svcs Nec
 2902 PETROSINO & GHAFGHAICHI MD...Medical Doctor's Office
 2902 PETROSINO, ALBERT T MD...Offices Of Physicians Except Mental Health
 2902 ROSE, GAIL DC...Chiropractors Dc
 2902 RIDDELL & LUZIER...Attorneys
 2902 RIDDELL LAW GROUP...Legal Services
 2902 ROSE, GAIL DC...Offices Of Chiropractors
 2902 RUBEN B HERNANDEZ MD...Physicians & Surgeons
 2902 SINGH, MANJU MD...Physicians & Surgeons
 2902 SINGH, MANJU MD...Offices Of Physicians Except Mental Health
 2902 TANGLEWOOD PERIODONTICS...Dentists Off,clinic
 2902 U S 1031 EXCHANGE SVC INC...Misc Services Nec
 2902 WOOSLEY, KERRY DC...Chiropractors Dc
 2902 WOOSLEY K J DC...Chiropractor's Office
 2902 WOOSLEY, KERRY DC...Offices Of Chiropractors
 2905 AMERICAN RED CROSS...Social Service & Welfare Organizations
 2905 AMERICAN RED CROSS...Social Services
 2905 AMERICAN RED CROSS...Other Individual & Family Svcs
 3701 MANATEE WEST LITTLE LEAGUE...Youth Organizations & Centers
 3701 MANATEE WILDCATS FOOTBALL INC...Youth Organizations & Centers
 3801 W D SUGG MIDDLE SCHOOL...Schools
 3801 W D SUGG MIDDLE SCHOOL...Elementary/secondary School
 3801 W D SUGG MIDDLE SCHOOL...Element, Secon Schl
 3801 W D SUGG MIDDLE SCHOOL...Elementary & Secondary Schools
 3805 MANATEE COUNTY FAMILY YOUNG...Clubs
 3805 MANATEE CTY FMY YMCA INC...Social Services Individual/family Services Members
 3805 MANATEE FAMILY YMCA...Social Services Individual/family Services Members
 3805 YMCA...Youth Organizations & Centers
 3805 YMCA...Other Individual & Family Svcs
 3805 YMCA...Social Services
 3809 JUST FOR GIRLS...Clubs
 3809 JUST FOR GIRLS...Civil & Social Organizations
 3809 JUST FOR GIRLS...Civic & Social Assn
 3809 JUST FOR GIRLS...Membership Sport/recreation Club
 4207 CHIROPRACTIC CENTRE PA...Chiropractor's Office
 4207 TOTAL FAMILY FOOT CARE...Podiatrists
 4207 TOTAL FAMILY FOOT CARE...Offices Of Podiatrists
 4207 TOTAL FAMILY FOOT CARE...Podiatrists Office
 4208 7 ELEVEN...Convenience Stores
 4208 7 ELEVEN...Ret Groceries
 4208 7-ELEVEN...Convenience Stores
 4208 CITIBANK ATM...Automated Teller Machines
 4208 REDBOX...Video Rental Kiosks

Part 11 of 11

4208 SEVEN ELEVEN FOOD STORES...Conven Stores Chain
 4211 HUNGRY HOWIE'S PIZZA...Pizza
 4211 HUNGRY HOWIES PIZZA...Full-service Restaurants
 4211 HUNGRY HOWIES PIZZA...Eating Place
 4211 HUNGRY HOWIES PIZZA & SUBS...Restaurants
 4211 HUNGRY HOWIES PIZZA & SUBS...Quick Serv Pizza Parlor
 4230 MAKE IT COUNT ACCOUNTING...Offices Of Certified Public Accountants
 4230 NAILS N SUCH...Beauty Salons
 4230 NU COMPLEXIONS...Permanent Make-up
 4230 NU COMPLEXIONS...Other Personal Care Svcs
 4230 NU COMPLEXIONS...Misc Personal Svcs
 4230 PAMPERED HAIR...Beauty Salons
 4230 PAMPERED HAIR...Hairdressers
 4230 PAMPERED HAIR...Beauty Salons
 4230 SOCIAL NETWORK CONSULTANTS...Consultants-business Nec
 4236 A ACCREDITED COUNSELING SVC...Counseling Services
 4236 A ACCREDITED COUNSELING SVC...Offices Of Mental Health Practitioners
 4236 A ACCREDITED COUNSELING SVC...Psychologists
 4236 A ACCREDITED COUNSELING SVC...Medical Doctors Off
 4236 A BETTER SOLUTION COUNSELING...Other Individual & Family Svcs
 4236 DEVELOPMENTAL PSYC CTR...Physicians & Surgeons
 4236 DEVELOPMENTAL PSYC CTR...Psychiatry
 4236 DEVELOPMENTAL PSYC CTR...Offices Of Physicians Except Mental Health
 4236 DEVELOPMENTAL PSYC CTR...Physicians & Surgeons
 4236 JAMES, RICHARD L MD...Physicians & Surgeons
 4236 JAMES, RICHARD L MD...Offices Of Physicians Except Mental Health
 4236 NEW PINNACLE PERFORMANCE...Process & Logistics Consulting Svcs
 4236 NEW PINNACLE PERFORMANCE CNSL...Mgmt Consulting
 4236 NEW PINNACLE PERFORMANCE CNSL...Business Management Consultants
 4236 RICHARD, L JAMES MD...Physicians & Surgeons
 4236 STACHO, DAVE...Marriage & Family Counselors

248 total records. Part 1 of 5

320 **OGGIES LAWN SERVICE**...Lawn/garden Services
 400 **ADVANCE SKIN & BODY CARE**...Beauty Salons
 400 **SCHOLFIELD REALTY INC**...Real Estate Agt mgr
 627 **BAY WEST LAUNDRY MAT**...Laundries-self Service
 627 **BAY WEST LAUNDRY MAT**...Coin-oper Laundries
 1220 **BRUCE W HUDSON MD**...Physicians & Surgeons
 1220 **HUDSON BRUCE W**...Medical Doctor's Office
 1400 **BARON FLYERS INC**...Unclassified
 1400 **CARDIOLOGY ASSOCIATES**...Physicians & Surgeons
 1400 **CARDIOLOGY ASSOCIATES**...Medical Grps & Clinics
 1400 **LIEBERT HUGH P**...Medical Doctor's Office
 1410 **GULF UROLOGY ASSOCIATES**...Medical Doctor's Office
 1410 **HERMAN EDWARD MD**...Medical Doctor's Office
 1410 **UROLOGY ASSOCIATES**...Physicians & Surgeons
 1410 **UROLOGY ASSOCIATES**...Surgery - Urological
 1414 **J R KENNEDY MD**...Medical Doctors Off
 1414 **J R KENNEDY MD**...Physicians & Surgeons
 1414 **WEST COAST PEDIATRICS**...Physicians Office Specializing In Pediatrics
 1414 **WEST COAST PEDIATRICS**...Pediatrics
 1416 **BEARD JEFFREY MD PA**...Medical Doctor's Office
 1416 **JEFFREY S BEARD PA**...Medical Doctors Off
 1416 **JEFFREY S BEARD PA**...Physicians & Surgeons
 1416 **MARGITA V BEARD MD**...Medical Doctors Off
 1416 **MARGITA V BEARD MD**...Physicians & Surgeons
 1416 **PHILIP CATALANO MD PA**...Medical Doctor's Office
 1416 **PHILIP M CATALANO MD**...Medical Doctors Off
 1416 **PHILIP M CATALANO MD**...Physicians & Surgeons
 1450 **CHASE HOME FINANCE**...Mortgage Bankers
 1450 **CHASE MANHATTAN**...Mortgage Banker/correspondent
 1450 **CHASE MANHATTAN MORTGAGE CORP**...Real Estate Loans
 1450 **DARA GRUBBS**...Insurance Agents brkr
 1450 **GRUBBS INSURANCE**...Insurance-homeowners
 1450 **GRUBBS INSURANCE AGENCY**...Insurance Agent/broker
 1450 **LIFECARE MANAGEMENT INC**...Mgmt Consulting
 1450 **LIFECARE MANAGEMENT INC**...Manages Adult Congregate Living Fac
 1450 **ROBERT J BELLINO MD**...Medical Doctors Off
 1450 **ROBERT J BELLINO MD**...Physicians & Surgeons
 1500 **ORTHO LAB ONE**...Dental Laboratories
 1500 **ORTHO LAB ONE**...Dental Laboratory
 1500 **STEVEN H TINSWORTH DMD PA**...Dentist's Office
 1500 **STEVEN TINSWORTH ORTHODONTICS**...Dentists
 1500 **STEVEN TINSWORTH ORTHODONTICS**...Dentists Off clinic
 1616 **CHURCH OF NAZARENE**...Church Of The Nazarene
 1616 **CHURCH OF THE NAZARENE**...Churches
 1616 **FIRST CHURCH OF THE NAZARENE**...Religious Organization
 1700 **WACHOVIA BANK**...National Coml Banks
 1700 **WACHOVIA BANK**...Banks
 1700 **WACHOVIA BANK**...National Coml Banks
 1700 **WORLD SAVINGS BANK**...Federal Savings & Loan Association
 1802 **COMPOUNDING CENTER**...Drug proprietary Str
 1802 **EYE DEPOT**...Physicians & Surgeons
 1802 **TUTEN CORP**...Opticians
 1804 **MEDICAL ARTS PHARMACY**...Drug proprietary Str

Part 2 of 5

1810 **DEAN R LAUKHUF DDS**...Dentists
 1810 **EVA S LAUKHUF MD PA**...Medical Doctor's Office
 1810 **SWEET TIERS**...Retail Bakery
 1810 **WESTSIDE MEDICAL CARE**...Medical Grps & Clinics
 1810 **WESTSIDE MEDICAL CARE**...Family Practice
 1810 **WESTSIDE MEDICAL CARE INC**...Medical Doctor's Office
 1812 **MEDICAL ARTS REHABILITATION**...Medical Grps & Clinics
 1812 **SOLEUS HEALTHCARE SERVICES**...Help Supply Services
 1816 **BON-BONE MEDICAL IMAGING INC**...X Ray Scanning
 1820 **SYLVAN LEARNING CENTERS**...School/educational Services
 1820 **SYLVAN LEARNING CTR**...Sch,educI Sv Nec
 1820 **SYLVAN LEARNING CTR**...Tutoring
 1822 **TANGLES**...Beauty Shop
 1822 **TANGLES**...Hairdressers
 1828 **AKM TYPING SERVICE**...Typing Medical & School Papers Etc
 1828 **AKM TYPING SVC**...Secretarial,typing Sv
 1828 **AKM TYPING SVC**...Typing Service
 1830 **NICKIS WEST 59TH RESTAURANT**...Restaurants
 1830 **NICKIS WEST 59TH RESTAURANT**...Eating Place
 1830 **NICKIS WEST 59TH RESTAURANT**...Eating Places
 1838 **POST MASTECTOMY BOUTIQUE**...Ret Misc Merchandise
 1840 **QUEST DIAGNOSTICS**...Medical Laboratory
 1840 **QUEST DIAGNOSTICS INC**...Laboratories-medical
 1850 **ALBON NEUROMUSCULAR THRPHY INC**...Misc Personal Svcs
 1878 **SUNCOAST BRACE & LIMB INC**...Misc Retail Stores
 1878 **SUNCOAST BRACE & LIMB INC**...Prosthetics
 1882 **LESLIE THOMPSON DDS**...Dentists
 1882 **LESLIE THOMPSON DDS**...Dentists Off,clinic
 1884 **HALL ROGER W MD PA**...Medical Doctor's Office
 1886 **GASTROENTEROLOGY ASSOCIATES**...Gastroenterology
 1894 **BLAKE MEDICAL CTR**...Job Training,rel Sv
 1894 **BLAKE MEDICAL CTR**...Rehabilitation Services
 1894 **BLAKE MEDICAL CTR OUTPATIENT**...Job Training,rel Sv
 1902 **CASA MORA REHABILITATION**...Job Training,rel Sv
 1902 **CASA MORA REHABILITATION**...Rehabilitation Services
 1906 **BAYVIEW DENTAL ASSOC**...Dentists Off,clinic
 1906 **BRADENTON ENDOCRINOLOGY**...Medical Doctor's Office
 1906 **BRADENTON ENDOCRINOLOGY**...Physicians & Surgeons
 1906 **DONALD B CUMMINGS DDS**...Dentists Off,clinic
 1906 **DONALD B CUMMINGS DDS**...Dentists
 1906 **DONALD CUMMINGS DDS**...Dentist's Office
 1906 **EASTMAN & RUBINO**...Dentists Off,clinic
 1906 **GARY L LAUKHUF DDS**...Dentist's Office
 1906 **GEORGE H BURGESS DDS**...Dentists Off,clinic
 1906 **GEORGE H BURGESS DDS**...Dentists
 1906 **H JOHN RICHMOND DDS**...Dentists
 1906 **H JOHN RICHMOND DDS**...Dentists Off,clinic
 1906 **MARK ELFERVIG DDS**...Dentist's Office
 1906 **MARK T ELFERVIG DDS**...Dentists
 1906 **MARK T ELFERVIG DDS**...Dentists Off,clinic
 1906 **ORAL & MAXILLOFACIAL SURGERY**...Dentists
 1906 **ORAL & MAXILLOFACIAL SURGERY**...Oral & Maxillofacial Surger

Part 3 of 5

1906 PERIDONTAL SPECIALISTS...Dentist's Office
 1906 RICHMOND H JOHN DMD PA...Dentist's Office
 1906 THOMAS G RUBINO DDS MS PA...Dentist's Office
 1906 THOMAS G RUBINO PA...Dentists Off,clinic
 1906 THOMAS G RUBINO PA...Dentists
 1906 WILDCATS AVIATORS INC...Flying Service
 2010 ALLEN W BOYCE MD...Medical Doctor's Office
 2010 ALLERGY CARE CTR...Physicians & Surgeons
 2010 BLAKE IMAGING...Medical Grps & Clinics
 2010 BLAKE MED CTR/OUTPATIENT RDLGY...Mammograph
 2010 BLAKE MEDICAL CTR...Priv Elem,second Schs
 2010 BRADENTON HEART CTR...Medical Grps & Clinics
 2010 BRADENTON HEART CTR...Physicians & Surgeons
 2010 CHIN WARREN DO...Medical Doctor's Office
 2010 COMPOUNDING CENTER...Pharmacies
 2010 CRAGER KENNETH H MD...Medical Doctor's Office
 2010 EDWARD A DEFREITAS MD...Medical Doctors Off
 2010 HEART & VASCULAR CENTER FLA...Medical Doctor's Office
 2010 HEART & VASCULAR CTR...Cardiovascular Disease
 2010 HOBBS DAVID J PHD...Medical Doctor's Office
 2010 JAMES M PSYD MCGOVERN...Health Practitioner's Office
 2010 JOHN RODDENBERRY MD...Medical Doctor's Office
 2010 JOSEPH M DIMINO MD...Medical Doctor's Office
 2010 MANATEE EYE CLINIC...Optometrists Office
 2010 MANATEE EYE CLINIC...Physicians & Surgeons
 2010 PENINSULA ARTHRITIS ASSOC...Physicians & Surgeons
 2010 QUEST DIAGNOSTICS...Medical Laboratory
 2010 QUICKSCREEN FOR WOMEN...Nclassifiable Estab
 2010 QUICKSCREEN FOR WOMEN...Nonclassified Establishments
 2010 RADIOLOGY SERVICES...Radiologists
 2010 VINCENZO PERRONE MD...Physicians & Surgeons
 2010 VINCENZO PERRONE MD...Medical Doctors Off
 2010 W FLORIDA ANESTHESIA...Physicians & Surgeons
 2010 W FLORIDA ANESTHESIA...Anesthesiology
 2020 BLAKE HOSPITAL LW REGISTERED...Gen Med, Surg Hosp
 2020 BLAKE HOSPITAL LW REGISTERED...Hospitals
 2020 BLAKE MEDICAL CENTER...Medical Doctors Off
 2020 BRADENTON PATHOLOGY...Physicians & Surgeons
 2020 BRADENTON PATHOLOGY...Pathology
 2020 COASTAL MECHANICAL SVC...Mechanical Contractors
 2020 JEFFREY WIL FARMER MD...Pathology
 2020 JOTOGO COFFEE & ESPRESSO...Coffee Shop
 2020 L W BLAKE HOSPITAL...Hospitals
 2020 MANATEE COMMUNITY BLOOD CENTER...Health/allied Services
 2020 PUPELLO BESSONE & LOPEZ...Medical Doctor's Office
 2020 R R SIMMONS CONSTRUCTION...General Contractors
 2020 ROBERT C GESSNER MD...Emergency Medicine
 2102 HORIZON BANK...State Bank
 2102 HORIZON BANK...National Com'l Banks
 2103 ZAMIKOFF IRVING DDS MS PA...Dentist's Office
 2103 ZAMKOFF KLEMENT & JUNGMAN...Specialty Unknown
 2103 ZAMKOFF KLEMENT & JUNGMAN...Dentists

Part 4 of 5

2105 INTERNATIONAL MEDICAL LAB INC...Medical Laboratory
 2107 DANIEL C COHEN PA...Dentists Off,clinic
 2107 DANIEL C COHEN PA...Dentists
 2109 B ARROJO GUSTAVO MD...Medical Doctors Off
 2109 PREMIER INTERNAL MEDICINE...Family Practice
 2109 TANGLEWOOD PERIODONTICS...Dentist's Office
 2111 MANATEE ENDODONTICS...Endodontists (root Canals)
 2111 MANATEE ENDODONTICS...Dentists
 2111 MANITEE ENDODONICS...Dentist's Office
 2215 CORTEZ WELLNESS CTR...Health Services Nec
 2215 MAXIMUM REHABILITATION CENTER...Health Practitioner's Office
 2215 NATURAL HEALING ARTS MED CTR...Chiropractor's Office
 2215 NATURAL HEALING ARTS MEDICAL...Chiropractors Off
 2215 NATURAL HEALING ARTS MEDICAL...Chiropractors Dc
 2215 ZAMIKOFF CHIROPRACTIC LIFE CTR...Chiropractor's Office
 2221 EVA LAUKHUF MD...Physicians & Surgeons
 2221 IMSCS INC...Nclassifiable Estab
 2221 JAP PA...Operates As A Medical Doctor
 2221 STEPHANIE MUFF MD...Medical Doctor's Office
 2225 AUSTIN HILL MD...Physicians & Surgeons
 2225 BATEY CARDIOLOGY CTR...Medical Doctors Off
 2225 J ROBERT HYNTON DDS...Dentists
 2225 J ROBERT HYNTON DDS...Dentists Off,clinic
 2225 LAWRENCE C HASARA MD...Physicians & Surgeons
 2225 PREMIER INTERNAL MEDICINE...Physicians & Surgeons
 2225 PREMIERE INTERNAL MEDICINE...Medical Doctor's Office
 2227 PALMA SOLA MEDICAL ASSOC...Internal Medicine
 2302 HERITAGE PARK CARE & REHAB...Nursing & Convalescent Homes
 2302 HERITAGE PARK CARE & REHAB...Nursing Homes
 2302 I H S OF BRADENTON...Nursing Home
 BRADENTON ENDOSCOPY CENTER...Medical Doctor's Office
 2902 BRADENTON GASTROENTEROLOGY...Physicians & Surgeons
 2902 BRADENTON GASTROENTEROLOGY...Gastroenterology
 2902 BRADENTON ORAL SURGERY CTR...Dentists
 2902 BRADENTON ORAL SURGERY CTR...Dentists Off,clinic
 2902 BRADENTON PLASTIC SURGERY...Dermatology
 2902 BRADENTON SURGERY CTR...Medical Grps & Clinics
 2902 COSMETIC VEIN CLINIC FLORIDA...Vein Clinic
 2902 COSMETIC VEIN CLINIC OF FL...Surgery - General
 2902 FAMILY MEDICAL CARE LLC...Skilled Nursing
 2902 FAMILY MEDICAL CARE LLC...Health Care Facilities
 2902 GAIL R ROSE DC...Chiropractor's Office
 2902 GAIL ROSE DC...Chiropractors Off
 2902 GHAFHAICHI & PETROSINO...Physicians & Surgeons
 2902 GUSTAVO B ARROJO MD...Physicians & Surgeons
 2902 INTERNATIONAL MEDICAL LAB INC...Medical Laboratory
 2902 INTERNATIONAL MEDICAL LAB INC...Laboratories-medical
 2902 INTREPID USA...Nurses & Nurses' Registries
 2902 INTREPID USA HEALTHCARE SVC...Home Health Care Sv
 2902 K J WOOSLEY DC...Chiropractors Dc
 2902 KIRKLAND DENTAL ARTS...Dentists
 2902 KIRKLAND DENTAL ARTS...Dentists Off,clinic

Part 5 of 5

2902 MANJU SINGH MD...Medical Doctors Off
 2902 PERFECT PURCHASE INC...Business Services Nec
 2902 PERFECT PURCHASE INC...Business Svs Nec
 2902 PETROSINO & GHAFGHAICHI MD...Medical Doctor's Office
 2902 RIDDELL & LUZIER...Attorneys
 2902 RIDDELL LAW GROUP...Legal Services
 2902 RUBEN B HERNANDEZ MD...Physicians & Surgeons
 2902 STATE FARM INSURANCE...Insurance Agent/broker
 2902 TANGLEWOOD PERIODONTICS...Dentists Off,clinic
 2902 U S 1031 EXCHANGE SVC INC...Misc Services Nec
 2902 WOOSLEY K J DC...Chiropractor's Office
 2905 AMERICAN RED CROSS...Social Services
 3801 W D SUGG MIDDLE SCHOOL...Element, Secon Schl
 3801 W D SUGG MIDDLE SCHOOL...Elementary/secondary School
 3805 MANATEE CTY FMY YMCA INC...Social Services Individual/family Services Membership S
 3805 MANATEE FAMILY YMCA...Social Services Individual/family Services Membership S
 3805 YMCA...Social Services
 3809 JUST FOR GIRLS...Membership Sport/recreation Club
 3809 JUST FOR GIRLS...Civic & Social Assn
 4207 CHIROPRACTIC CENTRE PA...Chiropractor's Office
 4207 TOTAL FAMILY FOOT CARE...Podiatrists Office
 4207 TOTAL FAMILY FOOT CARE...Podiatrist's Office
 4208 7-ELEVEN...Ret Groceries
 4208 SEVEN-ELEVEN FOOD STORES...Conven Stores Chain
 4211 HUNGRY HOWIES PIZZA...Eating Place
 4211 HUNGRY HOWIES PIZZA & SUBS...Quick Serv Pizza Parlor
 4211 HUNGRY HOWIES PIZZA & SUBS...Restaurants
 4230 MAKE IT COUNT ACCOUNTING...Acctg,audit,bkkeep
 4230 NAILS N SUCH...Hairdressers
 4230 NU COMPLEXIONS...Misc Personal Svs
 4230 NU COMPLEXIONS...Permanent Make-up
 4230 PAMPERED HAIR...Hairdressers
 4230 PAMPERED HAIR...Beauty Salons
 4236 A ACCREDITED COUNSELING SVC...Medical Doctors Off
 4236 A ACCREDITED COUNSELING SVC...Psychologists
 4236 DEVELOPMENTAL PSYC CTR...Physicians & Surgeons
 4236 DEVELOPMENTAL PSYC CTR...Psychiatry
 4236 NEW PINNACLE PERFORMANCE CNSL...Mgmt Consulting
 4236 NEW PINNACLE PERFORMANCE CNSL...Business Management Consultants

232 total records. Part 1 of 5

400 ADVANCE SKIN & BODY CARE-DEBRA...Cosmetology And Personal Hygiene Salons
 615 D`VINE TOUCH...Beauty Schools
 615 GRATITUDE ROOM...
 616 FAMILY LIFE COMMUNITY SCHOOL...Public Elementary And Secondary Schools
 1220 HUDSON BRUCE W MD...Internal Medicine Practitioners
 1400 CARDIOLOGY ASSOCIATES...Internal Medicine Practitioners
 1400 DAY MICHAEL MD...Internal Medicine Practitioners
 1400 DE GROAT THOMAS S MD...Internal Medicine Practitioners
 1400 DEGROAT THOMAS MD...Internal Medicine Practitioners
 1400 LIEBERT HUGH P MD...Internal Medicine Practitioners
 1400 LOURIE JOHN K MD...Internal Medicine Practitioners
 1410 FISCELLA KENNETH R MD...Internal Medicine Practitioners
 1410 HERRMAN EDWARD MD...Internal Medicine Practitioners
 1410 POLIS JR CHARLES T MD...Internal Medicine Practitioners
 1410 UROLOGY ASSOCIATES...Internal Medicine Practitioners
 1414 KENNEDY J R MD...Internal Medicine Practitioners
 1416 BEARD JEFFREY S MD...Internal Medicine Practitioners
 1416 CATALANO PHILIP M MD...Internal Medicine Practitioners
 1450 BELLINO ROBERT J MD...Internal Medicine Practitioners
 1450 CHASE MANHATTAN MORTGAGE CORP...Automobile And Consumer Finance Companies
 1450 GRUBBS DARA...
 1450 GRUBBS INSURANCE...
 1450 GRUBBS JOSHUA...
 1450 LIFECARE MANAGEMENT INC...Industrial And Labor Consulting Services
 1500 ORTHO LAB ONE...
 1500 TINSWORTH STEVEN H DDS...Specialized Dental Practitioners
 1616 CHURCH OF THE NAZARENE...
 1616 FAMILY LIFE COMMUNITY SCHOOL...Public Elementary And Secondary Schools
 1700 FIRST UNION NATIONAL BANK...
 1802 CUSTOM EYEWEAR...
 1802 LANCE SCOT MD...Internal Medicine Practitioners
 1802 SUNCOAST HEARING SVC CTR...
 1802 TUTEN CORP...
 1810 COMMUNITY MORTGAGE...
 1810 PREFERRED FLORIDA MORTGAGE...
 1816 BON-BONE MEDICAL IMAGING...Internal Medicine Practitioners
 1820 SYLVAN LEARNING CTR...
 1822 TANGLES...
 1824 FIRST AMERICAN TITLE INS CO...
 1828 AKM TYPING SVC...
 1830 NICKI'S WEST 59TH RESTAURANT...Steak And Barbecue Restaurants
 1838 GREENBRIER MASTECTOMY...
 1840 ACCULAB...Testing Laboratories
 1850 BRAMEISTER FINANCIAL GROUP...
 1850 GULFCOAST UROLOGY...Internal Medicine Practitioners
 1850 MODERN BUSINESS ASSOC...
 1850 TOOLIN EILEEN A MD...Internal Medicine Practitioners
 1850 WEINTRAUB MARK MD...Internal Medicine Practitioners
 1850 YADVEN MITCHELL W MD...Internal Medicine Practitioners
 1878 SUNCOAST BRACE & LIMB INC...Miscellaneous Retail Stores Nec Nec
 1880 CHEN MELVIN C MD...Internal Medicine Practitioners
 1880 JOHNSTON RICHARD H MD...Internal Medicine Practitioners
 1880 LEVY MARC H MD...Internal Medicine Practitioners

Part 2 of 5

1880 SARASOTA RETINA INSTITUTE...Internal Medicine Practitioners
 1880 WONG KEYE L MD...Internal Medicine Practitioners
 1882 THOMPSON LESLIE DDS...Specialized Dental Practitioners
 1884 PEURIFOY TOM MD...Internal Medicine Practitioners
 1884 WEST SURGICAL...Internal Medicine Practitioners
 1886 GENTIVA HEALTH SVC...
 1894 BLAKE MEDICAL CTR...
 1902 CASA MORA...
 1906 BRADENTON ENDOCRINOLOGY...Internal Medicine Practitioners
 1906 BURGESS GEORGE H DDS...Specialized Dental Practitioners
 1906 CUMMINGS DONALD B DDS...Specialized Dental Practitioners
 1906 DE VITA RICHARD N DDS...Specialized Dental Practitioners
 1906 EASTMAN & RUBINO...Specialized Dental Practitioners
 1906 EASTMAN LINDSAY B DDS...Specialized Dental Practitioners
 1906 ELFERVIG MARK T DDS...Specialized Dental Practitioners
 1906 LAUKHUF GARY L DDS...Specialized Dental Practitioners
 1906 ORAL & MAXILLOFACIAL SURGERY...Specialized Dental Practitioners
 1906 PLACHERIL LILLIBET M MD...Internal Medicine Practitioners
 1906 RICHMOND H JOHN DDS...Specialized Dental Practitioners
 1906 RUBINO THOMAS DDS...Specialized Dental Practitioners
 1906 TOMEO CHARLES A DDS...Specialized Dental Practitioners
 2010 ADLER JONATHAN A MD...Internal Medicine Practitioners
 2010 AIDEYAN OSA A MD...Internal Medicine Practitioners
 2010 AINBINDER MARTIN B MD...Internal Medicine Practitioners
 2010 ALEXANDER JACK M MD...Internal Medicine Practitioners
 2010 ALLERGY AFFILIATES...Internal Medicine Practitioners
 2010 BERMAN ERIC E MD...Internal Medicine Practitioners
 2010 BLACKWOOD ROBERT MD...Internal Medicine Practitioners
 2010 BLAUSTEIN PHILIP A MD...Internal Medicine Practitioners
 2010 BOYCE W ALLEN MD...Internal Medicine Practitioners
 2010 BRADENTON BREAST EVALUTION CTR...Internal Medicine Practitioners
 2010 BROWN RICHARD MD...Internal Medicine Practitioners
 2010 BULLEY DAVID A MD...Internal Medicine Practitioners
 2010 CELLA JOHN P MD...Internal Medicine Practitioners
 2010 CHIN WARREN DO...Internal Medicine Practitioners
 2010 CLASS STEVEN MD...Internal Medicine Practitioners
 2010 COMPOUNDING CENTER...
 2010 CRAGER KENNETH H MD...Internal Medicine Practitioners
 2010 DIMINO JOSEPH M MD...Internal Medicine Practitioners
 2010 EAR NOSE & THROAT ASSOC...Internal Medicine Practitioners
 2010 EDELMAN ROBERT E MD...Internal Medicine Practitioners
 2010 EYE CONSULTANTS...Internal Medicine Practitioners
 2010 FRIEDBERG MURRAY L MD...Internal Medicine Practitioners
 2010 GASTROENTEROLOGY ASSOCIATES...Internal Medicine Practitioners
 2010 GRACE DAVID MD...Internal Medicine Practitioners
 2010 GRENIER MARC P MD...Internal Medicine Practitioners
 2010 GURUCHARRI MICHAEL J MD...Internal Medicine Practitioners
 2010 HEIMBERG FLORENCE J MD...Internal Medicine Practitioners
 2010 HILLSTROM ROBERT P MD...Internal Medicine Practitioners
 2010 HISKES STEPHANIE K MD...Internal Medicine Practitioners
 2010 HOBAN BRIAN K MD...Internal Medicine Practitioners
 2010 HOBBS DAVID PHD...Internal Medicine Practitioners

Part 3 of 5

2010 HOLSWORTH MICHAEL MD...Internal Medicine Practitioners
 2010 JENKINS RICHARD MD...Internal Medicine Practitioners
 2010 KALATHIA AXAY S MD...Internal Medicine Practitioners
 2010 L L & B ELECTROCARDIOGRAMS...
 2010 LE VELLE J P MD...Internal Medicine Practitioners
 2010 LIEBERMAN L J MD...Internal Medicine Practitioners
 2010 LOH FRANK MD...Internal Medicine Practitioners
 2010 MAGNON WEST B MD...Internal Medicine Practitioners
 2010 MANATEE EYE CLINIC...Internal Medicine Practitioners
 2010 MANATEE FAMILY PHYSICIANS...Internal Medicine Practitioners
 2010 MANATEE HEARING-SPEECH CTR...
 2010 MARDONES OSVALDO F MD...Internal Medicine Practitioners
 2010 MC GOVERN JAMES M MD...Internal Medicine Practitioners
 2010 MEDICAL ARTS PHARMACY...
 2010 MEDICAL ARTS REHABILITATION...Medical Centers
 2010 MONTERO CARLOS MD...Internal Medicine Practitioners
 2010 MORRISH THOMAS N MD...Internal Medicine Practitioners
 2010 MOSCOSO WALTER E MD...Internal Medicine Practitioners
 2010 NALL AGNES V MD...Internal Medicine Practitioners
 2010 PENINSULA ARTHRITIS ASSOC...Internal Medicine Practitioners
 2010 PENINSULA BEHAVIORAL MEDICINE...Internal Medicine Practitioners
 2010 PENINSULA ORTHOPAEDIC ASSOC...Internal Medicine Practitioners
 2010 PERRONE VINCENZO MD...Internal Medicine Practitioners
 2010 PINNACLE CARDIOVASCULAR...Internal Medicine Practitioners
 2010 QUEST DIAGNOSTICS INC...Testing Laboratories
 2010 RICHARDSON TIMOTHY...
 2010 RIZZO ANTHONY J MD...Internal Medicine Practitioners
 2010 RODDENBERRY JOHN MD...Internal Medicine Practitioners
 2010 RODRIGUEZ CARLOS M MD...Internal Medicine Practitioners
 2010 RODRIGUEZ MANUEL E MD...Internal Medicine Practitioners
 2010 SCHROEDER KEVIN S MD...Internal Medicine Practitioners
 2010 SHEK ROSABELLA MD...Internal Medicine Practitioners
 2010 SILVERMAN SCOTT E MD...Internal Medicine Practitioners
 2010 STOUTAMYER STRATOS SCHROEDER...Internal Medicine Practitioners
 2010 STRATOS MILTON S MD...Internal Medicine Practitioners
 2010 W FLORIDA ANESTHESIA...Internal Medicine Practitioners
 2010 WATERS ELAINE F MD...Internal Medicine Practitioners
 2010 WENDEL NANETTE K MD...Internal Medicine Practitioners
 2010 WESTSIDE INTERNAL MEDICINE...Internal Medicine Practitioners
 2020 BLAKE HOSPITAL LW REGISTERED...
 2020 BLAKE MEDICAL CTR...Colleges And Universities
 2020 BRADENTON PATHOLOGY...Internal Medicine Practitioners
 2020 L W BLAKE HOSPITAL...
 2020 LISKIEWICZ ANDREW Z MD...Internal Medicine Practitioners
 2020 MANATEE COMMUNITY SATELLITE...
 2020 SENTENEY GARY MD...Internal Medicine Practitioners
 2020 SOLER JOSEPH M MD...Internal Medicine Practitioners
 2020 YOUMANS GARY MD...Internal Medicine Practitioners
 2102 HORIZON BANK...
 2103 CRAIG'S CROWNS INC...
 2103 FELICIANO WENDELL A DDS...Specialized Dental Practitioners
 2103 JUNGMAN DOUGLAS C DDS...Specialized Dental Practitioners

Part 4 of 5

2103 KLEMENT ROBERT J DDS...Specialized Dental Practitioners
 2103 NGUYEN KIM HAI DDS...Specialized Dental Practitioners
 2103 ROGER'S DENTAL LAB...
 2103 ZAMIKOFF IRVING DDS...Specialized Dental Practitioners
 2103 ZAMKOFF KLEMENT & JUNGMAN...Specialized Dental Practitioners
 2105 INTERNATIONAL MEDICAL LAB INC...Testing Laboratories
 2107 COHEN DANIEL C DDS...Specialized Dental Practitioners
 2107 RENEE'S PORCELAIN STUDIO...
 2109 KIRKLAND BARCLAY DDS...Specialized Dental Practitioners
 2109 TANGLEWOOD PERIODONTICS...Specialized Dental Practitioners
 2111 DE JONGH L CARL DDS...Specialized Dental Practitioners
 2111 FABRE DAVID D DDS...Specialized Dental Practitioners
 2111 MANATEE ENDODONTICS...Specialized Dental Practitioners
 2111 STARLING ROBERT F DDS...Specialized Dental Practitioners
 2215 JOINT WORKS...
 2215 ZAMIKOFF CHIROPRACTIC LIFE CTR...
 2221 GORDON ROGER DREW MD...Internal Medicine Practitioners
 2221 LAUKHUF DEAN R DDS...Specialized Dental Practitioners
 2221 LAUKHUF EVA MD...Internal Medicine Practitioners
 2221 PFEILSTICKER JOHN A MD...Internal Medicine Practitioners
 2221 WAGNER BARBARA MD...Internal Medicine Practitioners
 2225 ARROJO GUSTAVO B MD...Internal Medicine Practitioners
 2225 EL MASRY WAGUIH MD...Internal Medicine Practitioners
 2225 HERNANDEZ JORGE L MD...Internal Medicine Practitioners
 2225 HYNTON J ROBERT DDS...Specialized Dental Practitioners
 2225 PREMIER INTERNAL MEDICINE...Internal Medicine Practitioners
 2225 RUCKER G BINO MD...Internal Medicine Practitioners
 2227 PALMA SOLA MEDICAL ASSOC...Internal Medicine Practitioners
 2227 SAMMOUR ADNAN MD...Internal Medicine Practitioners
 2302 INTEGRATED HEALTH SVC...
 2302 NHLI...
 2902 ANDERSON THOMAS A DDS...Specialized Dental Practitioners
 2902 BELSITO ALPHONSO A MD...Internal Medicine Practitioners
 2902 BRADENTON GASTROENTEROLOGY...Internal Medicine Practitioners
 2902 BRADENTON ORAL SURGERY CTR...Specialized Dental Practitioners
 2902 BRADENTON PLASTIC SURGERY...Internal Medicine Practitioners
 2902 BRADENTON SURGERY CTR...Internal Medicine Practitioners
 2902 COSMETIC VEIN CLINIC OF FL...Internal Medicine Practitioners
 2902 DRUCKER YOEL MD...Internal Medicine Practitioners
 2902 FERNANDEZ ENRIQUE J MD...Internal Medicine Practitioners
 2902 GHAFFHAICHI & PETROSINO...Internal Medicine Practitioners
 2902 GHAFFHAICHI MEHRZAD MD...Internal Medicine Practitioners
 2902 HERNANDEZ RUBEN B MD...Internal Medicine Practitioners
 2902 IKEMAN ROBERT L MD...Internal Medicine Practitioners
 2902 KAINE JEFFREY L MD...Internal Medicine Practitioners
 2902 KIRKLAND MARGARET DDS...Specialized Dental Practitioners
 2902 PECORARO JOSEPH P MD...Internal Medicine Practitioners
 2902 PETROSINO ALBERT T MD...Internal Medicine Practitioners
 2902 REJUVEN SKIN HEALTH & BEAUTY...Internal Medicine Practitioners
 2902 ROSE GAIL DC...
 2902 SMALL DANIEL MD...Internal Medicine Practitioners
 2902 SOLEUS HEALTHCARE SVC...

Part 5 of 5

2902 WAYNE SCROGGINS INSURANCE...
 2902 WEITZNER RONALD I MD...Internal Medicine Practitioners
 2902 WEST BRADENTON ARTHRITIS CTR...Internal Medicine Practitioners
 2902 WOOSLEY K J DC...
 2902 YONKER RICHARD A MD...Internal Medicine Practitioners
 2905 AMERICAN RED CROSS...Growers' Associations
 3701 MANATEE WILDCATS FOOTBALL INC...
 3801 W D SUGG MIDDLE SCHOOL...Public Elementary And Secondary Schools
 3805 YMCA...Growers' Associations
 3809 JUST FOR GIRLS...
 4207 TOTAL FAMILY FOOT CARE...
 4207 WELCH MONA DPM...
 4208 7-ELEVEN FOOD STORE...
 4211 HUNGRY HOWIE'S PIZZA & SUBS...
 4220 PEACOCK PRINTING...Promotional Printing, Lithographic
 4230 A ALTERATIONS & TAILORING...
 4230 ADULT HAIR DESIGNERS...
 4236 A BETTER SOLUTION COUNSELING...Geriatric Social Service
 4236 GLOVER & ASSOC COUNSELING...
 4236 HAMILTON MICHAEL W...Geriatric Social Service
 4236 JAMES RICHARD L MD...Internal Medicine Practitioners
 4236 NPG RESOURCES...Industrial And Labor Consulting Services
 4236 STACHO DAVID A...

165 total records. Part 1 of 4

202 COLUMBIA BLAKE MEDICAL CENTER SUBACUTE CARE CENTER...
 400 STORYTELLER...Costume Jewelry
 400 WORMWOOD NANCY MASSAGE THERAPY...Miscellaneous Personal Services
 615 PERFECT IMPRESSION...Beauty Shops
 1020 CARIBBEAN DINE AROUND...
 1400 CARDIOLOGY ASSOCIATES OF BRADENTON...Offices And Clinics Of Medical Doctors
 1410 UROLOGY ASSOCIATES...Offices And Clinics Of Medical Doctors
 1414 KENNEDY J R MD PA OFC PEDIATRICS...Offices And Clinics Of Medical Doctors
 1416 CATALANO PHILIP M MD PA OFC...Offices And Clinics Of Medical Doctors
 1450 JACKSON ROY D OFFICE...Management Consulting Services
 1450 LIFECARE MANAGEMENT INC...Management Consulting Services
 1450 US MED TECH INC...Drugs Proprietaries And Sundries
 1500 TINSWORTH STEVEN H DMD PA ORTHODONTICS...Offices And Clinics Of Dentists
 1616 CHURCH OF THE NAZARENE FIRST BRADENTON...Religious Organizations
 1616 FIRST CHURCH OF THE NAZARENE BRADENTON...Religious Organizations
 1616 NAZARENE FIRST CHURCH OF THE...Religious Organizations
 1802 CUSTOM EYEWEAR...Optical Goods Stores
 1802 MARK & LARRYS CUSTOM EYEWEAR...Optical Goods Stores
 1802 MARK & LARRYS CUSTOM EYEWEAR BLAKE PARK OFC...Offices And Clinics Of Optometrists
 1810 COMMUNITY MORTGAGE...Mortgage Bankers And Correspondents
 1810 PRUDENTIAL FLORIDA REALTY RESIDENTIAL SALES OFFICES BRADENTON O...Real Estate Agents And Managers
 1812 SYMPHONY HOME CARE SERVICES INC...Employment Agencies
 1816 BON BONE MEDICAL IMAGING...Offices And Clinics Of Medical Doctors
 1818 SYLVAN LEARNING CENTER...Schools And Educational Services
 1820 PARENT WILLIAM H CPA...Accounting Auditing And Bookkeeping
 1820 PARENT WILLIAM M CPA...Accounting Auditing And Bookkeeping
 1822 WHO CUT YOUR HAIR...Beauty Shops
 1824 FIRST AMERICAN TITLE INSURANCE COMPANY BRADENTON OFFICE...Title Abstract Offices
 1828 A K M TYPING SERVICE...Telegraph And Other Communications
 1830 NICKIS WEST 59TH RESTAURANT...Eating Places
 1838 UNIGLOBE EXECUTIVE TRAVEL...Passenger Transportation Arrangement
 1850 BRADENTON PHYSICIANS DIALYSIS CENTER...Offices And Clinics Of Medical Doctors
 1850 INFECTIOUS DISEASES CONSULTANTS...Offices And Clinics Of Medical Doctors
 1878 SUNCOAST BRACE & LIMB INC...Miscellaneous Retail Stores Nec
 1880 CHEN MELVIN C MD...Offices And Clinics Of Medical Doctors
 1880 LEVY MARC H MD...Offices And Clinics Of Medical Doctors
 1880 SARASOTA RETINA INSTITUTE PA...Offices And Clinics Of Medical Doctors
 1880 SARASOTA RETINAINSTITUTE...Offices And Clinics Of Medical Doctors
 1886 BLAKE HOME HEALTH WEST...General Medical And Surgical Hospitals
 1886 COLUMBIA HOMECARE WEST...General Medical And Surgical Hospitals
 1894 BLAKE HCA L W HOSPITAL HEALTH CENTER AMERICA...General Medical And Surgical Hospitals
 1902 FREEDOM CARE PAVILION...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION ACTIVITIES...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION ADMISSIONS...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION BEAUTY SHOP...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION BUSINESS OFFICE...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION DIETARY...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION FLEX STAFF NURSING POOL...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION HARMONY WING...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION HOUSEKEEPING...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION MAINTENANCE...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION PHYSICAL THERAPY...Nursing And Personal Care Nec
 1902 FREEDOM CARE PAVILION SOCIAL SERVICES...Nursing And Personal Care Nec

Part 2 of 4

1906 BURGESS GEO H DDS PA OFC...Offices And Clinics Of Dentists
 1906 LAUKHUF GARY L DDS OFC...Offices And Clinics Of Dentists
 1906 LAUKHUF GARY L DDS OFC ANSWER 24 HOURS A DAY...Offices And Clinics Of Dentists
 1906 ORAL SURGERY ASSOCIATES...Offices And Clinics Of Dentists
 2010 ADLER JONATHAN A MD MEDICAL ARTS BLDG OFC...Offices And Clinics Of Medical Doctors
 2010 ALLERGY AFFILIATES...Offices And Clinics Of Medical Doctors
 2010 ALLERGY CARE CENTER...Offices And Clinics Of Medical Doctors
 2010 BRADENTON BREAST EVALUATION CENTER...Offices And Clinics Of Medical Doctors
 2010 BRADENTON ORTHOPAEDIC ASSOCIATES...Offices And Clinics Of Medical Doctors
 2010 BRADENTON ORTHOPEDIC ASSOCIATES...Offices And Clinics Of Medical Doctors
 2010 CHAPMAN DAVID W MD OFC...Offices And Clinics Of Medical Doctors
 2010 CORNING CLINICAL LABORATORIES...Medical Laboratories
 2010 DICKERSON E P MD OFC...Offices And Clinics Of Medical Doctors
 2010 EAR NOSE & THROAT ASSOCIATES OF MANATEE PA...Offices And Clinics Of Medical Doctors
 2010 EDELMAN ROBERT E MD MEDICAL ARTS BLDG OFC...Offices And Clinics Of Medical Doctors
 2010 FACIAL PLASTIC SURGERY CENTER...Offices And Clinics Of Medical Doctors
 2010 FLORIDA DRUG RESEARCH...
 2010 FRENCH ERIC L PT...Offices Of Health Practitioner
 2010 FRIEDBERG MURRAY L MD MEDICAL ARTS BLDG OFC...Offices And Clinics Of Medical Doctors
 2010 HOLSWORTH MICHAEL C MD OFC...Offices And Clinics Of Medical Doctors
 2010 L L & B ELECTROCARDIOGRAMS...
 2010 LASSEN KEITH J MD OFC...Offices And Clinics Of Medical Doctors
 2010 LIEBERMAN L J MD OFC...Offices And Clinics Of Medical Doctors
 2010 MANATEE EYE CLINIC MEDICAL ARTS BLDG OFC...Offices And Clinics Of Medical Doctors
 2010 MANATEE FAMILY PHYSICIANS...Offices And Clinics Of Medical Doctors
 2010 MANATEE HEARING SPEECH CENTER INC...Offices Of Health Practitioner
 2010 MEDICAL ARTS PHARMACY...Medical And Hospital Equipment
 2010 MEDICAL ARTS REHABILITATION INC...Offices Of Health Practitioner
 2010 MOSCOSO WALTER E MD MEDICAL ARTS BUILDING...Offices And Clinics Of Medical Doctors
 2010 MOSCOSO WALTER E MD MEDICAL ARTS BUILDING OFC...Offices And Clinics Of Medical Doctors
 2010 PHARMACEUTICAL CONSULTING SERVICES...Business Consulting, Nec
 2010 QUICKSCREEN FOR WOMEN MOBILE SCREENING MAMMOGRAPHY...Medical Laboratories
 2010 ROGERS JAMES T MD OFC...Offices And Clinics Of Medical Doctors
 2010 SILVERMAN SCOTT E MD MEDICAL ARTS BLDG OFC...Offices And Clinics Of Medical Doctors
 2010 SUNCOAST CIRCULATORY CENTER...Health And Allied Services Nec
 2010 TOWNSEND HORACE D MD OFC...Offices And Clinics Of Medical Doctors
 2010 VAN FLEET ROBERT H MD...Offices And Clinics Of Medical Doctors
 2010 WEST FLORIDA ANESTHESIA CONSULTANTS PA...Offices And Clinics Of Medical Doctors
 2010 WESTSIDE MEDICAL ASSOCIATES...Offices And Clinics Of Medical Doctors
 2020 BIRTHCARE FAMILY RESOURCE CENTER...Specialty Outpatient Clinics Nec
 2020 BLAKE L W HOSPITAL...General Medical And Surgical Hospitals
 2020 BLAKE L W HOSPITAL...General Medical And Surgical Hospitals
 2020 BLAKE L W HOSPITAL...General Medical And Surgical Hospitals
 2020 BLAKE L W HOSPITAL...General Medical And Surgical Hospitals
 2020 BLAKE MEDICAL CENTER REGISTERED DIETICIANS...Offices Of Health Practitioner
 2020 COLUMBIA BLAKE MEDICAL CENTER...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER BLAKE PHYSICIANS ANSWERING...Business Services, Nec
 2020 COLUMBIA BLAKE MEDICAL CENTER BUSINESS OFFICE PATIENT ACCOUNTIN...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER CATERING...Offices Of Health Practitioner
 2020 COLUMBIA BLAKE MEDICAL CENTER CHEST PAIN CENTER...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER COMPANY CARE...

Part 3 of 4

2020 COLUMBIA BLAKE MEDICAL CENTER DIABETES EDUCATION PROGRAM...Offices Of Health Practitioner
 2020 COLUMBIA BLAKE MEDICAL CENTER EAP ...
 2020 COLUMBIA BLAKE MEDICAL CENTER EMERGENCY CENTER 24 HRS...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER THE BABY PLACE...General Medical And Surgical Hospitals
 2020 COLUMBIA BLAKE MEDICAL CENTER THE BABY PLACE BIRTHCARE FAMILY R...Specialty Outpatient Clinics Nec
 2020 HCA L W BLAKE HOSPITAL...General Medical And Surgical Hospitals
 2020 HOSPITAL BLAKE HCA L W...General Medical And Surgical Hospitals
 2020 L W BLAKE HOSPITAL...General Medical And Surgical Hospitals
 2020 MANATEE COMMUNITY BLOOD CENTER BLAKE SATELLITE...
 2020 PHYSICIAN REFERRAL AT L W BLAKE HOSPITAL SARASOTA...General Medical And Surgical Hospitals
 2020 THE BABY PLACE FAMILY RESOURCE CENTER...Specialty Outpatient Clinics Nec
 2103 CRAIGS CROWNS INC...Dental Laboratories
 2103 ROGERS DENTAL LAB...Dental Laboratories
 2105 BRADENTON ARTHRITIS CENTER...Offices And Clinics Of Medical Doctors
 2105 INTERNATIONAL MEDICAL LABORATORY INC...Medical Laboratories
 2105 WEST BRADENTON ARTHRITIS CENTER...Offices And Clinics Of Medical Doctors
 2107 RENEES PORCELAIN STUDIO...Dental Laboratories
 2109 KIRKLAND BARCLAY DDS MSD OFC...Offices And Clinics Of Dentists
 2111 DE JONGH L CARL DDS MS OFC...Offices And Clinics Of Dentists
 2215 MAXIMUM REHABILITATION INC...Offices Of Health Practitioner
 2215 MEDICINE SHOPPE...Drug Stores And Proprietary Stores
 2225 TANGLEWOOD OPTICAL...Optical Goods Stores
 2302 IHS OF BRADENTON...Nursing And Personal Care, Nec
 2302 INTEGRATED HEALTH SERVICES OF BRADENTON...Nursing And Personal Care Nec
 2302 NHLI...
 2302 NOVA CARE INC...
 2902 ANDERSON THOMAS A DDS BRADENTON ORAL SURGERY CENTER...Offices And Clinics Of Dentists
 2902 ARM/MANATEE MEDICAL LABORATORIES...Medical Laboratories
 2902 BRADENTON ENDOSCOPY CENTER...Offices And Clinics Of Medical Doctors
 2902 BRADENTON GASTROENTEROLOGY PA...Offices And Clinics Of Medical Doctors
 2902 BRADENTON PLASTIC SURGERY...Offices And Clinics Of Medical Doctors
 2902 BRADENTON PSYCHIATRY ASSOCIATES...Offices And Clinics Of Medical Doctors
 2902 CLEARWATER CLINICAL LABORATORY INC...Medical Laboratories
 2902 KIRKLAND MARGARET DDS OFC...Offices And Clinics Of Dentists
 2902 MANATEE MEDICAL LABORATORIES INC...Medical Laboratories
 2902 MENS HEALTH INSTITUTE...Offices And Clinics Of Medical Doctors
 2902 SCROGGINS WAYNE INSURANCE...Insurance Agents Brokers And Service
 2902 STATE FARM INSURANCE COMPANIES AGENTS...Insurance Agents Brokers And Service
 2902 TGC HOME HEALTH CARE...Employment Agencies
 2905 AMERICAN RED CROSS MANATEE COUNTY CHAPTER...Civic And Social Associations
 2905 AMERICAN RED CROSS MANATEE COUNTY CHAPTER EMERGENCY CALLS ANYTI...Civic And Social Associations
 2905 RED CROSS...Civic And Social Associations
 3801 SCHOOL BOARD OF MANATEE COUNTY CONTINUED MIDDLE SCHOOLS SUGG W...Elementary And Secondary Schools
 3805 Y M C A MANATEE COUNTY FAMILY...Civic And Social Associations
 3809 JUST FOR GIRLS WEST BRADENTON BRANCH...Membership Sports And Recreation Clubs
 3809 MANATEE COUNTY GIRLS CLUB INC JUST FOR GIRLS...Membership Sports And Recreation Clubs
 3809 MANATEE COUNTY GIRLS CLUB INC WEST BRADENTON BRANCH...Membership Sports And Recreation Clubs
 4207 CHIROPRACTIC CENTRE PA THE...Offices And Clinics Of Chiropractors
 4207 FAMILY FOOT CARE...Offices And Clinics Of Podiatrists
 4208 7 ELEVEN FOOD STORES CONTINUED STORE NO 26065...Grocery Stores
 4220 PEACOCK PRINTING...Miscellaneous Publishing
 4230 A ALTERATIONS & TAILORING...Laundry And Garment Services Nec

Part 4 of 4

4230 ADULT HAIR DESIGN...Beauty Shops
 4230 BREITENBACH JACK INSURANCE...Insurance Agents Brokers And Service
 4230 BREITENBACH JACK INSURANCE...Insurance Agents Brokers And Service
 4230 CENTRAL SERVICE CONTRACTORS...Single-family Housing Construction
 4230 STATE FARM INSURANCE COMPANIES AGENTS...Insurance Agents Brokers And Service
 4230 STATE FARM INSURANCE COMPANIES AGENTS...Insurance Agents Brokers And Service
 4236 LEGLER MARY ANN ARNP MSN MA...Offices And Clinics Of Medical Doctors
 18508 BRADENTON OB GYN SPECIALISTS...Offices And Clinics Of Medical Doctors

162 total records. Part 1 of 4

400 FISHER JOE CONSTRUCTION CO INC GENL CONTR
 603 HAIRLOOM BEAUTY SALON
 613 PALMA SOLA BARBER SHOP
 615 PERFECT IMPRESSION NAIL & FACIAL SALON
 617 PERFECT IMPRESSIONS
 908 ARTHUR KENNETH J
 912 CAMPBELL WALTER
 912 CLARK WILMA A
 916 HANF SOL J & IDA L
 920 JOHNS BIC DORIS
 924 WEBER LAUIS PHIE
 928 GRAHAM DOUG & DIANE
 1004 LA RUE DONALD L & KATH L
 1008 SMITH ROBT O & PAT
 1012 TRUONG HUNG VO
 1016 WILLIAMS W T & GM
 1020 COOK BRENDA
 1020 DAVIS WINFIELD
 1104 KRULL GERARD V & KAY
 1104 RITTERMEYER VIRGINIA
 1108 ANDRAKA JOSEPH T & BETTE C
 1204 MARBURGER JOHN & CONNJE S
 1204 MARBURGER MARK E
 1208 NOT VERIFIED
 1212 MC GEEHAN HUGH F & MARY
 1220 HUDSON BRUCE W PHYS
 1300 POWELL ARCHIBALD B & LAURENE P
 1400 CARDIOLOGY ASSOCIATES
 1400 MULTI TENANT PROFESSIONAL
 1410 UROLOGY ASSOCIATES
 1414 KENNEDY J RANDALL PHYS
 1414 MENDEZ CARLOS A PHYS
 1416 CATALANO PHILIP M PHYS
 1416 FULGHUM DAVID D PHYS
 1450 BELLINO ROBT J PHYS
 1450 HEARING CARE CENTER PHYS
 1450 LIFECARE MANAGEMENT INC RETIREMENT HM MGMT - DEV
 1500 TINSWORTH STEVEN H ORTHODONTICS
 1616 FIRST CHURCH OF THE NAZARENE
 1700 FIRST UNION NATIONAL BANK OF FLORIDA
 1812 CENTRAL HEALTH SERVICES
 1814 FIRST AMERICAN TITLE INSURANCE CO
 1816 ALLIED CLINICAL LABORATORIES
 1818 SYLVAN LEARNING CENTER
 1820 PARENT WILLIAM P CPA
 1822 JE' MI HAIR SALON BEAUTY SALON
 1826 PRUDENTIAL FLORIDA REALTY
 1828 A K M TYPING SERVICE
 1830 NICKI'S WEST FIFTY NINTH RESTAURANT
 1838 EXECUTIVE TRAVEL OF MANATEE COUNTY
 1840 CLIFFORD CHAPMAN EAR NOSE THROAT PHYSICIANS
 1850 BACH MICHAEL C PHYS
 1850 BRADENTON OB - GYN SPECIALISTS PHYS

Part 2 of 4

1850 BRAXTAN THOMAS N PHYS
 1850 INFECTIOUS DISEASES CONSULTANTS PHYS
 1850 LACEFIELD JERRY N
 1850 LE FROCK JACK L PHYS
 1850 SUTTON HAROLD S PHYS
 1850 TURNER LEE M PHYS
 1878 BELSITO ALPHONSO A PHYS
 1880 MULTI TENANT PROFESSIONAL
 1880 SARASOTA RETINA INSTITUTE
 1882 PEDIATRIC DENTISTRY
 1882 RUGGIERO CARL W DENTIST
 1884 PEURIFOY J TOM PHYS
 1886 BLAKE HOME HEALTH DEPT OF BLAKE HOSP
 1886 ZIMMERMAN SARAH
 1894 BLAKE L W HEALTH CENTER AMERICA HEALTH CLUB
 1902 FREEDOM CARE PAVILION NURSING HOME
 1906 BLAKE DENTAL PROFESSIONAL PARK PHYS OFCS
 1906 BURGESS GEO H DENTIST
 1906 CUMMINGS DONALD B DENTIST
 1906 DE VITA RICH D N ENDO DENTIST
 1906 EASTMAN LINDSAY B DENTIST
 1906 ELFERVIG MARK T DENTIST
 1906 LAUKHUF GARY L DENTIST
 1906 RICHMOND H JOHN DENTIST
 1906 RUBINO THOS G DENTIST
 1906 TOMEO CHARLES A PHYS
 2010 ALLERGY AFFILIATES PHYS
 2010 ALLERGY CENTER CLINIC
 2010 BARAN STOUTAMYER STRATOS & TEMPKIN PHYS
 2010 BRADENTON BREAST EVALUATION CENTER
 2010 BRADENTON ORTHOPAEDIC ASSOCIATES
 2010 BRADENTON ORTHOPAEDIC ASSOCIATES OVERFLOW
 2010 DAMON CLINICAL LABORATORIES CYTOLOGY
 2010 EAR NOSE & THROAT ASSOCIATES OF MANATEE P PHYS
 2010 FACIAL PLASTIC SURGERY CENTER THE CLINIC
 2010 FLORIDA DRUG RESEARCH INC
 2010 L L & B ELECTROCARDIOGRAMS BILLING OFFICE
 2010 MANATEE EYE CLINIC
 2010 MANATEE FAMILY PHYSICIANS
 2010 MANATEE HEARING & SPEECH CENTER INC
 2010 MANATEE OPTICAL CO
 2010 MEDICAL ARTS BUILDING
 2010 MEDICAL ARTS PHARMACY
 2010 MEDICAL ARTS REHABILITATION INC
 2010 MULTI TENANT PROFESSIONAL
 2010 MULTI TENANT PROFESSIONAL
 2010 NOT VERIFIED
 2010 PHYSICIAN LINK INFORMATION
 2010 VACANT
 2010 VACANT
 2010 WEST COAST NON - INVASIVE VASCULAR LABY INC
 2010 WESTSIDE MEDICAL ASSOCIATES

Part 3 of 4

2020 BLAKE HOSPITAL PHARMACY
 2020 H C A L W BLAKE HOSPITAL
 2103 MULTI TENANT PROFESSIONAL
 2105 INTERNATIONAL MEDICAL LABORATORY INC
 2107 COHEN DANIEL C DENTIST
 2109 KIRKLAND BARCLAY DENTIST
 2111 DE JONGH L CARL DENTIST
 2111 HOLLOWAY NORMAN L DENTIST
 2215 MC CARTHY OWEN M PHYS
 2215 SAVE RX PHARMACY
 2221 MULTI TENANT PROFESSIONAL
 2223 VACANT
 2227 KOSER ROBERT B PHYS
 2227 NELSON JEFFREY D PHYS
 2302 HERITAGE PARK OF BRADENTON NURSING HOME
 2800 NOT VERIFIED
 2901 BRADENTON CITY FIRE DEPT STA NO 3
 2902 BRADENTON PLASTIC SURGERY
 2902 GULFCOAST PAIN MEDICINE CENTER INC
 2902 HOME HEALTH SERVICES OF MANATEE - HOME HEALTH
 2902 MANATEE MEDICAL LABORATORIES INC
 2902 MULTI TENANT PROFESSIONAL
 2902 NATIONAL DEVELOPMENT PROPERTIES OF FLORIDA INC
 2902 NOT VERIFIED
 2902 PALM COAST EYE CENTER
 2902 STATE FARM INS
 2902 VACANT
 2905 AMERICAN RED CROSS MANATEE COUNTY CHAPTER
 3801 SUGG W D MIDDLE SCHOOL
 3805 LEARNING TREE PRE - SCHOOL
 3805 MANATEE COUNTY FAMILY Y M C A
 3809 MANATEE COUNTY GIRL'S CLUB W BRADENTON BR
 4012 VACANT
 4014 VACANT
 4020 MARSHALL ROBERT L
 4028 HEUSER BRENT
 4030 -4116 VACANT (4 HSES)
 4118 MARTIN THERESA G
 4207 CHIROPRACTIC CENTRE THE
 4207 HADAM RONALD T PHYS
 4207 LANZISERA LISA R CHIRO
 4207 TOTAL FAMILY FOOT CARE
 4208 SEVEN ELEVEN INC
 4220 PEACOCK PRINTING
 4230 A A ALTERATIONS
 4230 BREITENBACH JACK INSURANCE
 4230 CENTRAL SERVICES CONTRACTORS INC
 4230 THIRD DIMENSIONS HAIRSTYLING
 4236 METTS INSURANCE CONSULTANTS
 4236 NOT VERIFIED
 4236 NOT VERIFIED
 4236 PLAZA FIFTY NINE

Part 4 of 4

4236 TOWNE & SHORE REALTY
 4236 TOWNE AND SHORE REALTY ADDL SP
 4236 VACANT
 4236 VACANT
 4236 VACANT (2 BUSINESSES)

156 total records. Part 1 of 3

330 PETERS BARBARA MRS
 400 FISHER R
 603 HAIRLOOM BEAUTY SALON
 611 AUSBORN ELECTRONIC WATCH & JEWELRY REPAIR INC
 613 PALMA SOLA BARBER SHOP
 615 COUNTRY NAILS BOUTIQUE
 617 VACANT
 804 NIETO RALPH
 908 TAYLOR EARL S
 912 CLARK MERVIN L
 916 HANF SOL J
 920 BRADY TED F
 924 PENA NOEL
 928 SYKES GINA
 928 SYKES RAY
 1004 LA RUE DONALD L
 1008 STIRLITH FRANCIS E
 1012 TRUONG HUNG VO
 1016 HAUBERT PAUL
 1020 LOOBY STEPHEN J
 1104 KRULL GERALD V
 1108 ANDRAKA JOSEPH T
 1204 SCHIER JAS R
 1208 STONEBROOK STEVE E
 1212 MC GEEHAN HUGH F
 1220 HUDSON BRUCE W PHYS
 1222 UNDER CONSTN
 1400 CARDIOLOGY ASSOCIATES
 1400 DAY MICHL L PHYS
 1400 DE GROAT THOS S PHYS
 1410 FISCELLA KENNETH R PHYS
 1410 POLIS CHARLES T JR PHYS
 1410 UROLOGY ASSOCIATES
 1414 KENNEDY J RANDALL PHYS
 1416 CATALANO PHILIP M PHYS
 1416 FULGHUM DAVID D PHYS
 1616 FIRST CHURCH OF THE NAZARENE
 1616 MATHIAS JOHN
 1700 COMMUNITY BANK OF MANATEE
 1800 BLAKE PARK
 1810 COMMUNITY MORTGAGE
 1812 BLAKE PARK FLORIST
 1814 FIRST TITLE OF MANATEE INC
 1816 CARPENTER`S SHOP THE RELIGIOUS SUP
 1820 UNIFORM PRN SLS
 1822 BLAKE PARK STYLISTS BEAUTY SALON
 1826 GOLDEN GATE REAL ESTATE INC
 1830 CIA`S PETITE CAFE
 1838 EXECUTIVE TRAVEL OF MANATEE COUNTY INC
 1840 HOME MEDICAL MED SUP RENTAL
 1880 CHEN MELVIN C PHYS
 1880 FLORIDA WEST COAST RETINA ASSOCIATES
 1880 KINGHAM JAS D PHYS

Part 2 of 3

1882 PEDIATRIC DENTISTRY
 1884 PEURIFOY J TOM PHYS
 1886 H C A BLAKE HOME HEALTH AGENCY HOME NURSING SERV
 1894 HEALTH CENTER AMERICA HEALTH CLUB
 1901 BISHOP ANIMAL SHELTER S P C A SIDE ENT
 1902 CAROL LOU MORA CARE CENNTER NURSING HOME
 1906 ACQUARO RONALD S DENTIST
 1906 BURGESS GEO H DENTIST
 1906 CUMMINGS DONALD B DENTIST
 1906 EASTMAN LINDSAY B DENTIST
 1906 LACKEY DONALD W DENTIST
 1906 TOMEO CHARLES A DENTIST
 2010 ALPHA MED LAND CORP
 2010 BELSITO ALPHONSO A
 2010 BRADENTON BREAST EVALUATION CENTER
 2010 BRADENTON ORTHOPAEDIC ASSOCIATES
 2010 DAMON CLINICAL LABORATORIES
 2010 EAR NOSE & THROAT ASSOCIATES OF MANATEE P A PHYS
 2010 KING MEYER DODT CANTOLINO & POPE PHYS
 2010 L L & B ELECTROCARDIOGRAMS
 2010 MANATEE EYE CLINIC
 2010 MANATEE FAMILY PHYSICIANS
 2010 MANATEE HEARING & SPEECH CENTER
 2010 MANATEE OPTICAL CO
 2010 MEDICAL ARTS BUILDING
 2010 MEDICAL ARTS PHARMACY
 2010 MULTI TENANT PROFESSIONAL
 2010 MULTI TENANT PROFESSIONAL
 2010 NEURO - LOGICS INC
 2010 OUTPATIENT RADIOLOGY
 2010 PEAK`S COFFEE SHOP
 2010 PERDONES HEALTH CARE SECURITY
 2010 VACANT
 2010 WEST COAST NON - INVASIVE VASCULAR LABY INC
 2010 WESTSIDE MEDICAL ASSOCIATES
 2010 WESTSIDE PHYSICAL THERAPY INC
 2020 BLAKE HOSPITAL PHARMACY
 2020 BLAKE L W MEMORIAL HOSPITAL
 2101 TINSWORTH STEVEN H DENTIST
 2103 MULTI TENANT PROFESSIONAL
 2105 GULF COAST PATHOLOGY & MEDICAL LABORATORY SERVICE
 2107 COHEN DANIEL C DENTIST
 2107 HYGIENIC PORCELAIN MED SUPS
 2109 TROXLER ROBT W DENTIST
 2111 DE JONGH L CARL DENTIST
 2111 HOLLOWAY NORMAN L DENTIST
 2215 RASULO PHILIP S PHYS
 2215 SAVE RX PHARMACY
 2221 MULTI TENANT PROFESSIONAL
 2223 CHASTEEN KENNETH R PHYS
 2223 VACANT
 2227 KOSER ROBERT B PHYS

Part 3 of 3

2227 NELSON JEFFREY D PHYS
 2302 HERITAGE PARK OF BRADENTON NURSING HOME
 2602 VACANT
 2702 VACANT
 2704 VACANT
 2706 HAUSER STEVEN D
 2708 VACANT
 2800 CARRIAGE CLUB
 2901 CITY FIRE DEPT STA NO 3
 2902 NATIONAL DEVELOPMENT PROPERTIES OF FLORIDA INC
 2905 AMERICAN RED CROSS MANATEE COUNTY CHAPTER
 2905 COUNTY PARK & REC DEPT WEST ENTRANCE
 2909 PARKSIDE MEDICAL MALL
 3801 SUGG W D MIDDLE SCHOOL
 3805 LEARNING TREE PRE - SCHOOL
 3805 MANATEE COUNTY FAMILY Y M C A
 3805 ST ANDREW'S CHRISTIAN CHURCH
 3809 WEST BRADENTON GIRL'S CLUB
 3830 ARMSTRONG JAY
 4012 COUNTY AMBULANCE EMERGENCY MED SERV
 4014 VACANT
 4020 MARSHALL ROBERT L
 4028 DUFF MARY
 4028 STEVENS JAS E
 4030 MITCHELL MICHL
 4108 KING WINNIFRED I
 4110 MUELLER MICHL E
 4116 HOWELLS KEVIN
 4118 CURT MESNARD
 4204 VACANT
 4207 CHIROPRACTIC CENTER THE
 4207 HADAM RONALD T PHYS
 4207 TOTAL FAMILY FOOT CARE
 4208 SEVEN ELEVEN INC
 4220 PEACOCK PRINTING
 4230 BREITENBACH JACK INSURANCE
 4230 RICHARDSON MANUFACTURING HOME SALES
 4230 THIRD DIMENSIONS HAIRSTYLING
 4236 AMERICAN DIAMOND PURE WATER CORP
 4236 BRENNEMAN & COMPANY REAL ESTATE
 4236 BROOKS TIMOTHY H REAL ESTATE
 4236 FERRARI PATRICIA L ATTY
 4236 FERRARI PATRICIA L OVERFLOW
 4236 HARGER LIGHTING PROTECTION INC
 4236 MINISTERS LIFE
 4236 PLAZA FIFTY NINE
 4236 SHORELAND WATER CO INC BOTTLE WATER
 4236 SUNSTATE INSTITUTE REAL ESTATE
 4236 TOWNE & SHORE REALTY
 4236 TOWNE & SHORE REALTY OVERFLOW
 4236 VACANT

81 total records. Part 1 of 2

. COHEN DANL C DENTIST
 400 COKER ROBT E
 412 HAWKER SHARON
 908 TAYLOR EARL S
 912 CLARK MERVIN L
 916 HANF SOL J
 920 MIGNEAULT DAVID
 924 MOWRY CW
 928 CAMPBELL ROBT W JR
 1004 LA RUE DONALD L
 1008 STIRLITH FRANCIS E
 1012 KANE EP
 1016 MILLER
 1020 LOBSTER BOAT CORP - PROCESSORS & SHIPPERS
 1108 ANDRAKA JOSEPH T
 1204 SCHIER JAS R
 1208 GRICE ERMA M MRS
 1212 MC GEEHAN HUGH F
 1410 FISCELLA KENNETH R PHYS
 1410 POLIS CHARLES T JR PHYS
 1414 KENNEDY J RANDALL PHYS
 1416 CATALANO PHILIP M PHYS
 1416 FULGHUM DAVID D PHYS
 1508 OAKS THE CONDOMINIUMS
 1901 BISHOP ANIMAL SHELTER S P C A SIDE ENT
 1902 MORA CAROL LOU CARE CENTER
 1906 ACQUARO RONALD S DENTIST
 1906 BURGESS GEO H DENTIST
 1906 CAJOLEAS GEO J DENTIST
 1906 CUMMINGS DONALD B DENTIST
 2010 MANATEE FAMILY PHYSICIANS
 2010 MANATEE HEARING & SPEECH CENTER
 2010 MANATEE OPTICAL CO
 2010 MEDICAL ARTS BUILDING
 2010 MEDICAL ARTS PHARMACY
 2010 MEDICAL SERVICES LABORATORY
 2010 MULTI TENANT PROFESSIONAL
 2010 MULTI TENANT PROFESSIONAL
 2010 TOWNSEND LASSEN & ROGERS MD'S PA
 2010 VACANT
 2010 WESTSIDE FAMILY PHYSICIANS
 2020 BLAKE HOSPITAL PHARMACY
 2020 BLAKE L W MEMORIAL HOSP
 2101 TINSWORTH STEVEN H ORTHODONTIST
 2103 FRIEDMAN CARL E JR DENTIST
 2103 ZAMIKOFF IRVING I DENTIST
 2105 GULF COAST PATHOLOGY & MEDICAL LABORATORY SERVICE
 2105 MC CORMICK ELDRIDGE E PHYS
 2109 TROXLER ROBT W DENTIST
 2111 DE JONGH LEON C DENTIST
 2215 MITCHELL REGINALD
 2221 MULTI TENANT PROFESSIONAL
 2221 TANGLEWOOD FAMILY PHYSICIANS

Part 2 of 2

2411 TANGLEWOOD DEVELOPMENT REAL EST
 2901 CITY FIRE DEPT STA NO 3
 2905 AMERICAN RED CROSS
 3801 SUGG WD MIDDLE SCHOOL
 3805 MANATEE COUNTY FAMILY Y M C A
 3805 MANATEE COUNTY SAFETY COUNCIL
 3809 WEST BRADENTON GIRL'S CLUB
 4012 VACANT
 4014 RADKE TED M
 4020 MARSHALL ROBERT L
 4028 VACANT
 4030 VACANT
 4108 ANDERSON THOS
 4110 VACANT
 4116 PATTERSON NINA B MRS
 4118 VACANT
 4204 VACANT
 4220 GULF COAST AGENCY INC
 4230 ACTON INSURANCE INC
 4230 BREITENBACH JACK INSURANCE
 4230 CICERO ALFRED H ACCT
 4230 S & S REALTY CO
 4230 STAPLETON STEVEN W REAL EST BROKER
 4236 GLORY LAND BUILDING & DEVELOPMENT INC
 4236 GLORY REALTY INC
 4236 HEIDE & ASSOCIATES INC REAL EST
 4236 HOME CRAFTERS GENL CONTRS
 4236 TUTTLE ROBERT L REAL EST

400 GROENEWOLD MARTHA K MRS
 908 BROWN CLARENCE I
 912 CLARK MERVIN L
 916 HANF SOL J
 920 PIER WM A
 924 VACANT
 928 CAMPBELL ROBT W
 1004 LA RUE DONALD L
 1008 STIRLITH FRANCIS E
 1012 KANE A P
 1018 VACANT
 1020 SPANISH PARK HOMES SLS OFC
 1108 DE BRUYNE GEO
 1204 STIVERS MELVIN D
 1208 GRICE ERMA M MRS
 1212 MC GEEHAN HUGH F
 1414 KENNEDY J RANDALL PHYS
 1416 CATALANO PHILIP M PHYS
 1416 FULGHUM DAVID D PHYS
 1901 BISHOP ANIMAL SHELTER SPCA
 2010 MANATEE HEARING & SPEECH CENTER
 2010 MANATEE OPTICAL CO OPTNS
 2010 MEDICAL ARTS BUILDING
 2010 MEDICAL ARTS PHARMACY
 2010 MEDICAL SERVICES LABORATORY
 2010 MULTI TENANT PROFESSIONAL
 2020 BLAKE HOSPITAL PHARMACY
 2020 BLAKE LW MEMORIAL HOSP
 2101 TINSWORTH STEVEN H ORTHODONTIST
 2103 COHEN DANL C DENTIST
 2103 ZAMIKOFF IRVING I DENTIST
 2109 TROXLER ROBT W DENTIST
 2111 DE JONGH L CARL DENTIST
 2215 KINSEY JACKIE MRS
 2221 RICKMAN SCOTT V
 2901 CITY FIRE DEPT STA NO 3
 2905 AMERICAN RED CROSS
 3801 SUGG W D MIDDLE SCHOOL
 3805 MANATEE FAMILY Y M C A
 4020 KINKADE GARLAND D
 4028 PINKLEY JOHN W
 4030 WELCH KATHLENE MRS
 4108 NO RETURN
 4110 VACANT
 4116 BOGGS JEANIE N MRS
 4118 VACANT
 4204 CARRINGTON PHILIP E
 4230 MORA GILBERT E JR

400 GROENEWOLD MARTHA K MRS
1416 CATALANO PHILIP M PHYS
1416 FULGHUM DAVID D PHYS
2215 VACANT
2221 RICKMAN SCOTT V
4020 KINKADE GARLAND D
4028 AU COIN GARFIELD W
4030 WELCH ES MRS
4108 ALLEE JAMES C
4110 NELSON STEVEN L
4112 SARGENT LINDA
4114 VACANT
4230 MORA GILBERT E JR

400 GROENEWOLD JOHN
2221 RICKMAN SCOTT V
4020 PHILLIPS JERRY R

400 GROENEWOLD JOHN

400 GROENEWOLD JOHN
404 CONNOR CHAS W
412 MALOTT JOS J
415 GOULDEN DUDLEY D
420 PONGER JOHN
423 DOTY LOCKWOOD R

STREET NOT LISTED

STREET NOT LISTED

1945

SOURCE: POLKS

59TH STREET WEST

1939

SOURCE: POLKS

59TH STREET WEST

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

STREET NOT LISTED

Attachment B – ERIS Database Report



DATABASE REPORT

Project Property: *59th St. Corridor
59th St W
Bradenton FL 34209*

Project No: *148400073*

Report Type: *Quote - Custom Radius - Linear Reports*

Order No: *21062500523*

Requested by: *Kimley-Horn & Associates, Inc*

Date Completed: *July 1, 2021*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	8
Executive Summary: Site Report Summary - Surrounding Properties.....	9
Executive Summary: Summary by Data Source.....	13
Map.....	19
Aerial.....	20
Topographic Map.....	21
Detail Report.....	22
Unplottable Summary.....	81
Unplottable Report.....	83
Appendix: Database Descriptions.....	99
Definitions.....	111

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 59th St. Corridor
59th St W Bradenton FL 34209

Project No: 148400073

Coordinates:

Latitude: 27.47926867
Longitude: -82.62045915
UTM Northing: 3,040,565.32
UTM Easting: 339,900.69
UTM Zone: 17R

Elevation: 22 FT

Order Information:

Order No: 21062500523
Date Requested: June 25, 2021
Requested by: Kimley-Horn & Associates, Inc
Report Type: Quote - Custom Radius - Linear Reports

Historicals/Products:

Aerial Photographs Historical Aerials (Boundaries)
City Directory Search CD - 1 Street Search
ERIS Xplorer [ERIS Xplorer](#)
Excel Add-On Excel Add-On

Executive Summary: Report Summary

<i>Database</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.095mi</i>	<i>Total</i>
<u>Standard Environmental Records</u>				
Federal				
DOE FUSRAP	Y	0	0	0
NPL	Y	0	0	0
PROPOSED NPL	Y	0	0	0
DELETED NPL	Y	0	0	0
SEMS	Y	0	0	0
SEMS ARCHIVE	Y	0	0	0
ODI	Y	0	0	0
CERCLIS	Y	0	0	0
IODI	Y	0	0	0
CERCLIS NFRAP	Y	0	0	0
CERCLIS LIENS	Y	0	0	0
RCRA CORRACTS	Y	0	0	0
RCRA TSD	Y	0	0	0
RCRA LQG	Y	0	0	0
RCRA SQG	Y	0	0	0
RCRA VSQG	Y	0	4	4
RCRA NON GEN	Y	0	1	1
FED ENG	Y	0	0	0
FED INST	Y	0	0	0
LUCIS	Y	0	0	0
ERNS 1982 TO 1986	Y	0	0	0
ERNS 1987 TO 1989	Y	0	0	0
ERNS	Y	0	1	1
FED BROWNFIELDS	Y	0	0	0
FEMA UST	Y	0	0	0
FRP	Y	0	0	0
HIST GAS STATIONS	Y	0	0	0

Database	Searched	Project Property	Within 0.095mi	Total
REFN	Y	0	0	0
BULK TERMINAL	Y	0	0	0
SEMS LIEN	Y	0	0	0
SUPERFUND ROD	Y	0	0	0
State				
SHWS	Y	0	0	0
DELISTED SHWS	Y	0	0	0
CLEANUP DEP	Y	0	0	0
WCRPS	Y	0	1	1
DELISTED WCRPS	Y	0	0	0
SWF/LF	Y	0	0	0
LST	Y	0	3	3
DELISTED LST	Y	0	0	0
UST	Y	0	2	2
AST	Y	0	3	3
DEL UST AST TANK	Y	0	0	0
DEL STORAGE TANK	Y	0	0	0
FF TANKS	Y	0	0	0
STCS	Y	0	9	9
INST	Y	0	0	0
ENG	Y	0	0	0
VCP	Y	0	0	0
BROWNFIELDS	Y	0	0	0
BROWNFIELD AREA	Y	0	0	0
Tribal				
INDIAN LUST	Y	0	0	0
INDIAN UST	Y	0	0	0
DELISTED ILST	Y	0	0	0
DELISTED IUST	Y	0	0	0
County				
<i>No County databases were selected to be included in the search.</i>				
<u>Additional Environmental Records</u>				
Federal				
PFAS NPL	Y	0	0	0
FINDS/FRS	Y	0	5	5
TRIS	Y	0	0	0
PFAS TRI	Y	0	0	0
PFAS WATER	Y	0	0	0

Database	Searched	Project Property	Within 0.095mi	Total
HMIRS	Y	0	0	0
NCDL	Y	0	0	0
TSCA	Y	0	0	0
HIST TSCA	Y	0	0	0
FTTS ADMIN	Y	0	0	0
FTTS INSP	Y	0	0	0
PRP	Y	0	0	0
SCRD DRYCLEANER	Y	0	0	0
ICIS	Y	0	0	0
FED DRYCLEANERS	Y	0	0	0
DELISTED FED DRY	Y	0	0	0
FUDS	Y	0	0	0
FORMER NIKE	Y	0	0	0
PIPELINE INCIDENT	Y	0	0	0
MLTS	Y	0	0	0
HIST MLTS	Y	0	0	0
MINES	Y	0	0	0
SMCRA	Y	0	0	0
MRDS	Y	0	0	0
URANIUM	Y	0	0	0
ALT FUELS	Y	0	0	0
SSTS	Y	0	0	0
PCB	Y	0	0	0
State				
PRIORITYCLEAN	Y	0	0	0
DRYCLEANERS	Y	0	0	0
DELISTED DRYCLEANERS	Y	0	0	0
HISTORICAL DRYC	Y	0	0	0
SPILLS	Y	0	1	1
DWM CONTAM	Y	0	5	5
DEL CONTAM SITE	Y	0	1	1
PFAS AFFF	Y	0	0	0
PFAS	Y	0	0	0
UIC	Y	0	0	0
WELL SURVEILLANCE	Y	0	3	3
CDV SOUTHEAST	Y	0	0	0
TIER 2	Y	0	1	1
DELISTED COUNTY	Y	0	0	0

Tribal

No Tribal additional environmental record sources available for this State.

Database

Searched

Project
Property

Within
0.095mi

Total

County

No County additional environmental databases were selected to be included in the search.

Total: 0 40 40

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	------------------	-----------------------------	---------------------------	------------------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
1	AST	HERITAGE PARK CARE & REHAB	2302 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status:</i> 9817197 OPEN <i>Tank Status Status Date:</i> U - In Service 01-JUN-2019	S	0.00 / 7.55	0	22
1	STCS	HERITAGE PARK CARE & REHAB	2302 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9817197 OPEN	S	0.00 / 7.55	0	23
2	FINDS/FRS	BISHOP ANIMAL SHELTER	5718 21ST AVE W BRADENTON FL 34209-5606	NNE	0.07 / 371.13	-1	24
3	RCRA VSQG	BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604 <i>EPA Handler ID:</i> FLR000128686	N	0.00 / 4.86	-1	25
3	RCRA VSQG	BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604 <i>EPA Handler ID:</i> FLT970057394	N	0.00 / 4.86	-1	27
3	AST	BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status:</i> 9046028 OPEN <i>Tank Status Status Date:</i> U - In Service 01-DEC-1995, U - In Service 01-DEC-1995	N	0.00 / 4.86	-1	28
3	LST	BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604 <i>Facility ID Facility Status:</i> 9046028 OPEN <i>Cleanup Required:</i> R - CLEANUP REQUIRED	N	0.00 / 4.86	-1	29
3	STCS	BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9046028 OPEN	N	0.00 / 4.86	-1	32
3	WELL SURVEILLANCE	BLAKE MEDICAL CENTER	2020 59TH STREET W BRADENTON FL 34209	N	0.00 / 4.86	-1	35
3	TIER 2	BLAKE MEDICAL CENTER	2020 59 STREET WEST BRADENTON FL 34209	N	0.00 / 4.86	-1	35
4	STCS	CASA MORA REHABILITATION AND EXTENDED CARE	1902 59TH ST WEST BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9817125 OPEN	N	0.00 / 4.87	-1	38
4	AST	CASA MORA REHABILITATION AND EXTENDED CARE	1902 59TH ST WEST BRADENTON FL 34209 <i>Facility ID Facility Status:</i> 9817125 OPEN <i>Tank Status Status Date:</i> U - In Service 01-JUN-2019	N	0.00 / 4.87	-1	40

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
5	STCS	AMERICAN RED CROSS	2905 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9103309 CLOSED	S	0.00 / 9.60	0	41
6	FINDS/FRS	BUNKER HILL/ DUETTE PARK-BUNKER HILL/ DUETTE PARK	5502 33RD AVE. DRIVE WEST BRADENTON FL 34209	S	0.01 / 55.56	0	43
7	STCS	BRADENTON CITY PUBLIC WORKS LS #23	3000 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9700355 CLOSED	S	0.00 / 9.31	0	43
7	STCS	BRADENTON CITY-LIFT STATION #23	3000 W 59TH ST BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9200307 CLOSED	S	0.00 / 9.31	0	45
8	STCS	MANATEE CNTY SCHOOL BD-SUGG MIDDLE S	3801 59TH ST W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 9046062 CLOSED	S	0.00 / 7.22	-2	47
9	ERNS		924 59TH ST. WEST BRADENTON FL 34209	N	0.00 / 13.20	3	49
10	SPILLS		SR 64 and W 59th Street BRADENTON FL <i>Incident No Incident Date:</i> 62303 1/25/2019 9:11:00 AM <i>Incident Status:</i> Pending-DM, Pending-DM	N	0.00 / 24.96	3	51
11	UST	AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210 <i>Facility ID Facility Status:</i> 8510822 OPEN <i>Tank Status Status Date:</i> U - In Service 01-JUN-2009, U - In Service 01-JUN-2009	S	0.02 / 102.24	-2	52
11	LST	AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210-2705 <i>Facility ID Facility Status:</i> 8510822 OPEN <i>Cleanup Required:</i> N - NO CLEANUP REQUIRED, R - CLEANUP REQUIRED	S	0.02 / 102.24	-2	55
11	STCS	AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210 <i>Facility ID Facility Status (Open Data):</i> 8510822 OPEN	S	0.02 / 102.24	-2	58
11	WELL SURVEILLANCE	AMOCO STATION	5904 CORTEZ RD W BRADENTON FL 34209	S	0.02 / 102.24	-2	62
11	DWM CONTAM	AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210-2705 <i>Facility ID:</i> 8510822 <i>Facility Status:</i> OPEN	S	0.02 / 102.24	-2	62
12	RCRA VSQG	WINN-DIXIE #2404	5805 MANATEE AVE W BRADENTON FL 34209-2542 <i>EPA Handler ID:</i> FLR000211748	N	0.04 / 237.07	2	63
12	FINDS/FRS	WINN-DIXIE #2404	5805 MANATEE AVE W BRADENTON FL 34209-2542	N	0.04 / 237.07	2	65

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
13	RCRA NON GEN	SHELL OIL COMPANY	5818 MANATEE AVE W BRADENTON FL 34209-2541 <i>EPA Handler ID:</i> FLR000049668	N	0.05 / 238.07	4	65
13	RCRA VSQG	SHELL SERVICE STATION	5818 MANATEE AVE W BRADENTON FL 34209-2541 <i>EPA Handler ID:</i> FLTMP9103250	N	0.05 / 238.07	4	67
13	UST	WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209 <i>Facility ID Facility Status:</i> 8510863 OPEN <i>Tank Status Status Date:</i> U - In Service 01-MAR-2010	N	0.05 / 238.07	4	68
13	LST	WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209-2541 <i>Facility ID Facility Status:</i> 8510863 OPEN <i>Cleanup Required:</i> R - CLEANUP REQUIRED	N	0.05 / 238.07	4	70
13	FINDS/FRS	SHELL OIL COMPANY	5818 MANATEE AVE W BRADENTON FL 342092541	N	0.05 / 238.07	4	73
13	FINDS/FRS	SHELL SERVICE STATION	5818 MANATEE AVE W BRADENTON FL 342092541	N	0.05 / 238.07	4	73
13	DEL CONTAM SITE	SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL 34209	N	0.05 / 238.07	4	74
13	STCS	WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209 <i>Facility ID Facility Status (Open Data):</i> 8510863 OPEN	N	0.05 / 238.07	4	74
13	WELL SURVEILLANCE	SHELL WESTWAY	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	4	77
13	WCRPS	SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL	N	0.05 / 238.07	4	77
13	DWM CONTAM	WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209-2541 <i>Facility ID:</i> 8510863 <i>Facility Status:</i> OPEN	N	0.05 / 238.07	4	78
13	DWM CONTAM	CIRCLE K # 2211027	5818 MANATEE AVE W BRADENTON FL 34209 <i>Facility ID:</i> 8510863 <i>Facility Status:</i> WAITING	N	0.05 / 238.07	4	79
13	DWM CONTAM	SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL 34209 <i>Facility ID:</i> 277030 <i>Facility Status:</i> OPEN	N	0.05 / 238.07	4	79

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
13	DWM CONTAM	CIRCLE K #2211027	5818 MANATEE AVE W BRADENTON FL 34209 <i>Facility ID:</i> 8510863 <i>Facility Status:</i> WAITING	N	0.05 / 238.07	4	80

Executive Summary: Summary by Data Source

Standard

Federal

RCRA VSQG - RCRA Very Small Quantity Generators List

A search of the RCRA VSQG database, dated Apr 5, 2021 has found that there are 4 RCRA VSQG site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604	N	0.00 / 4.86	3
	<i>EPA Handler ID: FLR000128686</i>			
BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604	N	0.00 / 4.86	3
	<i>EPA Handler ID: FLT970057394</i>			
WINN-DIXIE #2404	5805 MANATEE AVE W BRADENTON FL 34209-2542	N	0.04 / 237.07	12
	<i>EPA Handler ID: FLR000211748</i>			
SHELL SERVICE STATION	5818 MANATEE AVE W BRADENTON FL 34209-2541	N	0.05 / 238.07	13
	<i>EPA Handler ID: FLTMP9103250</i>			

RCRA NON GEN - RCRA Non-Generators

A search of the RCRA NON GEN database, dated Apr 5, 2021 has found that there are 1 RCRA NON GEN site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
SHELL OIL COMPANY	5818 MANATEE AVE W BRADENTON FL 34209-2541	N	0.05 / 238.07	13
	<i>EPA Handler ID: FLR000049668</i>			

ERNS - Emergency Response Notification System

A search of the ERNS database, dated Nov 9, 2020 has found that there are 1 ERNS site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	924 59TH ST. WEST BRADENTON FL 34209	N	0.00 / 13.20	9

State

WCRPS - Waste Cleanup Responsible Party Sites

A search of the WCRPS database, dated Apr 11, 2021 has found that there are 1 WCRPS site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL	N	0.05 / 238.07	13

LST - Leaking Tanks

A search of the LST database, dated May 17, 2021 has found that there are 3 LST site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209-4604	N	0.00 / 4.86	3
	<i>Facility ID Facility Status: 9046028 OPEN Cleanup Required: R - CLEANUP REQUIRED</i>			
AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210-2705	S	0.02 / 102.24	11
	<i>Facility ID Facility Status: 8510822 OPEN Cleanup Required: N - NO CLEANUP REQUIRED, R - CLEANUP REQUIRED</i>			
WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209-2541	N	0.05 / 238.07	13
	<i>Facility ID Facility Status: 8510863 OPEN Cleanup Required: R - CLEANUP REQUIRED</i>			

UST - Underground Storage Tanks

A search of the UST database, dated Mar 1, 2021 has found that there are 2 UST site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210	S	0.02 / 102.24	11
	<i>Facility ID Facility Status: 8510822 OPEN Tank Status Status Date: U - In Service 01-JUN-2009, U - In Service 01-JUN-2009</i>			
WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	13
	<i>Facility ID Facility Status: 8510863 OPEN Tank Status Status Date: U - In Service 01-MAR-2010</i>			

AST - Aboveground Storage Tanks

A search of the AST database, dated Mar 1, 2021 has found that there are 3 AST site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
HERITAGE PARK CARE & REHAB	2302 59TH ST W BRADENTON FL 34209	S	0.00 / 7.55	1

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Facility ID Facility Status: 9817197 OPEN Tank Status Status Date: U - In Service 01-JUN-2019			
BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209	N	0.00 / 4.86	<u>3</u>
	Facility ID Facility Status: 9046028 OPEN Tank Status Status Date: U - In Service 01-DEC-1995, U - In Service 01-DEC-1995			
CASA MORA REHABILITATION AND EXTENDED CARE	1902 59TH ST WEST BRADENTON FL 34209	N	0.00 / 4.87	<u>4</u>
	Facility ID Facility Status: 9817125 OPEN Tank Status Status Date: U - In Service 01-JUN-2019			

STCS - Storage Tank/Contaminated Facility Search

A search of the STCS database, dated Mar 2, 2021 has found that there are 9 STCS site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
HERITAGE PARK CARE & REHAB	2302 59TH ST W BRADENTON FL 34209	S	0.00 / 7.55	<u>1</u>
	Facility ID Facility Status (Open Data): 9817197 OPEN			
BLAKE MEDICAL CENTER	2020 59TH ST W BRADENTON FL 34209	N	0.00 / 4.86	<u>3</u>
	Facility ID Facility Status (Open Data): 9046028 OPEN			
CASA MORA REHABILITATION AND EXTENDED CARE	1902 59TH ST WEST BRADENTON FL 34209	N	0.00 / 4.87	<u>4</u>
	Facility ID Facility Status (Open Data): 9817125 OPEN			
AMERICAN RED CROSS	2905 59TH ST W BRADENTON FL 34209	S	0.00 / 9.60	<u>5</u>
	Facility ID Facility Status (Open Data): 9103309 CLOSED			
BRADENTON CITY-LIFT STATION #23	3000 W 59TH ST BRADENTON FL 34209	S	0.00 / 9.31	<u>7</u>
	Facility ID Facility Status (Open Data): 9200307 CLOSED			
BRADENTON CITY PUBLIC WORKS LS #23	3000 59TH ST W BRADENTON FL 34209	S	0.00 / 9.31	<u>7</u>
	Facility ID Facility Status (Open Data): 9700355 CLOSED			
MANATEE CNTY SCHOOL BD- SUGG MIDDLE S	3801 59TH ST W BRADENTON FL 34209	S	0.00 / 7.22	<u>8</u>
	Facility ID Facility Status (Open Data): 9046062 CLOSED			
AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210	S	0.02 / 102.24	<u>11</u>

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	<i>Facility ID Facility Status (Open Data): 8510822 OPEN</i>			
WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	13
	<i>Facility ID Facility Status (Open Data): 8510863 OPEN</i>			

Non Standard

Federal

FINDS/FRS - Facility Registry Service/Facility Index

A search of the FINDS/FRS database, dated Nov 2, 2020 has found that there are 5 FINDS/FRS site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BISHOP ANIMAL SHELTER	5718 21ST AVE W BRADENTON FL 34209-5606	NNE	0.07 / 371.13	2
BUNKER HILL/ DUETTE PARK- BUNKER HILL/ DUETTE PARK	5502 33RD AVE. DRIVE WEST BRADENTON FL 34209	S	0.01 / 55.56	6
WINN-DIXIE #2404	5805 MANATEE AVE W BRADENTON FL 34209-2542	N	0.04 / 237.07	12
SHELL SERVICE STATION	5818 MANATEE AVE W BRADENTON FL 342092541	N	0.05 / 238.07	13
SHELL OIL COMPANY	5818 MANATEE AVE W BRADENTON FL 342092541	N	0.05 / 238.07	13

State

SPILLS - Oil and Hazardous Materials Incidents

A search of the SPILLS database, dated May 18, 2021 has found that there are 1 SPILLS site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	SR 64 and W 59th Street BRADENTON FL	N	0.00 / 24.96	10
	<i>Incident No Incident Date: 62303 1/25/2019 9:11:00 AM</i>			
	<i>Incident Status: Pending-DM, Pending-DM</i>			

DWM CONTAM - Contaminated Sites

A search of the DWM CONTAM database, dated Mar 12, 2020 has found that there are 5 DWM CONTAM site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
AMOCO-CORTEZ	5904 CORTEZ RD W BRADENTON FL 34210-2705	S	0.02 / 102.24	11
	<i>Facility ID: 8510822</i> <i>Facility Status: OPEN</i>			
CIRCLE K #2211027	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	13
	<i>Facility ID: 8510863</i> <i>Facility Status: WAITING</i>			
WESTWAY SERVICES LLC	5818 MANATEE AVE W BRADENTON FL 34209-2541	N	0.05 / 238.07	13
	<i>Facility ID: 8510863</i> <i>Facility Status: OPEN</i>			
SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL 34209	N	0.05 / 238.07	13
	<i>Facility ID: 277030</i> <i>Facility Status: OPEN</i>			
CIRCLE K # 2211027	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	13
	<i>Facility ID: 8510863</i> <i>Facility Status: WAITING</i>			

DEL CONTAM SITE - Delisted Contaminated Sites

A search of the DEL CONTAM SITE database, dated Sep 30, 2015 has found that there are 1 DEL CONTAM SITE site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
SHELL SAP #136462 (FORMER)	5818 MANATEE AVE WEST BRADENTON FL 34209	N	0.05 / 238.07	13

WELL SURVEILLANCE - Well Surveillance Program Facilities


A search of the WELL SURVEILLANCE database, dated Apr 5, 2021 has found that there are 3 WELL SURVEILLANCE site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLAKE MEDICAL CENTER	2020 59TH STREET W BRADENTON FL 34209	N	0.00 / 4.86	3
AMOCO STATION	5904 CORTEZ RD W BRADENTON FL 34209	S	0.02 / 102.24	11
SHELL WESTWAY	5818 MANATEE AVE W BRADENTON FL 34209	N	0.05 / 238.07	13

TIER 2 - Tier 2 Report


A search of the TIER 2 database, dated Jun 24, 2020 has found that there are 1 TIER 2 site(s) within approximately 0.095 miles of the project property.

<u>Site</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
BLAKE MEDICAL CENTER	2020 59 STREET WEST BRADENTON FL 34209	N	0.00 / 4.86	3



Map: 0.095 Mile Radius

Order Number: 21062500523
Address: 59th St W, Bradenton, FL



82°38'W

82°37'30"W

82°37'W

82°36'30"W

27°29'30"N

27°29'N

27°28'30"N

27°28'N

27°27'30"N


27°30'N

27°29'30"N

27°29'N

27°28'30"N

27°28'N



Aerial Year: 2020


Address: 59th St W, Bradenton, FL

Source: ESRI World Imagery

Order Number: 21062500523



© ERIS Information Inc.



Topographic Map Year: 2015

Order Number: 21062500523

Address: 59th St W, FL



Quadrangle(s): Bradenton Beach, FL; Anna Maria, FL; Palmetto, FL; Bradenton, FL

© ERIS Information Inc.

Source: USGS Topographic Map

Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
1	1 of 2	S	0.00 / 7.55	22.11 / 0	HERITAGE PARK CARE & REHAB 2302 59TH ST W BRADENTON FL 34209	AST

<p>Facility ID: 9817197</p> <p>Facility Status: OPEN</p> <p>ASTS: 1</p> <p>USTS: 0</p> <p>Tanks: 1</p> <p>Facility Type: C</p> <p>Contact: JOSHUA ENGLIN</p> <p>Facility Phone: 9417928480</p> <p>Owner ID: 78591</p> <p>Owner Phone: 9417928480</p> <p>Owner: LP BRADENTON LLC</p> <p>Owner Address1: 2302 59TH ST W</p> <p>Owner Address2: ATTN: STORAGE TANK REGIS</p> <p>Owner City: BRADENTON</p> <p>Owner State: FL</p> <p>Owner Zip 5: 34209</p> <p>Owner Zip 4:</p> <p>Type Desc: Fuel user/Non-retail</p> <p>Oculus Docs Inventory URL: https://erisservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=9817197&CAT=11</p> <p>Information Portal Facility URL: http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=9817197</p> <p>Information Portal Doc URL: http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817197/facility!search</p>	<p>Lat DD:</p> <p>Lat MM:</p> <p>Lat SS:</p> <p>Long DD:</p> <p>Long MM:</p> <p>Long SS:</p> <p>Lat/Long Method:</p> <p>Bad Addr Indicator:</p> <p>County: MANATEE</p> <p>Dep Co: C</p>
--	---

Tank Information

<p>Tank ID: 1</p> <p>Tank Status: U - In Service</p> <p>Status Date: 01-JUN-2019</p> <p>Installation Date: 01-JUN-2019</p> <p>Substance: G - Emerg Generator Diesel</p>	<p>Determination: Double Walled</p> <p>Gallons: 1550</p> <p>Placement: ABOVEGROUND</p> <p>Tank Vessel Indic: TANK</p>
--	---

Piping

<p>Tank ID: 1</p> <p>Tkstat: U</p> <p>Stat Date: 01-JUN-2019</p>	<p>Piping Description: X-No piping associated w/tank</p>
---	---

Monitoring

<p>Tkstat: U</p>	<p>Stat Date: 01-JUN-2019</p>
-------------------------	--------------------------------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Monitoring Desc:		F-Monitor dbl wall tank space				

1 2 of 2 S 0.00 / 7.55 22.11 / 0 **HERITAGE PARK CARE & REHAB**
2302 59TH ST W
BRADENTON FL 34209 **STCS**

Facility ID:	9817197	City (Map):	BRADENTON
Status (Map):	REVIEWED	County (Map):	41
Contam (Map):		Zip4 (Map):	
Fac Type (Map):	C	Zip5 (Map):	34209
Fac Stat (Map):	OPEN	County:	41 - Manatee
Address (Map):	2302 59TH ST W	Type :	C - Fuel User/Non-Retail
Name (Map):	HERITAGE PARK CARE & REHAB	Status:	Open
Fac Name(OpenData):	HERITAGE PARK CARE & REHAB		
Status (Open Data):	REVIEWED		
Facility Status (Open Data):	OPEN		
Facility Type Code (Open Data):	C		
Facility Type (Open Data):	Fuel user/Non-retail		
Fac Clnup Stat Cd(OpenData):			
Fac Cleanup Status(OpenData):			
Cleanup Status Effective Date:	1970/01/01 00:00:00+00		
Address (Open Data):	2302 59TH ST W		
City (Open Data):	BRADENTON		
Zip5 (Open Data):	34209		
County (Open Data):	MANATEE		
CC County ID (Open Data):	41		

FDEP Storage Tank Monitoring Open Data Details

Object ID:	69883	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	YES	Ver Date:	2019/07/17 17:43:32+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	CENTR	EI Datum:	
ALB East:	535982.28	EI Resolut:	
ALB North:	386656.1	EI Units:	
Datum:	NAD83	Loc ID:	70519
Col Meth:	DPHO	Lat DD:	27
Col Name:	WILLIAMS_CA	Lat MM:	28
Col Date:	2019/07/17 17:43:32+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	imagerywithroads	Lat SS:	
Map Scale:	4514	Long SS:	
Coord Acc:	4	X:	-82.6211574338219
Ver Meth:	DPHO	Y:	27.4786260542649
Ver Name:	WILLIAMS_CA		
Col Aff:	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817197/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Loc ID:	70519			Coord Acc:	4	
Object ID:	70519			Ver Meth:	DPHO	
OOIC:	FACILITY			Ver Name:	WILLIAMS_CA	
Site Type:	Fuel user/Non-retail			Ver Prog:	TANKS-PETROLEUM CONTAMINATION	
Contam Ind:				Ver Date:	7/17/2019	
Next action:	PLACARD 06-OCT-2020			Elevation:		
Fin Respon:				EI Datum:		
Rel Feat:	CENTR			EI Resolut:		
Alb East:	535982.28			EI Units:		
Alb North:	386656.1			Office:	SWD	
Datum:	NAD83			Phone:	9417928480	
Col Meth:	DPHO			Operator:	JOSHUA ENGLIN	
Col Name:	WILLIAMS_CA			Lat DD:	27	
Col Date:	7/17/2019			Lat MM:	28	
Col Prog:	TANKS-PETROLEUM CONTAMINATION			Long DD:	82	
Map Src:	imagerywithroads			Long MM:	37	
Map Scale:	4514					
Col Aff:	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Ver Aff:	FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817197/gis-facility!search					

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Joshua Englin	Latitude:	27:28:43.0356
Phone:	941-792-8480	Longitude:	82:37:16.1544
District:	SWD	LL Method:	DPHO
County 1:	41 - Manatee	Account Owner:	Lp Bradenton Llc
Name:	Heritage Park Care & Rehab 2302 59th St W Bradenton, FL 34209		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	06/01/2019
Placement:	ABOVE	Size:	1550
Status:	In Service	Content:	Emerg Generator Diesel
Construction:	C - Steel I - Double Wall M - Spill Containment Bucket P - Level Gauges/Alarms		
Piping:	X - No Piping Associated W/Tank		
Monitoring:	F - Monitor Dbl Wall Tank Space		

2	1 of 1	NNE	0.07 / 371.13	21.20 / -1	BISHOP ANIMAL SHELTER 5718 21ST AVE W BRADENTON FL 34209-5606	FINDS/FRS
-------------------	--------	------------	----------------------	-------------------	--	------------------

Registry ID:	110070670421
FIPS Code:	
HUC Code:	03100201
Site Type Name:	STATIONARY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Location Description:						
Supplemental Location:						
Create Date:		09-DEC-19				
Update Date:						
Interest Types:		ICIS-NPDES NON-MAJOR, STORM WATER CONSTRUCTION				
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:		FRS-GEOCODE				
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:		13				
Census Block Code:		120810004061002				
EPA Region Code:		04				
County Name:						
US/Mexico Border Ind:						
Latitude:		27.48126				
Longitude:		-82.619127				
Reference Point:		ENTRANCE POINT OF A FACILITY OR STATION				
Coord Collection Method:		ADDRESS MATCHING-HOUSE NUMBER				
Accuracy Value:		50				
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110070670421				
Program Acronyms:						
NPDES:FLR20DG20						

<u>3</u>	1 of 7	N	0.00 / 4.86	21.74 / -1	BLAKE MEDICAL CENTER 2020 59TH ST W BRADENTON FL 34209-4604	RCRA VSQG
----------	--------	---	----------------	---------------	--	------------------

EPA Handler ID:	FLR000128686
Gen Status Universe:	VSG
Contact Name:	DAVID MATTHEWS
Contact Address:	2020 , 59TH ST W , , BRADENTON , FL, 34209 , US
Contact Phone No and Ext:	941-798-6600
Contact Email:	
Contact Country:	US
County Name:	MANATEE
EPA Region:	04
Land Type:	Private
Receive Date:	20060517
Location Latitude:	27.481113
Location Longitude:	-82.620468

Violation/Evaluation Summary

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated April, 2021.

Evaluation Details

Evaluation Start Date: 20070228
Evaluation Type Description: NON-FINANCIAL RECORD REVIEW
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Evaluation Start Date: 20060517
Evaluation Type Description: COMPLIANCE ASSISTANCE VISIT
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 200605
Receive Date: 20060517
Handler Name: BLAKE MEDICAL CENTER
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Implementer

Waste Code Details

Hazardous Waste Code: F003
Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	2020 59TH ST W
Name:	BLAKE MEDICAL CENTER	Street 2:	
Date Became Current:	20060518	City:	BRADENTON
Date Ended Current:		State:	FL
Phone:	941-792-6600	Country:	US
Source Type:	Implementer	Zip Code:	34209

3	2 of 7	N	0.00 / 4.86	21.74 / -1	BLAKE MEDICAL CENTER 2020 59TH ST W BRADENTON FL 34209-4604	RCRA VSQG
-------------------	--------	---	----------------	---------------	--	------------------

EPA Handler ID: FLT970057394
Gen Status Universe: VSG
Contact Name:
Contact Address: US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: MANATEE
EPA Region: 04
Land Type: Private
Receive Date: 19970226
Location Latitude: 27.481113
Location Longitude: -82.620468

Violation/Evaluation Summary

Note: NO RECORDS: As of April 2021, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 199702
 Receive Date: 19970226
 Handler Name: BLAKE MEDICAL CENTER
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Emergency

3 3 of 7 **N** 0.00 / 4.86 21.74 / -1 **BLAKE MEDICAL CENTER
2020 59TH ST W
BRADENTON FL 34209** **AST**

Facility ID:	9046028	Lat DD:	27
Facility Status:	OPEN	Lat MM:	29
ASTS:	2	Lat SS:	54
USTS:	0	Long DD:	82
Tanks:	2	Long MM:	37
Facility Type:	C	Long SS:	27
Contact:	EDWIN BAKER	Lat/Long Method:	AGPS
Facility Phone:	9417926156	Bad Addr Indicator:	
Owner ID:	47865	County:	MANATEE
Owner Phone:	4075183557	Dep Co:	P
Owner:	BLAKE MEDICAL CENTER		
Owner Address1:	2020 59TH ST W		
Owner Address2:			
Owner City:	BRADENTON		
Owner State:	FL		
Owner Zip 5:	34209		
Owner Zip 4:			
Type Desc:	Fuel user/Non-retail		
Oculus Docs Inventory URL:	https://erisservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=9046028&CAT=11		
Information Portal Facility URL:	http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=9046028		
Information Portal Doc URL:	http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046028/facility!search		

Tank Information

Tank ID:	4	Determination:	Double Walled
Tank Status:	U - In Service	Gallons:	8000
Status Date:	01-DEC-1995	Placement:	ABOVEGROUND
Installation Date:	01-DEC-1995	Tank Vessel Indic:	TANK
Substance:	G - Emerg Generator Diesel		

Piping

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<i>Tank ID:</i>	4				<i>Piping Description:</i>	B-Steel/galvanized metal
<i>Tkstat:</i>		U				
<i>Stat Date:</i>		01-DEC-1995				
<i>Tank ID:</i>	4				<i>Piping Description:</i>	A-Abv, no soil contact
<i>Tkstat:</i>		U				
<i>Stat Date:</i>		01-DEC-1995				
<u>Monitoring</u>						
<i>Tkstat:</i>	U				<i>Stat Date:</i>	01-DEC-1995
<i>Monitoring Desc:</i>		Q-Visual inspection of ASTs				
<i>Tkstat:</i>	U				<i>Stat Date:</i>	01-DEC-1995
<i>Monitoring Desc:</i>		F-Monitor dbl wall tank space				
<u>Tank Information</u>						
<i>Tank ID:</i>	5				<i>Determination:</i>	Double Walled
<i>Tank Status:</i>	U - In Service				<i>Gallons:</i>	2000
<i>Status Date:</i>	01-DEC-1995				<i>Placement:</i>	ABOVEGROUND
<i>Installation Date:</i>	01-DEC-1995				<i>Tank Vessel Indic:</i>	TANK
<i>Substance:</i>		G - Emerg Generator Diesel				
<u>Piping</u>						
<i>Tank ID:</i>	5				<i>Piping Description:</i>	B-Steel/galvanized metal
<i>Tkstat:</i>		U				
<i>Stat Date:</i>		01-DEC-1995				
<i>Tank ID:</i>	5				<i>Piping Description:</i>	A-Abv, no soil contact
<i>Tkstat:</i>		U				
<i>Stat Date:</i>		01-DEC-1995				
<u>Monitoring</u>						
<i>Tkstat:</i>	U				<i>Stat Date:</i>	01-DEC-1995
<i>Monitoring Desc:</i>		F-Monitor dbl wall tank space				
<i>Tkstat:</i>	U				<i>Stat Date:</i>	01-DEC-1995
<i>Monitoring Desc:</i>		1-Continuous electronic sensing				
<i>Tkstat:</i>	U				<i>Stat Date:</i>	01-DEC-1995
<i>Monitoring Desc:</i>		Q-Visual inspection of ASTs				

3 4 of 7 **N** 0.00 / 4.86 21.74 / -1 **BLAKE MEDICAL CENTER
2020 59TH ST W
BRADENTON FL 34209-4604** **LST**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Facility ID:	9046028				Contact: EDWIN BAKER	
Facility Status:	OPEN				Phone: (941)792-6156	
Facility Type:	C - Fuel user/Non-retail				Name Changed: 10/13/1998	
Score:	6				Address Changed:	
Score Effective Date:	04/10/2003				Section: 032	
Score when Ranked:	6				Township: 034	
Rank:	12937				Range: 17E	
Operator:	ROBERT STITELY				District: SWD	
Prim Related Party:	47865				County: MANATEE	
Primary RP Role:	ACCOUNT OWNER				County No: 41	
RP Begin Date:	10/13/1998				Lat DD: 27	
RP Address1:	2020 59TH ST W				Lat MM: 28	
RP Address2:					Lat SS: 53.4307	
RP City:	BRADENTON				Long DD: 82	
RP State:	FL				Long MM: 37	
RP Zip5:	34209				Long SS: 25.6692	
RP Zip4:					Feature:	
RP Phone:	(407)518-3557				Method: AGPS	
RP Phone Ext.:					Datum: 0	
RP Bad Addr Ind:	No					
Facility Name (Map):	BLAKE MEDICAL CENTER					
Address (Map):	2020 59TH ST W					
City (Map):	BRADENTON					
Zip5 (Map):	34209					
Facility T (Map):	Fuel user/Non-retail					
Facility S (Map):	OPEN					
County (Map):	MANATEE					
Lat DD (Map):	27					
Lat MM (Map):	28					
Long DD (Map):	82					
Long MM (Map):	37					
Datum (Map):	HARN					
Rel Feat (Map):	EXACT					
Collection (Map):	DPHO					
Collector (Map):	ALDEN_J41					
Collecti 1 (Map):	20-Oct-2003					
Document L (Map):	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046028/facility!search					
Lat SS (Map):						
Long SS (Map):						
Geometry (Map):						
RP Name:	BLAKE MEDICAL CENTER					
Oculus Docs Inventory:	https://eriservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=9046028&CAT=11					
Information Portal Fac URL:	http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=9046028					
Information Portal Doc URL:	http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046028/facility!search					

Discharge Cleanup Summary

Discharge Date:	10/12/1995
Cleanup Required:	R - CLEANUP REQUIRED
Discharge Cleanup Status:	SRCR - SRCR COMPLETE
Discharge Cleanup Stat Date:	03/19/2019

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Eligibility Indicator:		E - ELIGIBLE				
Site Manager:		MIGLIORELLI_L				
Site Manager End Date:		07/02/2019				
Tank Office:		PCTM6 - PETROLEUM CLEANUP TEAM 6				

Contaminated Media

Contaminated Drinking Wells:	0
Contaminated Mntring Wells:	YES
Contaminated Soil:	YES
Contaminated Surface Water:	NO
Contaminated Ground Water:	NO
Pollutant:	M - Fuel Oil - Onsite Heat
Other Description:	
Gallons Discharged:	

Petroleum Cleanup Program Eligibility

Cleanup Program:	P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
Eligibility Status:	ELIGIBLE

Task Info

SA Task ID:	95187	RAP Task ID:	
SA Cleanup Resp:	-	RAP Clean Resp ID:	-
SA Fund Elig Type:	-	RAP Fund Elig Type:	-
SA Actual Cost:		RAP Actual Cost:	
SA Complete Date:		RAP Complete Date:	
SA Payment Date:		RAP Payment Date:	
SR Task ID:		RAP Last Ord Appr:	
SR Cleanup Resp:	-	RA Task ID:	
SR Fund Elig Type:	-	RA Cleanup Resp:	-
SR Actual Cost:		RA Fund Elig Type:	-
SR Complete Date:		RA Yrs to Complete:	
SR Payment Date:		RA Actual Cost:	
SR Oral Date:		SRC Action Type:	-
SR Written Date:		SRC Submit Date:	
SR Soil Removal:		SRC Review Date:	
SR Free Prod Rmvl:		SRC Complete Status:	-
SR Soil Ton Remove:		SRC Comp Status Dt:	
SR Soil Treatment:		SRC Issue Date:	
SR Other Treatment:		SRC Comments:	
SR Alt Proc Rec:		Tank Office:	PCTM6 - Team 6
SR Alternate Procedure Status:			
SR Alt Procedure Status Dt:			
SR Alt Procedure Comment:			

Petroleum Cleanup Funding Cap Encumbrance to Date

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
FCFS:			\$0.00			
LPSPASM:			\$0.00			
SPASM:			\$0.00			
NPDES:			\$0.00			
Utility 1 Time Payments:			\$0.00			
All Wo Ta Co Pos Encumbered:			\$27,127.89			
Wo Ta Co Pos Exclu from Cap:			\$0.00			
Ttl Amnt Encumbered to Date:			\$27,127.89			
Ttl Amnt Encumbered Towar:			\$27,127.89			

Petroleum Cleanup PCT Facility Score

Facility Cleanup Status: CMPL - COMPLETED
Related Party ID: 47865
RP Contact: EDWIN BAKER
Bad Address Indicator: N

Discharge Info (Map)

Discharge:	47182	Discharg 3:	SRCR
Discharg 1:	12-Oct-1995	Disch Clea:	19-Mar-2019
Discharg 2:	6	Report Pha:	COMPLETED
Eligibilit:	ELIGIBLE	Report Sub:	COMPLETED
Eligibil 1:	PLIRP	Report S 1:	19-Mar-2019
General Cl:	CLOSURE	Staff Assi:	
Tank Offic:	PETROLEUM CLEANUP TEAM 6		

<u>3</u>	5 of 7	N	0.00 / 4.86	21.74 / -1	BLAKE MEDICAL CENTER 2020 59TH ST W BRADENTON FL 34209	STCS
----------	--------	---	-------------	------------	---	------

Facility ID:	9046028	City (Map):	BRADENTON
Status (Map):	REVIEWED	County (Map):	41
Contam (Map):		Zip4 (Map):	4604
Fac Type (Map):	C	Zip5 (Map):	34209
Fac Stat (Map):	OPEN	County:	41 - Manatee
Address (Map):	2020 59TH ST W	Type :	C - Fuel User/Non-Retail
Name (Map):	BLAKE MEDICAL CENTER	Status:	Open
Fac Name(OpenData):	BLAKE MEDICAL CENTER		
Status (Open Data):	REVIEWED		
Facility Status (Open Data):	OPEN		
Facility Type Code (Open Data):	C		
Facility Type (Open Data):	Fuel user/Non-retail		
Fac Clnup Stat Cd(OpenData):	CMPL		
Fac Cleanup Status(OpenData):	COMPLETED		
Cleanup Status Effective Date:	2019/03/18 18:15:19+00		
Address (Open Data):	2020 59TH ST W		
City (Open Data):	BRADENTON		
Zip5 (Open Data):	34209		
County (Open Data):	MANATEE		
CC County ID (Open Data):	41		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

FDEP Storage Tank Monitoring Open Data Details

Object ID:	35882	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	YES	Ver Date:	2003/10/20 15:55:57+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	EXACT	EI Datum:	
ALB East:	535718.06	EI Resolut:	
ALB North:	386973.82	EI Units:	
Datum:	HARN	Loc ID:	36744
Col Meth:	DPHO	Lat DD:	27
Col Name:	ALDEN_J41	Lat MM:	28
Col Date:	2003/10/20 15:55:57+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	1999 doqs	Lat SS:	
Map Scale:	1028	Long SS:	
Coord Acc:	4	X:	-82.6238004346732
Ver Meth:	DPHO	Y:	27.4815135826801
Ver Name:	ALDEN_J41		
Col Aff:	COUNTY HEALTH DEPARTMENT		
Ver Aff:	COUNTY HEALTH DEPARTMENT		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046028/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	36744	Coord Acc:	4
Object ID:	36744	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	ALDEN_J41
Site Type:	Fuel user/Non-retail	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	10/20/2003
Next action:	PLACARD 10-JUN-2020	Elevation:	
Fin Respon:		EI Datum:	
Rel Feat:	EXACT	EI Resolut:	
Alb East:	535718.06	EI Units:	
Alb North:	386973.82	Office:	SWD
Datum:	HARN	Phone:	9417926156
Col Meth:	DPHO	Operator:	ROBERT STITELY
Col Name:	ALDEN_J41	Lat DD:	27
Col Date:	10/20/2003	Lat MM:	28
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long DD:	82
Map Src:	1999 doqs	Long MM:	37
Map Scale:	1028		
Col Aff:	COUNTY HEALTH DEPARTMENT		
Ver Aff:	COUNTY HEALTH DEPARTMENT		
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046028/gis-facility!search		

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Robert Stitely	Latitude:	27:28:53.4307
-----------------	----------------	------------------	---------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Phone:	941-792-6156			Longitude:	82:37:25.6692	
District:	SWD			LL Method:	DPHO - Autonomous GPS	
County 1:	41 - Manatee			Account Owner:	Blake Medical Center	
Name:	Blake Medical Center 2020 59th St W Bradenton, FL 34209- 4604					

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	07/01/1973
Placement:	UNDER	Size:	10000
Status:	Closed In Place	Content:	Emerg Generator Diesel
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	4	Installed:	12/01/1995
Placement:	ABOVE	Size:	8000
Status:	In Service	Content:	Emerg Generator Diesel
Construction:	C - Steel M - Spill Containment Bucket P - Level Gauges/Alarms R - Double Wall - Tank Jacket		
Piping:	A - Abv, No Soil Contact B - Steel/Galvanized Metal		
Monitoring:	F - Monitor Dbl Wall Tank Space Q - Visual Inspection Of Asts		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	5	Installed:	12/01/1995
Placement:	ABOVE	Size:	2000
Status:	In Service	Content:	Emerg Generator Diesel
Construction:	C - Steel M - Spill Containment Bucket P - Level Gauges/Alarms R - Double Wall - Tank Jacket		
Piping:	A - Abv, No Soil Contact B - Steel/Galvanized Metal		
Monitoring:	1 - Continuous Electronic Sensing F - Monitor Dbl Wall Tank Space Q - Visual Inspection Of Asts		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	3	Installed:	12/01/1995
Placement:	ABOVE	Size:	2000
Status:	In Service	Content:	Fuel Oil - Onsite Heat
Construction:	C - Steel M - Spill Containment Bucket P - Level Gauges/Alarms		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Piping:		A - Abv, No Soil Contact				
		B - Steel/Galvanized Metal				
Monitoring:		F - Monitor Dbl Wall Tank Space				
		Q - Visual Inspection Of Asts				

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	2	Installed:	07/01/1973
Placement:	ABOVE	Size:	1500
Status:	Removed from Site	Content:	Emerg Generator Diesel
Construction:			
Piping:			
Monitoring:			

3	6 of 7	N	0.00 / 4.86	21.74 / -1	BLAKE MEDICAL CENTER 2020 59TH STREET W BRADENTON FL 34209	WELL SURVEILLANCE
Facility ID:	9046028	County:	MANATEE			
Project ID:	SUPER	Longitude:	-82.623989			
Req No:		Latitude:	27.4817			
Loc ID:	193941	GPS Date:	3/3/2003			
GPS ID:	193941	Datum:	WS1984			
Type:	PETROLEUM	Software:				
Insp CHD:	MANATEE	Streetside:				
HAE:	11.55	Agency:				
Loc Method:	DGPS - Differentially Corrected GPS					
Insp F Name:	TOM					
Insp L Name:	LARKIN					
Comment:	multiple tanks only central tank shot					

3	7 of 7	N	0.00 / 4.86	21.74 / -1	BLAKE MEDICAL CENTER 2020 59 STREET WEST BRADENTON FL 34209	TIER 2
-------------------	--------	---	-------------	------------	---	--------

Facility Name: BLAKE MEDICAL CENTER

2018 Data

Facility ID:	6071982	Filing Type:	312
Filing Year:	2017(Tier2)	First Submit Date:	2018-02-21(Tier2)
CAS No:	68476346	NAICS Code:	622110
Solid:	False	Dun Bradstreet:	073216582
Liquid:	True	Max Daily Qty:	90813
Gas:	False	Avg Daily Qty:	90813
Pure:	False	EHS:	
Mixture:	True	Below Thresholds:	
Explosive:	False	Trade Secret:	
Chemical Name:	Diesel Fuel		
Hazard Not Otherwise Classifie:	False		
Contact Name:	Blake Medical Center		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Contact Type: Owner / Operator
Contact Email: cheryl.wade@hcahealthcare.com
Contact Work Phone:
Contact 24 Hour Phone: 941-792-6611
Contact Mobile Phone: 941-782-7350

2018 Data

Facility ID:	6071982	Filing Type:	312
Filing Year:	2017(Tier2)	First Submit Date:	2018-02-21(Tier2)
CAS No:	7782447	NAICS Code:	622110
Solid:	False	Dun Bradstreet:	073216582
Liquid:	True	Max Daily Qty:	51379
Gas:	False	Avg Daily Qty:	51379
Pure:	True	EHS:	
Mixture:	False	Below Thresholds:	
Explosive:	False	Trade Secret:	
Chemical Name:	Oxygen Gas, Refrigerated Liquid, Oxidizing, N.o.s.		
Hazard Not Otherwise Classifie:	False		
Contact Name:	Blake Medical Center		
Contact Type:	Owner / Operator		
Contact Email:	cheryl.wade@hcahealthcare.com		
Contact Work Phone:			
Contact 24 Hour Phone:	941-792-6611		
Contact Mobile Phone:	941-782-7350		

2019 Data

Facility ID:	6371177	Filing Type:	312
Filing Year:	2018(Tier2)	First Submit Date:	2019-01-16(Tier2)
CAS No:	7782447	NAICS Code:	622110
Solid:	False	Dun Bradstreet:	073216582
Liquid:	True	Max Daily Qty:	51379
Gas:	False	Avg Daily Qty:	51379
Pure:	True	EHS:	
Mixture:	False	Below Thresholds:	
Explosive:	False	Trade Secret:	
Chemical Name:	Oxygen Gas, Refrigerated Liquid, Oxidizing, N.o.s.		
Hazard Not Otherwise Classifie:	False		
Contact Name:	Blake Medical Center		
Contact Type:	Owner / Operator		
Contact Email:	cheryl.wade@hcahealthcare.com		
Contact Work Phone:			
Contact 24 Hour Phone:	941-792-6611		
Contact Mobile Phone:	941-782-7350		

2019 Data

Facility ID:	6371177	Filing Type:	312
Filing Year:	2018(Tier2)	First Submit Date:	2019-01-16(Tier2)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
CAS No:	68476346				NAICS Code: 622110	
Solid:	False				Dun Bradstreet: 073216582	
Liquid:	True				Max Daily Qty: 90813	
Gas:	False				Avg Daily Qty: 90813	
Pure:	False				EHS:	
Mixture:	True				Below Thresholds:	
Explosive:	False				Trade Secret:	
Chemical Name:	Diesel Fuel					
Hazard Not Otherwise Classifie:	False					
Contact Name:	Blake Medical Center					
Contact Type:	Owner / Operator					
Contact Email:	cheryl.wade@hcahealthcare.com					
Contact Work Phone:						
Contact 24 Hour Phone:	941-792-6611					
Contact Mobile Phone:	941-782-7350					

2020 Data (Filed)

Facility ID:	6648569				Dun Bradstreet Code: 073216582	
Filing Year:	2019(Tier2)				Max Daily Wty: 51,379	
CAS Number:	7782447				Avg Daily Qty: 51,379	
Filing Type:	312				EHS:	
First Submit Date:	2020-01-30(Tier2)				Below Thresholds:	
NAICS Code:	622110				Trade Secret:	
Explosive:	False					
Mixture:	False					
Pure:	True					
Liquid:	True					
Solid:	False					
Gas:	False					
Chemical Name:	Oxygen Gas, Refrigerated Liquid, Oxidizing, N.o.s.					
Hazard Not Otherwise Classifi:	False					
Contact Name:	Blake Medical Center					
Contact Type:	Owner / Operator					
Contact Email:	cheryl.wade@hcahealthcare.com					
Contact Work Phone:						
Contact 24 Hour Phone:	941-792-6611					
Contact Mobile Phone:	941-782-7350					

2020 Data (Filed)

Facility ID:	6648569				Dun Bradstreet Code: 073216582	
Filing Year:	2019(Tier2)				Max Daily Wty: 90,813	
CAS Number:	68476346				Avg Daily Qty: 90,813	
Filing Type:	312				EHS:	
First Submit Date:	2020-01-30(Tier2)				Below Thresholds:	
NAICS Code:	622110				Trade Secret:	
Explosive:	False					
Mixture:	True					
Pure:	False					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Liquid:		True				
Solid:		False				
Gas:		False				
Chemical Name:		Diesel Fuel				
Hazard Not Otherwise Classifi:		False				
Contact Name:		Blake Medical Center				
Contact Type:		Owner / Operator				
Contact Email:		cheryl.wade@hcahealthcare.com				
Contact Work Phone:						
Contact 24 Hour Phone:		941-792-6611				
Contact Mobile Phone:		941-782-7350				

4	1 of 2	N	0.00 / 4.87	21.65 / -1	CASA MORA REHABILITATION AND EXTENDED CARE 1902 59TH ST WEST BRADENTON FL 34209	STCS
-------------------	--------	---	-------------	------------	---	------

Facility ID:	9817125	City (Map):	BRADENTON
Status (Map):	REVIEWED	County (Map):	41
Contam (Map):		Zip4 (Map):	
Fac Type (Map):	C	Zip5 (Map):	34209
Fac Stat (Map):	OPEN	County:	41 - Manatee
Address (Map):	1902 59TH ST WEST	Type :	C - Fuel User/Non-Retail
Name (Map):	CASA MORA REHABILITATION AND EXTENDED CARE	Status:	Open
Fac Name(OpenData):	CASA MORA REHABILITATION AND EXTENDED CARE		
Status (Open Data):	REVIEWED		
Facility Status (Open Data):	OPEN		
Facility Type Code (Open Data):	C		
Facility Type (Open Data):	Fuel user/Non-retail		
Fac Clnup Stat Cd(OpenData):			
Fac Cleanup Status(OpenData):			
Cleanup Status Effective Date:	1970/01/01 00:00:00+00		
Address (Open Data):	1902 59TH ST WEST		
City (Open Data):	BRADENTON		
Zip5 (Open Data):	34209		
County (Open Data):	MANATEE		
CC County ID (Open Data):	41		

FDEP Storage Tank Monitoring Open Data Details

Object ID:	69633	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	YES	Ver Date:	2019/07/17 17:42:48+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	CENTR	El Datum:	
ALB East:	535677.85	El Resolut:	
ALB North:	387281.04	El Units:	
Datum:	NAD83	Loc ID:	70457
Col Meth:	DPHO	Lat DD:	27
Col Name:	WILLIAMS_CA	Lat MM:	29
Col Date:	2019/07/17 17:42:48+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Map Src:	imagerywithroads			Lat SS:		
Map Scale:	4514			Long SS:		
Coord Acc:	4			X:	-82.6241734348674	
Ver Meth:	DPHO			Y:	27.4842840555661	
Ver Name:	WILLIAMS_CA					
Col Aff:		FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION				
Ver Aff:		FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION				
Direct:						
Documents:		https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817125/gis-facility!search				

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	70457	Coord Acc:	4
Object ID:	70457	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	WILLIAMS_CA
Site Type:	Fuel user/Non-retail	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	7/17/2019
Next action:	PLACARD 08-JUN-2020	Elevation:	
Fin Respon:		EI Datum:	
Rel Feat:	CENTR	EI Resolut:	
Alb East:	535677.85	EI Units:	
Alb North:	387281.04	Office:	SWD
Datum:	NAD83	Phone:	9417611000
Col Meth:	DPHO	Operator:	TIMOTHY ELIAS
Col Name:	WILLIAMS_CA	Lat DD:	27
Col Date:	7/17/2019	Lat MM:	29
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long DD:	82
Map Src:	imagerywithroads	Long MM:	37
Map Scale:	4514		
Col Aff:		FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	
Ver Aff:		FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION	
Documents:		https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817125/gis-facility!search	

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Timothy Elias	Latitude:	27:29:03.4044
Phone:	941-761-1000	Longitude:	82:37:27.0120
District:	SWD	LL Method:	DPHO
County 1:	41 - Manatee	Account Owner:	Casa Mora Rehabilitation And Extended Care
Name:	Casa Mora Rehabilitation And Extended Care 1902 59th St West Bradenton, FL 34209		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	CMHC1	Installed:	06/01/2019
Placement:	ABOVE	Size:	5300
Status:	In Service	Content:	Emerg Generator Diesel
Construction:	C - Steel I - Double Wall M - Spill Containment Bucket		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Piping:		A - Abv, No Soil Contact B - Steel/Galvanized Metal				
Monitoring:		I - Suction Piping System Q - Visual Inspection Of Asts R - Monitor Tank Bottom Space				

4	2 of 2	N	0.00 / 4.87	21.65 / -1	CASA MORA REHABILITATION AND EXTENDED CARE 1902 59TH ST WEST BRADENTON FL 34209	AST
-------------------	--------	---	-------------	------------	---	-----

Facility ID:	9817125	Lat DD:	
Facility Status:	OPEN	Lat MM:	
ASTS:	1	Lat SS:	
USTS:	0	Long DD:	
Tanks:	1	Long MM:	
Facility Type:	C	Long SS:	
Contact:	TIMOTHY ELIAS	Lat/Long Method:	
Facility Phone:	9417611000	Bad Addr Indicator:	
Owner ID:	78460	County:	MANATEE
Owner Phone:	9417611000	Dep Co:	C
Owner:	CASA MORA REHABILITATION AND EXTENDED CARE		
Owner Address1:	1902 59TH ST WEST		
Owner Address2:	ATTN: STORAGE TANK REGIS		
Owner City:	BRADENTON		
Owner State:	FL		
Owner Zip 5:	34209		
Owner Zip 4:			
Type Desc:	Fuel user/Non-retail		
Oculus Docs Inventory URL:	https://erisservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=9817125&CAT=11		
Information Portal Facility URL:	http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=9817125		
Information Portal Doc URL:	http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9817125/facility!search		

Tank Information

Tank ID:	CMHC1	Determination:	Double Walled
Tank Status:	U - In Service	Gallons:	5300
Status Date:	01-JUN-2019	Placement:	ABOVEGROUND
Installation Date:	01-JUN-2019	Tank Vessel Indic:	TANK
Substance:	G - Emerg Generator Diesel		

Piping

Tank ID:	CMHC1	Piping Description:	B-Steel/galvanized metal
Tkstat:	U		
Stat Date:	01-JUN-2019		
Tank ID:	CMHC1	Piping Description:	I-Suction piping system
Tkstat:	U		
Stat Date:	01-JUN-2019		
Tank ID:	CMHC1	Piping Description:	A-Abv, no soil contact

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Tkstat:		U				
Stat Date:		01-JUN-2019				
Monitoring						
Tkstat:	U				Stat Date:	01-JUN-2019
Monitoring Desc:		R-Monitor tank bottom space				
Tkstat:	U				Stat Date:	01-JUN-2019
Monitoring Desc:		Q-Visual inspection of ASTs				

<u>5</u>	1 of 1	S	0.00 / 9.60	22.83 / 0	AMERICAN RED CROSS 2905 59TH ST W BRADENTON FL 34209	STCS
Facility ID:	9103309			City (Map):	BRADENTON	
Status (Map):	REVIEWED			County (Map):	41	
Contam (Map):				Zip4 (Map):		
Fac Type (Map):	C			Zip5 (Map):	34209	
Fac Stat (Map):	CLOSED			County:	41 - Manatee	
Address (Map):	2905 59TH ST W			Type :	C - Fuel User/Non-Retail	
Name (Map):	AMERICAN RED CROSS			Status:	Closed	
Fac Name(OpenData):	AMERICAN RED CROSS					
Status (Open Data):	REVIEWED					
Facility Status (Open Data):	CLOSED					
Facility Type Code (Open Data):	C					
Facility Type (Open Data):	Fuel user/Non-retail					
Fac Cleanup Stat Cd(OpenData):						
Fac Cleanup Status(OpenData):						
Cleanup Status Effective Date:	1970/01/01 00:00:00+00					
Address (Open Data):	2905 59TH ST W					
City (Open Data):	BRADENTON					
Zip5 (Open Data):	34209					
County (Open Data):	MANATEE					
CC County ID (Open Data):	41					

FDEP Storage Tank Monitoring Open Data Details

Object ID:	38934	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	NO	Ver Date:	2006/07/11 15:15:34+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	ENTRA	EI Datum:	
ALB East:	536072.48	EI Resolut:	
ALB North:	386270.33	EI Units:	
Datum:	HARN	Loc ID:	36649
Col Meth:	DPHO	Lat DD:	27
Col Name:	ROESSLER_J	Lat MM:	28
Col Date:	2006/07/11 15:15:34+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	1999 doqs	Lat SS:	
Map Scale:	5000	Long SS:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Coord Acc:	4			X:	-82.6202916001312	
Ver Meth:	DPHO			Y:	27.4751402478837	
Ver Name:	ROESSLER_J					
Col Aff:		DEPARTMENT OF ENVIRONMENTAL PROTECTION				
Ver Aff:		DEPARTMENT OF ENVIRONMENTAL PROTECTION				
Direct:						
Documents:		https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9103309/gis-facility!search				

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	36649	Coord Acc:	4
Object ID:	36649	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	ROESSLER_J
Site Type:	Fuel user/Non-retail	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	7/11/2006
Next action:		Elevation:	
Fin Respon:		EI Datum:	
Rel Feat:	ENTRA	EI Resolut:	
Alb East:	536072.48	EI Units:	
Alb North:	386270.33	Office:	SWD
Datum:	HARN	Phone:	8137928686
Col Meth:	DPHO	Operator:	OMLOR, ROBERTA
Col Name:	ROESSLER_J	Lat DD:	27
Col Date:	7/11/2006	Lat MM:	28
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long DD:	82
Map Src:	1999 doqs	Long MM:	37
Map Scale:	5000		
Col Aff:		DEPARTMENT OF ENVIRONMENTAL PROTECTION	
Ver Aff:		DEPARTMENT OF ENVIRONMENTAL PROTECTION	
Documents:		https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9103309/gis-facility!search	

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Omlor, Roberta	Latitude:	27:28:30.4867
Phone:	813-792-8686	Longitude:	82:37:13.0374
District:	SWD	LL Method:	DPHO - Address Matching
County 1:	41 - Manatee	Account Owner:	American Red Cross
Name:	American Red Cross 2905 59th St W Bradenton, FL 34209		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	
Placement:	UNDER	Size:	250
Status:	Removed from Site	Content:	Emerg Generator Diesel
Construction:			
Piping:			
Monitoring:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
6	1 of 1	S	0.01 / 55.56	22.31 / 0	BUNKER HILL/ DUETTE PARK- BUNKER HILL/ DUETTE PARK 5502 33RD AVE. DRIVE WEST BRADENTON FL 34209	FINDS/FRS

Registry ID: 110047092221
FIPS Code:
HUC Code: 03100201
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 26-OCT-12
Update Date: 10-MAY-20
Interest Types: WATER TREATMENT PLANT
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810004061011
EPA Region Code: 04
County Name:
US/Mexico Border Ind:
Latitude: 27.47211
Longitude: -82.61463
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110047092221
Program Acronyms:
 SFDW:FL6412545 441986412545

7	1 of 2	S	0.00 / 9.31	22.40 / 0	BRADENTON CITY PUBLIC WORKS LS #23 3000 59TH ST W BRADENTON FL 34209	STCS
-------------------	--------	---	-------------	-----------	---	------

Facility ID: 9700355
Status (Map): REVIEWED
Contam (Map):
Fac Type (Map): H
Fac Stat (Map): CLOSED
Address (Map): 3000 59TH ST W
Name (Map): BRADENTON CITY PUBLIC WORKS LS #23
Fac Name(OpenData): BRADENTON CITY PUBLIC WORKS LS #23
City (Map): BRADENTON
County (Map): 41
Zip4 (Map):
Zip5 (Map): 34209
County: 41 - Manatee
Type : H - Local Government
Status: Closed

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Status (Open Data):		REVIEWED				
Facility Status (Open Data):		CLOSED				
Facility Type Code (Open Data):		H				
Facility Type (Open Data):		Local Government				
Fac Clnup Stat Cd(OpenData):						
Fac Cleanup Status(OpenData):						
Cleanup Status Effective Date:		1970/01/01 00:00:00+00				
Address (Open Data):		3000 59TH ST W				
City (Open Data):		BRADENTON				
Zip5 (Open Data):		34209				
County (Open Data):		MANATEE				
CC County ID (Open Data):		41				

FDEP Storage Tank Monitoring Open Data Details

Object ID:	52582	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	NO	Ver Date:	2006/12/18 12:34:50+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	VICIN	EI Datum:	
ALB East:	536070.01	EI Resolut:	
ALB North:	386057.11	EI Units:	
Datum:	HARN	Loc ID:	52222
Col Meth:	DPHO	Lat DD:	27
Col Name:	BERNHARD_K	Lat MM:	28
Col Date:	2006/12/18 12:34:50+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	2004 doqqs	Lat SS:	
Map Scale:	5000	Long SS:	
Coord Acc:	4	X:	-82.6203360167506
Ver Meth:	DPHO	Y:	27.4732224418615
Ver Name:	BERNHARD_K		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9700355/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	52222	Coord Acc:	4
Object ID:	52222	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	BERNHARD_K
Site Type:	Local Government	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	12/18/2006
Next action:		Elevation:	
Fin Respon:		EI Datum:	
Rel Feat:	VICIN	EI Resolut:	
Alb East:	536070.01	EI Units:	
Alb North:	386057.11	Office:	SWD
Datum:	HARN	Phone:	9417486330
Col Meth:	DPHO	Operator:	DENNIS BUSSEL/EXT247

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Col Name:	BERNHARD_K			Lat DD:	27	
Col Date:	12/18/2006			Lat MM:	28	
Col Prog:	TANKS-PETROLEUM CONTAMINATION			Long DD:	82	
Map Src:	2004 doqqqs			Long MM:	37	
Map Scale:	5000					
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9700355/gis-facility!search					

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Dennis Bussel/Ext247	Latitude:	27:28:23.5826
Phone:	941-748-6330	Longitude:	82:37:13.1973
District:	SWD	LL Method:	DPHO - Address Matching
County 1:	41 - Manatee	Account Owner:	Siemens Water Technologies
Name:	Bradenton City Public Works Ls #23 3000 59th St W Bradenton, FL 34209		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	07/01/1993
Placement:	ABOVE	Size:	1500
Status:	Removed from Site	Content:	Hazardous Substance
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	2	Installed:	07/01/1993
Placement:	ABOVE	Size:	1500
Status:	Removed from Site	Content:	Hazardous Substance
Construction:			
Piping:			
Monitoring:			

<u>7</u>	2 of 2	S	0.00 / 9.31	22.40 / 0	BRADENTON CITY-LIFT STATION #23 3000 W 59TH ST BRADENTON FL 34209	STCS
Facility ID:	9200307	City (Map):	BRADENTON			
Status (Map):	REVIEWED	County (Map):	41			
Contam (Map):		Zip4 (Map):				
Fac Type (Map):	H	Zip5 (Map):	34209			
Fac Stat (Map):	CLOSED	County:	41 - Manatee			
Address (Map):	3000 W 59TH ST	Type :	H - Local Government			
Name (Map):	BRADENTON CITY-LIFT STATION #23	Status:	Closed			
Fac Name(OpenData):	BRADENTON CITY-LIFT STATION #23					
Status (Open Data):	REVIEWED					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Facility Status (Open Data):		CLOSED				
Facility Type Code (Open Data):		H				
Facility Type (Open Data):		Local Government				
Fac Cleanup Stat Cd(OpenData):						
Fac Cleanup Status(OpenData):						
Cleanup Status Effective Date:		1970/01/01 00:00:00+00				
Address (Open Data):		3000 W 59TH ST				
City (Open Data):		BRADENTON				
Zip5 (Open Data):		34209				
County (Open Data):		MANATEE				
CC County ID (Open Data):		41				

FDEP Storage Tank Monitoring Open Data Details

Object ID:	38863	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	NO	Ver Date:	2006/12/18 12:37:19+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	VICIN	EI Datum:	
ALB East:	536070.01	EI Resolut:	
ALB North:	386057.11	EI Units:	
Datum:	HARN	Loc ID:	36634
Col Meth:	DPHO	Lat DD:	27
Col Name:	BERNHARD_K	Lat MM:	28
Col Date:	2006/12/18 12:37:19+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	2004 doqqqs	Lat SS:	
Map Scale:	5000	Long SS:	
Coord Acc:	4	X:	-82.6203360167506
Ver Meth:	DPHO	Y:	27.4732224418615
Ver Name:	BERNHARD_K		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9200307/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	36634	Coord Acc:	4
Object ID:	36634	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	BERNHARD_K
Site Type:	Local Government	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	12/18/2006
Next action:	PLACARD 01-OCT-98	Elevation:	
Fin Respon:		EI Datum:	
Rel Feat:	VICIN	EI Resolut:	
Alb East:	536070.01	EI Units:	
Alb North:	386057.11	Office:	SWD
Datum:	HARN	Phone:	8137480800
Col Meth:	DPHO	Operator:	CITY OF BRADENTON-PUBLIC WORKS
Col Name:	BERNHARD_K	Lat DD:	27

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Col Date:	12/18/2006			Lat MM:	28	
Col Prog:	TANKS-PETROLEUM CONTAMINATION			Long DD:	82	
Map Src:	2004 doqqs			Long MM:	37	
Map Scale:	5000					
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9200307/gis-facility!search					

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	City Of Bradenton-Public Works	Latitude:	27:28:23.5826
Phone:	813-748-0800	Longitude:	82:37:13.1973
District:	SWD	LL Method:	DPHO - Unverified
County 1:	41 - Manatee	Account Owner:	Bradenton City
Name:	Bradenton City-Lift Station #23 3000 W 59th St Bradenton, FL 34209		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	12/01/1981
Placement:	ABOVE	Size:	3000
Status:	NonReg Construction	Content:	Hazardous Substance
Construction:	B - Internal Lining		
Piping:	C - Fiberglass		
Monitoring:	8 - Manually Sampled Wells C - Groundwater Monitoring Plan		

<u>8</u>	1 of 1	S	0.00 / 7.22	20.37 / -2	MANATEE CNTY SCHOOL BD-SUGG MIDDLE S 3801 59TH ST W BRADENTON FL 34209	STCS
----------	--------	---	-------------	------------	--	------

Facility ID:	9046062	City (Map):	BRADENTON
Status (Map):	REVIEWED	County (Map):	41
Contam (Map):		Zip4 (Map):	6050
Fac Type (Map):	H	Zip5 (Map):	34209
Fac Stat (Map):	CLOSED	County:	41 - Manatee
Address (Map):	3801 59TH ST W	Type :	H - Local Government
Name (Map):	MANATEE CNTY SCHOOL BD-SUGG MIDDLE S	Status:	Closed
Fac Name(OpenData):	MANATEE CNTY SCHOOL BD-SUGG MIDDLE S		
Status (Open Data):	REVIEWED		
Facility Status (Open Data):	CLOSED		
Facility Type Code (Open Data):	H		
Facility Type (Open Data):	Local Government		
Fac Clnup Stat Cd(OpenData):			
Fac Cleanup Status(OpenData):			
Cleanup Status Effective Date:	1970/01/01 00:00:00+00		
Address (Open Data):	3801 59TH ST W		
City (Open Data):	BRADENTON		
Zip5 (Open Data):	34209		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
County (Open Data):		MANATEE				
CC County ID (Open Data):		41				

FDEP Storage Tank Monitoring Open Data Details

Object ID:	36005	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	NO	Ver Date:	2006/12/20 16:49:17+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	CENTR	El Datum:	
ALB East:	536251.83	El Resolut:	
ALB North:	385569.41	El Units:	
Datum:	HARN	Loc ID:	36742
Col Meth:	DPHO	Lat DD:	27
Col Name:	BERNHARD_K	Lat MM:	28
Col Date:	2006/12/20 16:49:17+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	2004 doqqs	Lat SS:	
Map Scale:	5000	Long SS:	
Coord Acc:	4	X:	-82.6185462383206
Ver Meth:	DPHO	Y:	27.4688097741655
Ver Name:	BERNHARD_K		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046062/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	36742	Coord Acc:	4
Object ID:	36742	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	BERNHARD_K
Site Type:	Local Government	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	12/20/2006
Next action:	PLACARD 27-JUN-97	Elevation:	
Fin Respon:		El Datum:	
Rel Feat:	CENTR	El Resolut:	
Alb East:	536251.83	El Units:	
Alb North:	385569.41	Office:	SWD
Datum:	HARN	Phone:	8137465171
Col Meth:	DPHO	Operator:	MANATEE CNTY SCHOOL BD
Col Name:	BERNHARD_K	Lat DD:	27
Col Date:	12/20/2006	Lat MM:	28
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long DD:	82
Map Src:	2004 doqqs	Long MM:	37
Map Scale:	5000		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/9046062/gis-facility!search		

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Contact: Manatee Cnty School Bd
Phone: 813-746-5171
District: SWD
County 1: 41 - Manatee
Name: Manatee Cnty School Bd-Sugg Middle S
 3801 59th St W
 Bradenton, FL 34209- 6050

Latitude: 27:28:07.6970
Longitude: 82:37:06.7541
LL Method: DPHO - Unverified
Account Owner: Manatee Cnty School Bd

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No: 2
Placement: UNDER
Status: Removed from Site
Construction:
Piping:
Monitoring:

Installed:
Size: 3000
Content: Fuel Oil - Onsite Heat

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No: 1
Placement: UNDER
Status: Removed from Site
Construction:
Piping:
Monitoring:

Installed:
Size: 375
Content: Emerg Generator Diesel

9	1 of 1	N	0.00 / 13.20	25.09 / 3	924 59TH ST. WEST BRADENTON FL 34209	ERNS
-------------------	--------	---	--------------	-----------	---	------

NRC Report No: 917847
Type of Incident: FIXED
Incident Cause: UNKNOWN
Incident Date: 9/15/2009 10:00:00 AM
Incident Location:
Incident Dtg: DISCOVERED
Distance from City:
Distance Units:
Direction from City:
Location County: MANATEE
Potential Flag: No
Year: Year 2009 Reports

Latitude Degrees:
Latitude Minutes:
Latitude Seconds:
Longitude Degrees:
Longitude Minutes:
Longitude Seconds:
Lat Quad:
Long Quad:
Location Section:
Location Township:
Location Range:

Description of Incident: CALLER STATES SOMEBODY IS PUMPING SOMETHING IN THE SEWERS AT THE ADDRESS LOCATION WHICH IS CREATING A VERY STRONG HAZARDOUS ODOR. CALLER STATES THE MASSIVE FUMES ARE CAUSING HEADACHES AND THERE IS NO VAPOR RECOVERY TO REDUCE THE FUMES.

Material Spill Information

Chris Code: NCC
CAS No: 000000-00-0
UN No:

Unit of Measure: UNKNOWN AMOUNT
If Reached Water: YES
Amount in Water: 0

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<i>Name of Material:</i>	HAZARDOUS ODOR				<i>Unit Reach Water:</i>	UNKNOWN AMOUNT
<i>Amount of Material:</i>	0					

Calls Information

<i>Date Time Received:</i>	9/15/2009 12:05:30 PM	<i>Responsible City:</i>	
<i>Date Time Complete:</i>	9/15/2009 12:11:38 PM	<i>Responsible State:</i>	FL
<i>Call Type:</i>	INC	<i>Responsible Zip:</i>	
<i>Resp Company:</i>	MANATEE COUNTY	<i>Source:</i>	TELEPHONE
<i>Resp Org Type:</i>	LOCAL GOVERNMENT		

Incident Information

<i>Tank ID:</i>		<i>Building ID:</i>	
<i>Tank Regulated:</i>	U	<i>Location Area ID:</i>	
<i>Tank Regulated By:</i>		<i>Location Block ID:</i>	
<i>Capacity of Tank:</i>		<i>OCSG No:</i>	
<i>Capacity Tank Units:</i>		<i>OCSP No:</i>	
<i>Description of Tank:</i>		<i>State Lease No:</i>	
<i>Actual Amount:</i>		<i>Pier Dock No:</i>	
<i>Actual Amount Units:</i>		<i>Berth Slip No:</i>	
<i>Tank Above Ground:</i>	ABOVE	<i>Brake Failure:</i>	U
<i>NPDES:</i>		<i>Airbag Deployed:</i>	U
<i>NPDES Compliance:</i>	U	<i>Transport Contain:</i>	U
<i>Init Contin Rel No:</i>		<i>Location Subdiv:</i>	
<i>Contin Rel Permit:</i>		<i>Platform Rig Name:</i>	
<i>Contin Release Type:</i>		<i>Platform Letter:</i>	
<i>Aircraft ID:</i>		<i>Allision:</i>	U
<i>Aircraft Runway No:</i>		<i>Type of Structure:</i>	
<i>Aircraft Spot No:</i>		<i>Structure Name:</i>	
<i>Aircraft Type:</i>		<i>Structure Oper:</i>	U
<i>Aircraft Model:</i>		<i>Transit Bus Flag:</i>	
<i>Aircraft Fuel Cap:</i>		<i>Date Time Norm Serv:</i>	
<i>Aircraft Fuel Cap U:</i>		<i>Serv Disrupt Time:</i>	
<i>Aircraft Fuel on Brd:</i>		<i>Serv Disrupt Units:</i>	
<i>Aircraft Fuel OB U:</i>		<i>CR Begin Date:</i>	
<i>Aircraft Hanger:</i>		<i>CR End Date:</i>	
<i>Road Mile Marker:</i>		<i>CR Change Date:</i>	
<i>Power Gen Facility:</i>	N	<i>FBI Contact:</i>	
<i>Generating Capacity:</i>		<i>FBI Contact Dt Tm:</i>	
<i>Type of Fixed Obj:</i>	UNKNOWN	<i>Passenger Handling:</i>	
<i>Type of Fuel:</i>		<i>Passenger Route:</i>	XXX
<i>DOT Crossing No:</i>		<i>Passenger Delay:</i>	XXX
<i>DOT Regulated:</i>	U	<i>Sub Part C Test Req:</i>	XXX
<i>Pipeline Type:</i>		<i>Conductor Test:</i>	
<i>Pipeline Abv Ground:</i>	ABOVE	<i>Engineer Test:</i>	
<i>Pipeline Covered:</i>	U	<i>Trainman Test:</i>	
<i>Exposed Underwater:</i>	N	<i>Yard Foreman Test:</i>	
<i>Railroad Hotline:</i>		<i>RCL Operator Test:</i>	
<i>Railroad Milepost:</i>		<i>Brakeman Test:</i>	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Grade Crossing:	U				Train Dispat Test:	
Crossing Device Ty:					Signalman Test:	
Ty Vehicle Involved:					Oth Employee Test:	
Device Operational:	U				Unknown Test:	
<u>Incident Details Information</u>						
Release Secured:	U				State Agen Report No:	NO REPORT #
Release Rate:					State Agen on Scene:	NONE
Release Rate Unit:					State Agen Notified:	MANATEE COUNTY
Release Rate Rate:					Fed Agency Notified:	NONE
Est Duration of Rel:					Oth Agency Notified:	
Desc Remedial Act:	NONE				Body of Water:	STORM SEWER
Fire Involved:	N				Tributary of:	UNKNOWN
Fire Extinguished:	U				Near River Mile Make:	
Any Evacuations:	N				Near River Mile Mark:	
No Evacuated:					Offshore:	N
Who Evacuated:					Weather Conditions:	PARTLY CLOUDY
Radius of Evacu:					Air Temperature:	
Any Injuries:	N				Wind Direction:	
No. Injured:					Wind Speed:	
No. Hospitalized:					Wind Speed Unit:	
No. Fatalities:					Water Supp Contam:	U
Any Fatalities:	N				Water Temperature:	
Any Damages:	N				Wave Condition:	
Damage Amount:					Current Speed:	
Air Corridor Closed:	N				Current Direction:	
Air Corridor Desc:					Current Speed Unit:	
Air Closure Time:					EMPL Fatality:	
Waterway Closed:	N				Pass Fatality:	
Waterway Desc:					Community Impact:	
Waterway Close Time:					Passengers Transfer:	NO
Road Closed:	N				Passenger Injuries:	
Road Desc:					Employee Injuries:	
Road Closure Time:					Occupant Fatality:	
Road Closure Units:					Sheen Size:	
Closure Direction:					Sheen Size Units:	
Major Artery:	No				Sheen Size Length:	
Track Closed:	N				Sheen Size Length U:	
Track Desc:					Sheen Size Width:	
Track Closure Time:					Sheen Size Width U:	
Track Closure Units:					Sheen Color:	
Track Close Dir:					Dir of Sheen Travel:	
Media Interest:	NONE				Sheen Odor Desc:	
Medium Desc:	WATER				Duration Unit:	
Addl Medium Info:	STORM SEWER, ATMOSPHERE (ODOR)				Additional Info:	CALLER HAD NO ADDITIONAL COMMENTS.

10

1 of 1

N

0.00 /
24.9625.26 /
3SR 64 and W 59th Street
BRADENTON FL

SPILLS

Incident No: 62303

Incident Date: 1/25/2019 9:11:00 AM

Incident Type: Inland **County:** Manatee

Spill Details

Incident Status:	Pending-DM	Criminal Indicator:	No
Incident Party Type:	Reporting Party	Hurricane Indicator:	No
Incident Party Name:	Bexley Rhiannon	Description:	Abandoned Containers
Pollutant Name:	None	On Scene Response:	Yes
Pollutant Category:	None		
Pollutant Actual Volume:	0		
Pollutant Unit Measure:	gallon		

Spill Details

Incident Status:	Pending-DM	Criminal Indicator:	No
Incident Party Type:	Responsible Party	Hurricane Indicator:	No
Incident Party Name:	RP UNKNOWN	Description:	Abandoned Containers
Pollutant Name:	None	On Scene Response:	Yes
Pollutant Category:	None		
Pollutant Actual Volume:	0		
Pollutant Unit Measure:	gallon		

11	1 of 5	S	0.02 / 102.24	20.36 / -2	AMOCO-CORTEZ 5904 CORTEZ RD W BRADENTON FL 34210	UST
--------------------	--------	---	---------------	------------	--	-----

Facility ID:	8510822	Lat DD:	27
Facility Status:	OPEN	Lat MM:	27
ASTs:	0	Lat SS:	45
USTs:	2	Long DD:	82
Tanks:	2	Long MM:	37
Facility Type:	A	Long SS:	16
Contact:	MARK HESSER	Lat/Long Method:	AGPS
Facility Phone:	9417950492	Bad Addr Indicator:	
Owner ID:	1105	County:	MANATEE
Owner Phone:	9413557619	Dep Co:	P
Owner:	ATCO INC		
Owner Address1:	PO BOX 698		
Owner Address2:	ATTN: STORAGE TANK REGIS		
Owner City:	SARASOTA		
Owner State:	FL		
Owner Zip 5:	34230		
Owner Zip 4:			
Type Desc:	Retail Station		
Oculus Docs Inventory URL:	https://eriservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=8510822&CAT=11		
Information Portal Facility URL:	http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=8510822		
Information Portal Doc URL:	http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510822/facility!search		

Tank Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Tank ID:	1R				Determination: Double Walled	
Tank Status:	U - In Service				Gallons: 12000	
Status Date:	01-JUN-2009				Placement: UNDERGROUND	
Installation Date:	01-MAY-2009				Tank Vessel Indic: TANK	
Substance:	B - Unleaded Gas					

Piping

Piping Description: K-Dispenser liners
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: C-Fiberglass
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: J-Pressurized piping system
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: F-Double wall
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring

Monitoring Desc: F-Monitor dbl wall tank space
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 3-Electronic monitor pipe sumps
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: H-Mechanical line leak detector
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 2-Visual inspect pipe sumps
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: K-Monitor dbl wall pipe space
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 4-Visual inspect dispenser liners
Tkstat: U
Stat Date: 01-JUN-2009

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Tank Information

Tank ID:	2R	Determination:	Double Walled
Tank Status:	U - In Service	Gallons:	12000
Status Date:	01-JUN-2009	Placement:	UNDERGROUND
Installation Date:	01-MAY-2009	Tank Vessel Indic:	TANK
Substance:	D - Vehicular Diesel		

Piping

Piping Description: C-Fiberglass
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: J-Pressurized piping system
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: K-Dispenser liners
Tkstat: U
Stat Date: 01-JUN-2009

Piping Description: F-Double wall
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring

Monitoring Desc: F-Monitor dbl wall tank space
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 2-Visual inspect pipe sumps
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: H-Mechanical line leak detector
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 4-Visual inspect dispenser liners
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: 3-Electronic monitor pipe sumps
Tkstat: U
Stat Date: 01-JUN-2009

Monitoring Desc: K-Monitor dbl wall pipe space
Tkstat: U

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Stat Date:		01-JUN-2009				
11	2 of 5	S	0.02 / 102.24	20.36 / -2	AMOCO-CORTEZ 5904 CORTEZ RD W BRADENTON FL 34210-2705	LST
Facility ID:	8510822	Contact:	MARK HESSER			
Facility Status:	OPEN	Phone:	(941)795-0492			
Facility Type:	A - Retail Station	Name Changed:				
Score:	29	Address Changed:				
Score Effective Date:	04/19/2012	Section:				
Score when Ranked:	10	Township:				
Rank:	8533	Range:				
Operator:	SHEAREN CHARLES	District:	SWD			
Prim Related Party:	1105	County:	MANATEE			
Primary RP Role:	ACCOUNT OWNER	County No:	41			
RP Begin Date:	05/20/1994	Lat DD:	27			
RP Address1:	PO BOX 698	Lat MM:	27			
RP Address2:	ATTN: STORAGE TANK REGIS	Lat SS:	46.5768			
RP City:	SARASOTA	Long DD:	82			
RP State:	FL	Long MM:	37			
RP Zip5:	34230	Long SS:	14.7108			
RP Zip4:	698	Feature:				
RP Phone:	(941)355-7619	Method:	AGPS			
RP Phone Ext.:	307	Datum:	0			
RP Bad Addr Ind:	No					
Facility Name (Map):	AMOCO-CORTEZ					
Address (Map):	5904 CORTEZ RD W					
City (Map):	BRADENTON					
Zip5 (Map):	34210					
Facility T (Map):	Retail Station					
Facility S (Map):	OPEN					
County (Map):	MANATEE					
Lat DD (Map):	27					
Lat MM (Map):	27					
Long DD (Map):	82					
Long MM (Map):	37					
Datum (Map):	HARN					
Rel Feat (Map):	EXACT					
Collection (Map):	DPHO					
Collector (Map):	BACHMANN_J					
Collecti 1 (Map):	13-Oct-2008					
Document L (Map):	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510822/facility!search					
Lat SS (Map):						
Long SS (Map):						
Geometry (Map):						
RP Name:	ATCO INC					
Oculus Docs Inventory:	https://erisservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=8510822&CAT=11					
Information Portal Fac URL:	http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=8510822					
Information Portal Doc URL:	http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510822/facility!search					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Discharge Cleanup Summary

Discharge Date: 03/05/1990
Cleanup Required: N - NO CLEANUP REQUIRED
Discharge Cleanup Status: NREQ - CLEANUP NOT REQUIRED
Discharge Cleanup Stat Date: 10/06/2010
Eligibility Indicator: I - INELIGIBLE
Site Manager:
Site Manager End Date:
Tank Office: -

Petroleum Cleanup Program Eligibility

Cleanup Program: O - OTHER
Eligibility Status: NOT ELIGIBLE

Task Info

SA Task ID:		RAP Task ID:	
SA Cleanup Resp:	-	RAP Clean Resp ID:	-
SA Fund Elig Type:	-	RAP Fund Elig Type:	-
SA Actual Cost:		RAP Actual Cost:	
SA Complete Date:		RAP Complete Date:	
SA Payment Date:		RAP Payment Date:	
SR Task ID:		RAP Last Ord Appr:	
SR Cleanup Resp:	-	RA Task ID:	
SR Fund Elig Type:	-	RA Cleanup Resp:	-
SR Actual Cost:		RA Fund Elig Type:	-
SR Complete Date:		RA Yrs to Complete:	
SR Payment Date:		RA Actual Cost:	
SR Oral Date:		SRC Action Type:	-
SR Written Date:		SRC Submit Date:	
SR Soil Removal:		SRC Review Date:	
SR Free Prod Rmvl:		SRC Complete Status:	-
SR Soil Ton Remove:		SRC Comp Status Dt:	
SR Soil Treatment:		SRC Issue Date:	
SR Other Treatment:		SRC Comments:	
SR Alt Proc Rec:		Tank Office:	-
SR Alternate Procedure Status:			
SR Alt Procedure Status Dt:			
SR Alt Procedure Comment:			

Discharge Cleanup Summary

Discharge Date: 12/19/1988
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Discharge Cleanup Stat Date: 07/24/2009
Eligibility Indicator: E - ELIGIBLE
Site Manager: KURAYAZIYADEH_N

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Site Manager End Date:

Tank Office: PCLP29 - HILLSBOROUGH ENVIRONMENTAL PROTECTION COMMISSION

Contaminated Media

Contaminated Drinking Wells: 0
 Contaminated Mntring Wells: YES
 Contaminated Soil: YES
 Contaminated Surface Water: NO
 Contaminated Ground Water: YES
 Pollutant: Y - Unknown/Not Reported
 Other Description:
 Gallons Discharged:

Petroleum Cleanup Program Eligibility

Cleanup Program: E - EARLY DETECTION INCENTIVE
 Eligibility Status: ELIGIBLE

Task Info

SA Task ID:	51038	RAP Task ID:	51039
SA Cleanup Resp:	RP - RESPONSIBLE PARTY	RAP Clean Resp ID:	ST - STATE
SA Fund Elig Type:	-	RAP Fund Elig Type:	-
SA Actual Cost:		RAP Actual Cost:	
SA Complete Date:	04-19-1992	RAP Complete Date:	09-13-1993
SA Payment Date:		RAP Payment Date:	
SR Task ID:		RAP Last Ord Appr:	9/13/1993
SR Cleanup Resp:	-	RA Task ID:	51040
SR Fund Elig Type:	-	RA Cleanup Resp:	ST - STATE
SR Actual Cost:		RA Fund Elig Type:	-
SR Complete Date:		RA Yrs to Complete:	
SR Payment Date:		RA Actual Cost:	
SR Oral Date:		SRC Action Type:	-
SR Written Date:		SRC Submit Date:	
SR Soil Removal:		SRC Review Date:	
SR Free Prod Rmvl:		SRC Complete Status:	-
SR Soil Ton Remove:		SRC Comp Status Dt:	
SR Soil Treatment:		SRC Issue Date:	
SR Other Treatment:		SRC Comments:	
SR Alt Proc Rec:		Tank Office:	PCLP29 - Hillsborough County
SR Alternate Procedure Status:			
SR Alt Procedure Status Dt:			
SR Alt Procedure Comment:			

Petroleum Cleanup Funding Cap Encumbrance to Date

FCFS: \$299,288.92
 LPSPASM: \$0.00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SPASM:				\$0.00		
NPDES:				\$0.00		
Utility 1 Time Payments:				\$0.00		
All Wo Ta Co Pos Encumbered:				\$81,172.43		
Wo Ta Co Pos Exclu from Cap:				\$44,395.43		
Ttl Amnt Encumbered to Date:				\$380,461.35		
Ttl Amnt Encumbered Towar:				\$336,065.92		

Petroleum Cleanup PCT Facility Score

Facility Cleanup Status: ONGO - ONGOING
 Related Party ID: 1105
 RP Contact: MARK HESSER
 Bad Address Indicator: N

Contract

Contractor: FORTUNE 4, INC D/B/A ENVIRONMENTAL ASSESSMENTS & CONSULTING
 Score: 29
 Facility Name: AMOCO-CORTEZ
 Address: 5904 CORTEZ RD W
 City: BRADENTON
 Zip: 34210
 District: SWD
 County ID: 41
 County: MANATEE

Discharge Info (Map)

Discharge:	21945	Discharg 3:	NREQ
Discharg 1:	05-Mar-1990	Disch Clea:	06-Oct-2010
Discharg 2:	25	Report Pha:	COMPLETED
Eligibilit:	INELIGIBLE	Report Sub:	COMPLETED
Eligibil 1:		Report S 1:	06-Oct-2010
General Cl:	NO CLEANUP REQUIRED	Staff Assi:	
Tank Offic:			

Discharge Info (Map)

Discharge:	21946	Discharg 3:	RA
Discharg 1:	19-Dec-1988	Disch Clea:	24-Jul-2009
Discharg 2:	29	Report Pha:	SA
Eligibilit:	ELIGIBLE	Report Sub:	SA
Eligibil 1:	EDI	Report S 1:	22-Apr-2021
General Cl:	WORK UNDERWAY	Staff Assi:	KURAYAZIYADEH_N
Tank Offic:	HILLSBOROUGH ENVIRONMENTAL PROTECTION COMMISSION		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

BRADENTON FL 34210

Facility ID:	8510822	City (Map):	BRADENTON
Status (Map):	REVIEWED	County (Map):	41
Contam (Map):	YES	Zip4 (Map):	2705
Fac Type (Map):	A	Zip5 (Map):	34210
Fac Stat (Map):	OPEN	County:	41 - Manatee
Address (Map):	5904 CORTEZ RD W	Type :	A - Retail Station
Name (Map):	AMOCO-CORTEZ	Status:	Open
Fac Name(OpenData):	AMOCO-CORTEZ		
Status (Open Data):	REVIEWED		
Facility Status (Open Data):	OPEN		
Facility Type Code (Open Data):	A		
Facility Type (Open Data):	Retail Station		
Fac Clnup Stat Cd(OpenData):	ONGO		
Fac Cleanup Status(OpenData):	ONGOING		
Cleanup Status Effective Date:	2005/03/07 18:25:20+00		
Address (Open Data):	5904 CORTEZ RD W		
City (Open Data):	BRADENTON		
Zip5 (Open Data):	34210		
County (Open Data):	MANATEE		
CC County ID (Open Data):	41		

FDEP Storage Tank Monitoring Open Data Details

Object ID:	3762	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	YES	Ver Date:	2008/10/13 11:41:00+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	EXACT	EI Datum:	
ALB East:	536041.31	EI Resolut:	
ALB North:	384915.13	EI Units:	
Datum:	HARN	Loc ID:	37320
Col Meth:	DPHO	Lat DD:	27
Col Name:	BACHMANN_J	Lat MM:	27
Col Date:	2008/10/13 11:41:00+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	2004 DOQQs	Lat SS:	
Map Scale:	10	Long SS:	
Coord Acc:	4	X:	-82.6207564332193
Ver Meth:	DPHO	Y:	27.4629430504628
Ver Name:	BACHMANN_J		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510822/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	37320	Coord Acc:	4
Object ID:	37320	Ver Meth:	DPHO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OOIC:	FACILITY			Ver Name:	BACHMANN_J	
Site Type:	Retail Station			Ver Prog:	TANKS-PETROLEUM CONTAMINATION	
Contam Ind:				Ver Date:	10/13/2008	
Next action:	PLACARD 08-JUN-2020			Elevation:		
Fin Respon:				EI Datum:		
Rel Feat:	EXACT			EI Resolut:		
Alb East:	536041.31			EI Units:		
Alb North:	384915.13			Office:	SWD	
Datum:	HARN			Phone:	9417950492	
Col Meth:	DPHO			Operator:	SHEAREN CHARLES	
Col Name:	BACHMANN_J			Lat DD:	27	
Col Date:	10/13/2008			Lat MM:	27	
Col Prog:	TANKS-PETROLEUM CONTAMINATION			Long DD:	82	
Map Src:	2004 DOQQs			Long MM:	37	
Map Scale:	10					
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PROTECTION					
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510822/gis-facility!search					

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Shearen Charles	Latitude:	27:27:46.5768
Phone:	941-795-0492	Longitude:	82:37:14.7108
District:	SWD	LL Method:	DPHO - Autonomous GPS
County 1:	41 - Manatee	Account Owner:	Atco Inc
Name:	Amoco-Cortez 5904 Cortez Rd W Bradenton, FL 34210- 2705		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	2	Installed:	07/01/1973
Placement:	UNDER	Size:	8000
Status:	Removed from Site	Content:	Unleaded Gas
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	4	Installed:	07/01/1973
Placement:	UNDER	Size:	4000
Status:	Removed from Site	Content:	Vehicle Diesel
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	07/01/1973
-----------------	---	-------------------	------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Placement:	UNDER			Size:	10000	
Status:	Removed from Site			Content:	Unleaded Gas	
Construction:						
Piping:						
Monitoring:						

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1R			Installed:	05/01/2009	
Placement:	UNDER			Size:	12000	
Status:	In Service			Content:	Unleaded Gas	
Construction:		F - Fiberglass Clad Steel				
		M - Spill Containment Bucket				
		N - Flow Shut-Off				
		O - Tight Fill				
		P - Level Gauges/Alarms				
		R - Double Wall - Tank Jacket				
Piping:		C - Fiberglass				
		F - Double Wall				
		J - Pressurized Piping System				
		K - Dispenser Liners				
Monitoring:		2 - Visual Inspect Pipe Sumps				
		3 - Electronic Monitor Pipe Sumps				
		4 - Visual Inspect Dispenser Liners				
		F - Monitor Dbl Wall Tank Space				
		H - Mechanical Line Leak Detector				
		K - Monitor Dbl Wall Pipe Space				

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	3			Installed:	07/01/1973	
Placement:	UNDER			Size:	8000	
Status:	Removed from Site			Content:	Unleaded Gas	
Construction:						
Piping:						
Monitoring:						

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	2R			Installed:	05/01/2009	
Placement:	UNDER			Size:	12000	
Status:	In Service			Content:	Vehicular Diesel	
Construction:		F - Fiberglass Clad Steel				
		L - Compartmented				
		M - Spill Containment Bucket				
		N - Flow Shut-Off				
		O - Tight Fill				
		P - Level Gauges/Alarms				
		R - Double Wall - Tank Jacket				
Piping:		C - Fiberglass				
		F - Double Wall				
		J - Pressurized Piping System				
		K - Dispenser Liners				
Monitoring:		2 - Visual Inspect Pipe Sumps				
		3 - Electronic Monitor Pipe Sumps				
		4 - Visual Inspect Dispenser Liners				
		F - Monitor Dbl Wall Tank Space				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					H - Mechanical Line Leak Detector K - Monitor Dbl Wall Pipe Space	

<u>11</u>	4 of 5	S	0.02 / 102.24	20.36 / -2	AMOCO STATION 5904 CORTEZ RD W BRADENTON FL 34209	WELL SURVEILLANCE
Facility ID:	8510822			County:	MANATEE	
Project ID:	SUPER			Longitude:	-82.620753	
Req No:	45794			Latitude:	27.462938	
Loc ID:	179557			GPS Date:	5/7/2008	
GPS ID:	179557			Datum:	WS1984	
Type:	PETROLEUM			Software:	Risk_Solo_v2	
Insp CHD:	MANATEE			Streetside:		
HAE:	11.31			Agency:	DOH	
Loc Method:	DGPS - Differentially Corrected GPS					
Insp F Name:	TERRI					
Insp L Name:	STRIPLING					
Comment:	NOW BP					

<u>11</u>	5 of 5	S	0.02 / 102.24	20.36 / -2	AMOCO-CORTEZ 5904 CORTEZ RD W BRADENTON FL 34210-2705	DWM CONTAM
Facility ID:	8510822			Related Party ID:	1105	
Facility Type:	A - Retail Station			Primary RP Role:	ACCOUNT OWNER	
Program Area:	Storage Tanks			RP Begin Date:	5/20/1994	
Rank:	8533			RP Name:	ATCO INC	
Operator:	SHEAREN CHARLES			RP Address1:	PO BOX 698	
Phone:	(941)795-0492			RP Address2:	ATTN: STORAGE TANK REGIS	
Name Changed:				RP City:	SARASOTA	
Addr Changed:				RP State:	FL	
Method:	AGPS			RP Zip5:	34230	
Datum:	0			RP Zip4:	698	
County:	MANATEE			Contact:	MARK HESSER	
Range:				RP Phone:	(941)355-7619	
Township:				RP Extension:	307	
Section:				Rp Bad Addr Ind:	N	

Program Details

Facility Status:	OPEN	Lat DD:	27
Priority Score:	29	Lat MM:	27
Score Effective Dt:	4/19/2012	Lat SS:	46.5768
Score When Ranked:	1/10/1900	Long DD:	82
Offsite Contam:		Long MM:	37
Program Eligible:		Long SS:	14.7108
Ineligible:		Datum:	0
District:	SWD	Staff Assigned:	
Method:	AGPS	Priority:	
Project Coordinator:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
12	1 of 2	N	0.04 / 237.07	24.87 / 2	WINN-DIXIE #2404 5805 MANATEE AVE W BRADENTON FL 34209-2542	RCRA VSQG

EPA Handler ID: FLR000211748
Gen Status Universe: VSG
Contact Name: LORI HODGE
Contact Address: 15500 , W BEAVER STREET , , JACKSONVILLE , FL, 32234 , US
Contact Phone No and Ext: 904-266-8029
Contact Email: LORIHODGE@BILOHOLDINGS.COM
Contact Country: US
County Name: MANATEE
EPA Region: 04
Land Type: Private
Receive Date: 20140603
Location Latitude: 27.496194
Location Longitude: -82.647046

Violation/Evaluation Summary

Note: NO RECORDS: As of April 2021, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 201406
Receive Date: 20140603
Handler Name: WINN-DIXIE #2404
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code:	D001
Waste Code Description:	IGNITABLE WASTE
Hazardous Waste Code:	D002
Waste Code Description:	CORROSIVE WASTE
Hazardous Waste Code:	P001
Waste Code Description:	2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Hazardous Waste Code:	P075
Waste Code Description:	NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS
Hazardous Waste Code:	U034
Waste Code Description:	ACETALDEHYDE, TRICHLORO- (OR) CHLORAL
Hazardous Waste Code:	U058
Waste Code Description:	2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE
Hazardous Waste Code:	U129
Waste Code Description:	CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE
Hazardous Waste Code:	U132
Waste Code Description:	HEXACHLOROPHENE (OR) PHENOL, 2,2'-METHYLENEBIS[3,4,6-TRICHLORO-
Hazardous Waste Code:	U188
Waste Code Description:	PHENOL
Hazardous Waste Code:	U200
Waste Code Description:	RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL) OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-
Hazardous Waste Code:	U205
Waste Code Description:	SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	1991 MAIN STREET BOX 183
Name:	PROPERTY HOLDINGS LLC	Street 2:	
Date Became Current:	19751023	City:	SARASOTA
Date Ended Current:		State:	FL
Phone:		Country:	US
Source Type:	Notification	Zip Code:	34236
Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	5050 EDGEWOOD CT

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Name:	WINN DIXIE				Street 2:	
Date Became Current:	20140404				City:	JACKSONVILLE
Date Ended Current:					State:	FL
Phone:	904-783-5000				Country:	US
Source Type:	Notification				Zip Code:	32254

[12](#) 2 of 2 **N** 0.04 / 237.07 24.87 / 2 **WINN-DIXIE #2404
5805 MANATEE AVE W
BRADENTON FL 34209-2542** **FINDS/FRS**

Registry ID: 110062926847
FIPS Code: 12081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 03-DEC-14
Update Date: 17-OCT-17
Interest Types: CESQG
SIC Codes:
SIC Code Descriptions:
NAICS Codes: 445110
NAICS Code Descriptions: SUPERMARKETS AND OTHER GROCERY (EXCEPT CONVENIENCE) STORES.
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810012022069
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.49594
Longitude: -82.61932
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110062926847
Program Acronyms:
RCRAINFO:FLR000211748

[13](#) 1 of 14 **N** 0.05 / 238.07 25.93 / 4 **SHELL OIL COMPANY
5818 MANATEE AVE W
BRADENTON FL 34209-2541** **RCRA
NON GEN**

EPA Handler ID: FLR000049668
Gen Status Universe: No Report
Contact Name: DAVID ZABCIK

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Contact Address: 910 , LOUISIANA ST , , HOUSTON , TX, 77002-4916 , US
Contact Phone No and Ext: 713-241-5077
Contact Email: DAVID.ZABCIK@SHELL.COM
Contact Country: US
County Name: MANATEE
EPA Region: 04
Land Type: Private
Receive Date: 20101001
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of April 2021, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 201010
Receive Date: 20101001
Handler Name: SHELL OIL COMPANY
Source Type: Notification
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D018

Waste Code Description: BENZENE

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	PO BOX 2099
Name:	SHELL OIL CO	Street 2:	
Date Became Current:	19981026	City:	HOUSTON
Date Ended Current:	20101001	State:	TX
Phone:		Country:	US
Source Type:	Notification	Zip Code:	77252-2099

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	PO BOX 2099
Name:	DAVID ZABCIK	Street 2:	
Date Became Current:	19981026	City:	HOUSTON
Date Ended Current:		State:	TX
Phone:		Country:	US
Source Type:	Notification	Zip Code:	77252

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	PO BOX 2099
Name:	MOTIVA ENTERPRISES LLC	Street 2:	
Date Became Current:	19981026	City:	HOUSTON
Date Ended Current:		State:	TX
Phone:		Country:	US
Source Type:	Notification	Zip Code:	77252-2099

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	PO BOX 2099
Name:	SHELL OIL CO	Street 2:	
Date Became Current:	19981026	City:	HOUSTON
Date Ended Current:		State:	TX
Phone:		Country:	US
Source Type:	Notification	Zip Code:	77252

13	2 of 14	N	0.05 / 238.07	25.93 / 4	SHELL SERVICE STATION 5818 MANATEE AVE W BRADENTON FL 34209-2541	RCRA VSQG
--------------------	---------	---	---------------	-----------	--	-----------

EPA Handler ID: FLTMP9103250
Gen Status Universe: VSG
Contact Name:
Contact Address: US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: MANATEE
EPA Region: 04
Land Type: Other
Receive Date: 19911115

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Location Latitude: 27.496194
 Location Longitude: -82.647046

Violation/Evaluation Summary

Note: NO RECORDS: As of April 2021, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility: No
 Onsite Burner Exemption: No
 Furnace Exemption: No
 Underground Injection Activity: No
 Commercial TSD: No
 Used Oil Transporter: No
 Used Oil Transfer Facility: No
 Used Oil Processor: No
 Used Oil Refiner: No
 Used Oil Burner: No
 Used Oil Market Burner: No
 Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 199111
 Receive Date: 19911115
 Handler Name: SHELL SERVICE STATION
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Emergency

13	3 of 14	N	0.05 / 238.07	25.93 / 4	WESTWAY SERVICES LLC 5818 MANATEE AVE W BRADENTON FL 34209	UST
--------------------	---------	---	---------------	-----------	--	-----

Facility ID:	8510863	Lat DD:	27
Facility Status:	OPEN	Lat MM:	29
ASTs:	0	Lat SS:	48
USTs:	1	Long DD:	82
Tanks:	1	Long MM:	37
Facility Type:	A	Long SS:	12
Contact:		Lat/Long Method:	AGPS
Facility Phone:	9417920412	Bad Addr Indicator:	
Owner ID:	76642	County:	MANATEE
Owner Phone:	9418126249	Dep Co:	P
Owner:	WESTWAY SERVICES LLC		
Owner Address1:	5818 MANATEE AVE W		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Owner Address2:

Owner City: BRANDON
Owner State: FL
Owner Zip 5: 34209
Owner Zip 4:
Type Desc: Retail Station
Oculus Docs Inventory URL: <https://eriservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=8510863&CAT=11>
Information Portal Facility URL: <http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=8510863>
Information Portal Doc URL: <http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510863/facility!search>

Tank Information

Tank ID:	5	Determination:	Double Walled
Tank Status:	U - In Service	Gallons:	20000
Status Date:	01-MAR-2010	Placement:	UNDERGROUND
Installation Date:	01-MAR-2010	Tank Vessel Indic:	TANK
Substance:	B - Unleaded Gas		

Piping

Piping Description: C-Fiberglass
Tkstat: U
Stat Date: 01-MAR-2010

Piping Description: F-Double wall
Tkstat: U
Stat Date: 01-MAR-2010

Piping Description: K-Dispenser liners
Tkstat: U
Stat Date: 01-MAR-2010

Piping Description: J-Pressurized piping system
Tkstat: U
Stat Date: 01-MAR-2010

Monitoring

Monitoring Desc: H-Mechanical line leak detector
Tkstat: U
Stat Date: 01-MAR-2010

Monitoring Desc: 2-Visual inspect pipe sumps
Tkstat: U
Stat Date: 01-MAR-2010

Monitoring Desc: K-Monitor dbl wall pipe space
Tkstat: U
Stat Date: 01-MAR-2010

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Monitoring Desc:		4-Visual inspect dispenser liners				
Tkstat:		U				
Stat Date:		01-MAR-2010				
Monitoring Desc:		F-Monitor dbl wall tank space				
Tkstat:		U				
Stat Date:		01-MAR-2010				

[13](#) 4 of 14 **N** 0.05 / 238.07 25.93 / 4 **WESTWAY SERVICES LLC
5818 MANATEE AVE W
BRADENTON FL 34209-2541** **LST**

Facility ID:	8510863	Contact:	
Facility Status:	OPEN	Phone:	(941)792-0412
Facility Type:	A - Retail Station	Name Changed:	03/30/2018
Score:	6	Address Changed:	12/05/2006
Score Effective Date:	07/30/2007	Section:	
Score when Ranked:	10	Township:	
Rank:	8533	Range:	
Operator:	ANTHONY BEGLEY	District:	SWD
Prim Related Party:	76642	County:	MANATEE
Primary RP Role:	ACCOUNT OWNER	County No:	41
RP Begin Date:	03/30/2018	Lat DD:	27
RP Address1:	5818 MANATEE AVE W	Lat MM:	29
RP Address2:		Lat SS:	46.5639
RP City:	BRANDON	Long DD:	82
RP State:	FL	Long MM:	37
RP Zip5:	34209	Long SS:	12.5029
RP Zip4:		Feature:	
RP Phone:	(941)812-6249	Method:	AGPS
RP Phone Ext.:		Datum:	0
RP Bad Addr Ind:	No		
Facility Name (Map):	WESTWAY SERVICES LLC		
Address (Map):	5818 MANATEE AVE W		
City (Map):	BRADENTON		
Zip5 (Map):	34209		
Facility T (Map):	Retail Station		
Facility S (Map):	OPEN		
County (Map):	MANATEE		
Lat DD (Map):	27		
Lat MM (Map):	29		
Long DD (Map):	82		
Long MM (Map):	37		
Datum (Map):	HARN		
Rel Feat (Map):	EXACT		
Collection (Map):	DPHO		
Collector (Map):	RICCI_L		
Collecti 1 (Map):	08-Oct-2003		
Document L (Map):	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510863/facility!search		
Lat SS (Map):			
Long SS (Map):			
Geometry (Map):			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

RP Name: WESTWAY SERVICES LLC
Oculus Docs Inventory: https://erisservice7.ecologeris.com/ErisExt/flo/ocure.ashx?ID=8510863&CAT=11
Information Portal Fac URL: http://prodenv.dep.state.fl.us/DepNexus/public/facilitysearch?pagination=true&facility.id=8510863
Information Portal Doc URL: http://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510863/facility!search

Discharge Cleanup Summary

Discharge Date: 12/15/1998
Cleanup Required: R - CLEANUP REQUIRED
Discharge Cleanup Status: RA - RA ONGOING
Discharge Cleanup Stat Date: 05/06/2010
Eligibility Indicator: E - ELIGIBLE
Site Manager: NEWKIRK_S
Site Manager End Date: 06/01/2020
Tank Office: PCLP29 - HILLSBOROUGH ENVIRONMENTAL PROTECTION COMMISSION

Contaminated Media

Contaminated Drinking Wells:
Contaminated Mntring Wells:
Contaminated Soil:
Contaminated Surface Water:
Contaminated Ground Water:
Pollutant: B - Unleaded Gas
Other Description:
Gallons Discharged:

Petroleum Cleanup Program Eligibility

Cleanup Program: P - PETROLEUM LIABILITY AND RESTORATION INSURANCE PROGRAM
Eligibility Status: ELIGIBLE

Task Info

SA Task ID:	91418	RAP Task ID:	
SA Cleanup Resp:	-	RAP Clean Resp ID:	-
SA Fund Elig Type:	-	RAP Fund Elig Type:	-
SA Actual Cost:		RAP Actual Cost:	
SA Complete Date:		RAP Complete Date:	
SA Payment Date:		RAP Payment Date:	
SR Task ID:		RAP Last Ord Appr:	
SR Cleanup Resp:	-	RA Task ID:	85766
SR Fund Elig Type:	-	RA Cleanup Resp:	-
SR Actual Cost:		RA Fund Elig Type:	-
SR Complete Date:		RA Yrs to Complete:	
SR Payment Date:		RA Actual Cost:	
SR Oral Date:		SRC Action Type:	-
SR Written Date:		SRC Submit Date:	
SR Soil Removal:		SRC Review Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SR Free Prod Rmvl:					SRC Complete Status:	-
SR Soil Ton Remove:					SRC Comp Status Dt:	
SR Soil Treatment:					SRC Issue Date:	
SR Other Treatment:					SRC Comments:	
SR Alt Proc Rec:					Tank Office:	PCTM5 - Team 5
SR Alternate Procedure Status:						
SR Alt Procedure Status Dt:						
SR Alt Procedure Comment:						

Petroleum Cleanup Funding Cap Encumbrance to Date

FCFS:	\$0.00
LPSPASM:	\$0.00
SPASM:	\$0.00
NPDES:	\$0.00
Utility 1 Time Payments:	\$0.00
All Wo Ta Co Pos Encumbered:	\$79,728.00
Wo Ta Co Pos Exclu from Cap:	\$39,820.01
Ttl Amnt Encumbered to Date:	\$79,728.00
Ttl Amnt Encumbered Towar:	\$39,907.99

Petroleum Cleanup PCT Facility Score

Facility Cleanup Status:	ONGO - ONGOING
Related Party ID:	76642
RP Contact:	
Bad Address Indicator:	N

Contract

Contractor:	GROUNDWATER AND ENVIRONMENTAL SERVICES, INC.
Score:	6
Facility Name:	WESTWAY SERVICES LLC
Address:	5818 MANATEE AVE W
City:	BRADENTON
Zip:	34209
District:	SWD
County ID:	41
County:	MANATEE

Discharge Info (Map)

Discharge:	51170	Discharg 3:	RA
Discharg 1:	15-Dec-1998	Disch Clea:	06-May-2010
Discharg 2:	6	Report Pha:	SA
Eligibilit:	ELIGIBLE	Report Sub:	SA
Eligibil 1:	PLIRP	Report S 1:	28-Apr-2020
General Cl:	WORK UNDERWAY	Staff Assi:	
Tank Offic:	HILLSBOROUGH ENVIRONMENTAL PROTECTION COMMISSION		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
13	5 of 14	N	0.05 / 238.07	25.93 / 4	SHELL OIL COMPANY 5818 MANATEE AVE W BRADENTON FL 342092541	FINDS/FRS

Registry ID: 110005652720
FIPS Code: 12081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 01-MAR-00
Update Date: 08-AUG-10
Interest Types: STATE MASTER, UNSPECIFIED UNIVERSE
SIC Codes:
SIC Code Descriptions:
NAICS Codes: 562998
NAICS Code Descriptions: ALL OTHER MISCELLANEOUS WASTE MANAGEMENT SERVICES.
Conveyor: RCRAINFO
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810012022038
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.496618
Longitude: -82.619861
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: INTERPOLATION-PHOTO
Accuracy Value: 4
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110005652720
Program Acronyms:

FDM:39293, RCRAINFO:FLR000049668

13	6 of 14	N	0.05 / 238.07	25.93 / 4	SHELL SERVICE STATION 5818 MANATEE AVE W BRADENTON FL 342092541	FINDS/FRS
--------------------	---------	---	---------------	-----------	---	-----------

Registry ID: 110035654173
FIPS Code: 12081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 24-APR-08
Update Date: 28-MAR-14

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Interest Types:		CESQG, STATE MASTER				
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:		FRS-GEOCODE				
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:		13				
Census Block Code:		120810012022069				
EPA Region Code:		04				
County Name:		MANATEE				
US/Mexico Border Ind:						
Latitude:		27.49595				
Longitude:		-82.61996				
Reference Point:		CENTER OF A FACILITY OR STATION				
Coord Collection Method:		ADDRESS MATCHING-HOUSE NUMBER				
Accuracy Value:		30				
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110035654173				
Program Acronyms:						
FDM:64112, RCRAINFO:FLTMP9103250						

13	7 of 14	N	0.05 / 238.07	25.93 / 4	SHELL SAP #136462 (FORMER) 5818 MANATEE AVE WEST BRADENTON FL 34209	DEL CONTAM SITE
Prgm Site ID:		277030		Record Date:		
Remedi Status:		OPEN		County: Manatee		
Priority Score:		24		Method: UNVR		
Program Area:		Responsible Party		Datum: 83		
Program Eligible:				Lat DD: 27		
Ineligible:				Lat MM: 29		
Offsite Contam:		N		Lat SS: 47.2305		
Dt Known Offsite:				Long DD: 82		
Proj Manager:		MADRID_T		Long MM: 37		
Office District:		SWD		Long SS: 11.8692		
Original Source:		CS				
Record Date:		31-MAR-2015				

13	8 of 14	N	0.05 / 238.07	25.93 / 4	WESTWAY SERVICES LLC 5818 MANATEE AVE W BRADENTON FL 34209	STCS
Facility ID:		8510863		City (Map): BRADENTON		
Status (Map):		REVIEWED		County (Map): 41		
Contam (Map):		YES		Zip4 (Map): 2541		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Fac Type (Map):	A			Zip5 (Map):	34209	
Fac Stat (Map):	OPEN			County:	41 - Manatee	
Address (Map):	5818 MANATEE AVE W			Type :	A - Retail Station	
Name (Map):	WESTWAY SERVICES LLC			Status:	Open	
Fac Name(OpenData):	WESTWAY SERVICES LLC					
Status (Open Data):	REVIEWED					
Facility Status (Open Data):	OPEN					
Facility Type Code (Open Data):	A					
Facility Type (Open Data):	Retail Station					
Fac Cleanup Stat Cd(OpenData):	ONGO					
Fac Cleanup Status(OpenData):	ONGOING					
Cleanup Status Effective Date:	2010/02/16 18:16:08+00					
Address (Open Data):	5818 MANATEE AVE W					
City (Open Data):	BRADENTON					
Zip5 (Open Data):	34209					
County (Open Data):	MANATEE					
CC County ID (Open Data):	41					

FDEP Storage Tank Monitoring Open Data Details

Object ID:	3822	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Regulated:	YES	Ver Date:	2003/10/08 14:00:39+00
OOIC:	FACILITY	Elevation:	
Rel Feat:	EXACT	EI Datum:	
ALB East:	536060.38	EI Resolut:	
ALB North:	388616.7	EI Units:	
Datum:	HARN	Loc ID:	37304
Col Meth:	DPHO	Lat DD:	27
Col Name:	RICCI_L	Lat MM:	29
Col Date:	2003/10/08 14:00:39+00	Long DD:	82
Col Prog:	TANKS-PETROLEUM CONTAMINATION	Long MM:	37
Map Src:	1994 doqs	Lat SS:	
Map Scale:	1852	Long SS:	
Coord Acc:	4	X:	-82.6201431285233
Ver Meth:	DPHO	Y:	27.4962728085795
Ver Name:	RICCI_L		
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PR		
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PR		
Direct:			
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510863/gis-facility!search		

FDEP Open Data - Storage Tank Contamination Monitoring (STCM)

Loc ID:	37304	Coord Acc:	4
Object ID:	37304	Ver Meth:	DPHO
OOIC:	FACILITY	Ver Name:	RICCI_L
Site Type:	Retail Station	Ver Prog:	TANKS-PETROLEUM CONTAMINATION
Contam Ind:		Ver Date:	10/8/2003
Next action:	PLACARD 16-JUN-2020	Elevation:	
Fin Respon:		EI Datum:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Rel Feat:	EXACT				EI Resolut:	
Alb East:	536060.38				EI Units:	
Alb North:	388616.7				Office:	SWD
Datum:	HARN				Phone:	9417920412
Col Meth:	DPHO				Operator:	ANTHONY BEGLEY
Col Name:	RICCI_L				Lat DD:	27
Col Date:	10/8/2003				Lat MM:	29
Col Prog:	TANKS-PETROLEUM CONTAMINATION				Long DD:	82
Map Src:	1994 doqs				Long MM:	37
Map Scale:	1852					
Col Aff:	DEPARTMENT OF ENVIRONMENTAL PR					
Ver Aff:	DEPARTMENT OF ENVIRONMENTAL PR					
Documents:	https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/8510863/gis-facility!search					

FDEP - Storage Tank Contamination Monitoring (STCM) Details

Contact:	Anthony Begley	Latitude:	27:29:46.5639
Phone:	941-792-0412	Longitude:	82:37:12.5029
District:	SWD	LL Method:	DPHO - Autonomous GPS
County 1:	41 - Manatee	Account Owner:	Westway Services Llc
Name:	Westway Services Llc 5818 Manatee Ave W Bradenton, FL 34209- 2541		

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	1	Installed:	04/01/1982
Placement:	UNDER	Size:	10000
Status:	Removed from Site	Content:	Unleaded Gas
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	2	Installed:	04/01/1982
Placement:	UNDER	Size:	6000
Status:	Removed from Site	Content:	Unleaded Gas
Construction:			
Piping:			
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	4	Installed:	07/01/1971
Placement:	UNDER	Size:	1000
Status:	Removed from Site	Content:	Waste Oil
Construction:			
Piping:			
Monitoring:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	5	Installed:	03/01/2010
Placement:	UNDER	Size:	20000
Status:	In Service	Content:	Unleaded Gas
Construction:	F - Fiberglass Clad Steel L - Compartmented M - Spill Containment Bucket N - Flow Shut-Off O - Tight Fill R - Double Wall - Tank Jacket C - Fiberglass F - Double Wall J - Pressurized Piping System K - Dispenser Liners		
Piping:	2 - Visual Inspect Pipe Sumps 4 - Visual Inspect Dispenser Liners F - Monitor Dbl Wall Tank Space H - Mechanical Line Leak Detector K - Monitor Dbl Wall Pipe Space		
Monitoring:			

FDEP - Registered Tanks from Storage Tank Contamination Monitoring (STCM) Details

Tank No:	3	Installed:	04/01/1982
Placement:	UNDER	Size:	8000
Status:	Removed from Site	Content:	Unleaded Gas
Construction:			
Piping:			
Monitoring:			

[13](#)

9 of 14

N

0.05 /
238.07

25.93 /
4

**SHELL WESTWAY
5818 MANATEE AVE W
BRADENTON FL 34209**

**WELL
SURVEILLANCE**

Facility ID:	8510863	County:	MANATEE
Project ID:	SUPER	Longitude:	-82.620167
Req No:	RE42499	Latitude:	27.496243
Loc ID:	120391	GPS Date:	6/22/2007
GPS ID:	120391	Datum:	
Type:	PETROLEUM	Software:	Risk_Solo_v2
Insp CHD:	MANATEE	Streetside:	
HAE:	7.77	Agency:	DOH
Loc Method:	DGPS - Differentially Corrected GPS		
Insp F Name:	TERRI		
Insp L Name:	STRIPLING		
Comment:			

[13](#)

10 of 14

N

0.05 /
238.07

25.93 /
4

**SHELL SAP #136462 (FORMER)
5818 MANATEE AVE WEST
BRADENTON FL**

WCRPS

Site ID:	277030	Coord Accuracy ID:	3
Datum ID:	WGS84	Zip5:	34209

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Method ID:	DPHO				Zip4:	
Feature:					County ID:	41
Object of Interest:	CAP_RAP SITE				County:	MANATEE
Proximity to Object:	APPRX				Lat DD:	27
Interpolation Scale:	681				Lat MM:	29
Map Source:	2008_DOQQ				Long DD:	82
Map Source Scale:	681				Long MM:	37
Collect Program ID:		CR				
Collect Username:		MADRID_T				
Collect Affiliation:		Florida Department of Environmental Protection				
Verifying Program ID:		CR				
Verify Method ID:		DPHO				
Verifier Username:		MADRID_T				
Verifier Affiliation:		DEPARTMENT OF ENVIRONMENTAL PROTECTION				
Project Name:		SHELL SAP #136462 (FORMER)				
Documents:		https://prodenv.dep.state.fl.us/DepNexus/public/electronic-documents/COM_277030/gis-facility!search				

Project Details

Project ID:	247874	District:	SWD
OGC No:		GIS ALBX:	536077.51
Status:	CLOSED	GIS ALBY:	388637.45
Priority Score:		Source:	Closed Responsible Party Sites
Offsite COC:	N		
Contaminants:	GW PCE; Scoring 3/31/09; rpt 07/2009 - As, Cr in soil, PAHs in GW, rescored 8/4/09		

13	11 of 14	N	0.05 / 238.07	25.93 / 4	WESTWAY SERVICES LLC 5818 MANATEE AVE W BRADENTON FL 34209-2541	DWM CONTAM
--------------------	----------	---	---------------	-----------	---	------------

Facility ID:	8510863	Related Party ID:	76642
Facility Type:	A - Retail Station	Primary RP Role:	ACCOUNT OWNER
Program Area:	Storage Tanks	RP Begin Date:	3/30/2018
Rank:	8533	RP Name:	WESTWAY SERVICES LLC
Operator:	ANTHONY BEGLEY	RP Address1:	5818 MANATEE AVE W
Phone:	(941)792-0412	RP Address2:	
Name Changed:	3/30/2018	RP City:	BRANDON
Addr Changed:	12/5/2006	RP State:	FL
Method:	AGPS	RP Zip5:	34209
Datum:	0	RP Zip4:	
County:	MANATEE	Contact:	
Range:		RP Phone:	(941)812-6249
Township:		RP Extension:	
Section:		Rp Bad Addr Ind:	N

Program Details

Facility Status:	OPEN	Lat DD:	1/27/1900
Priority Score:	6	Lat MM:	29
Score Effective Dt:	7/30/2007	Lat SS:	46.5639
Score When Ranked:	1/10/1900	Long DD:	82

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
13	12 of 14	N	0.05 / 238.07	25.93 / 4	CIRCLE K # 2211027 5818 MANATEE AVE W BRADENTON FL 34209	DWM CONTAM
Offsite Contam:					Long MM:	37
Program Eligible:					Long SS:	12.5029
Ineligible:					Datum:	0
District:	SWD				Staff Assigned:	
Method:	AGPS				Priority:	
Project Coordinator:						
<hr/>						
Facility ID:	8510863				Related Party ID:	
Facility Type:					Primary RP Role:	
Program Area:	Petroleum				RP Begin Date:	
Rank:					RP Name:	
Operator:					RP Address1:	
Phone:					RP Address2:	
Name Changed:					RP City:	
Addr Changed:					RP State:	
Method:					RP Zip5:	
Datum:					RP Zip4:	
County:	MANATEE				Contact:	
Range:					RP Phone:	
Township:					RP Extension:	
Section:					Rp Bad Addr Ind:	
<hr/>						
<u>Program Details</u>						
Facility Status:	WAITING				Lat DD:	27
Priority Score:	6				Lat MM:	29
Score Effective Dt:					Lat SS:	46.5639
Score When Ranked:					Long DD:	82
Offsite Contam:	U				Long MM:	37
Program Eligible:	Y				Long SS:	12.5029
Ineligible:					Datum:	HARN
District:	PCSWD				Staff Assigned:	
Method:	DPHO				Priority:	
Project Coordinator:						
<hr/>						
13	13 of 14	N	0.05 / 238.07	25.93 / 4	SHELL SAP #136462 (FORMER) 5818 MANATEE AVE WEST BRADENTON FL 34209	DWM CONTAM
Facility ID:	277030				Related Party ID:	
Facility Type:					Primary RP Role:	
Program Area:	Responsible Party				RP Begin Date:	
Rank:					RP Name:	
Operator:					RP Address1:	
Phone:					RP Address2:	
Name Changed:					RP City:	
Addr Changed:					RP State:	
Method:					RP Zip5:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Datum:					RP Zip4:	
County:	Manatee				Contact:	
Range:					RP Phone:	
Township:					RP Extension:	
Section:					Rp Bad Addr Ind:	

Program Details

Facility Status:	OPEN	Lat DD:	27.00
Priority Score:	24	Lat MM:	29.00
Score Effective Dt:		Lat SS:	47.2305
Score When Ranked:		Long DD:	82.00
Offsite Contam:	N	Long MM:	37.00
Program Eligible:		Long SS:	11.8692
Ineligible:		Datum:	83
District:	SWD	Staff Assigned:	
Method:	UNVR	Priority:	
Project Coordinator:	MADRID_T		

13	14 of 14	N	0.05 / 238.07	25.93 / 4	CIRCLE K #2211027 5818 MANATEE AVE W BRADENTON FL 34209	DWM CONTAM
--------------------	----------	---	---------------	-----------	---	------------

Facility ID:	8510863	Related Party ID:	
Facility Type:		Primary RP Role:	
Program Area:	Petroleum	RP Begin Date:	
Rank:		RP Name:	
Operator:		RP Address1:	
Phone:		RP Address2:	
Name Changed:		RP City:	
Addr Changed:		RP State:	
Method:		RP Zip5:	
Datum:		RP Zip4:	
County:	MANATEE	Contact:	
Range:		RP Phone:	
Township:		RP Extension:	
Section:		Rp Bad Addr Ind:	

Program Details

Facility Status:	WAITING	Lat DD:	27
Priority Score:	6	Lat MM:	29
Score Effective Dt:		Lat SS:	46.5639
Score When Ranked:		Long DD:	82
Offsite Contam:	U	Long MM:	37
Program Eligible:	Y	Long SS:	12.5029
Ineligible:		Datum:	HARN
District:	PCSWD	Staff Assigned:	
Method:	DPHO	Priority:	
Project Coordinator:			

Unplottable Summary

Total: 14 Unplottable sites

DB	Company Name/Site Name	Address	City	Zip	ERIS ID
ERNS		BERTH 9 PORT MANATEE, TAMPA BAY	MANATEE FL		806716944
ERNS		57TH AVE WEST	BREADINGTON FL		806842416
ERNS		GREEN MARKER 25 ON MANATEE RIVER	BRADENTON FL	33602	807087650
ERNS		BERTH 6 PORT MANATEE, FLORIDA	MANATEE FL		807104925
ERNS		WESTED OF MANATEE AVE. HOLMES BEACH/MANATEE BEACH,ANNA MARIE ISLAND	BRADENTON FL		858621574
ERNS		MANATEE AVE BRIDGE	BRADINGTON FL		806641149
FINDS/FRS	17TH AVENUE WEST BRIDGE REPLACEMENT	17TH AVENUE WEST	BRADENTON FL	34205	825954038
FINDS/FRS	SR-684 - CORTEZ RD	FR 17TH ST W TO E OF 42ND AVE E	BRADENTON FL	34205	816415656
FINDS/FRS	43RD ST W AT CORTEZ RD INTERSE	B/W 40TH AVE W/47TH AVE W	BRADENTON FL	34210	816407329
FINDS/FRS	CITY OF BRADENTON	12TH AVENUE WEST	BRADENTON FL	34209	816411943
FINDS/FRS	57TH AVENUE WEST AND EAST	57TH AVE FROM US 41 TO 15TH ST	BRADENTON FL	34203	816415226
FINDS/FRS	ROBINSON PRESERVE ADDITION	9TH AVENUE WEST	BRADENTON FL	34209	816416452

SPILLS Robinson Preserve Site, end of 17th Ave. NW BRADENTON FL 813600370

SPILLS Parking lot, 75 Street and Manatee Avenue West BRADENTON FL 813598332

Unplottable Report

Site:

BERTH 9 PORT MANATEE, TAMPA BAY MANATEE FL

ERNS

NRC Report No: 501183
Type of Incident: VESSEL
Incident Cause: OTHER
Incident Date: 10/4/1999 3:45:00 PM
Incident Location:
Incident Dtg: DISCOVERED
Distance from City:
Distance Units:
Direction from City:
Location County: MANATEE
Potential Flag:
Year: Year 1999 Reports
Description of Incident: M/V TAMPA / RESIDUAL OIL IN A HOSE WAS ACCIDENTALLY SPILLED INTO THE WATER

Latitude Degrees:
Latitude Minutes:
Latitude Seconds:
Longitude Degrees:
Longitude Minutes:
Longitude Seconds:
Lat Quad:
Long Quad:
Location Section:
Location Township:
Location Range:

Material Spill Information

Chris Code: OMT
CAS No:
UN No:
Name of Material: OIL, MISC: MOTOR
Amount of Material: 0

Unit of Measure: UNKNOWN AMOUNT
If Reached Water: YES
Amount in Water: 0
Unit Reach Water: UNKNOWN AMOUNT

Calls Information

Date Time Received: 10/4/1999 3:56:08 PM
Date Time Complete: 10/4/1999 4:04:00 PM
Call Type: INC
Resp Company: H VIDA MARINE AND TOWING
Resp Org Type: PRIVATE ENTERPRISE

Responsible City:
Responsible State: XX
Responsible Zip:
Source: UNAVAILABLE

Incident Information

Tank ID:
Tank Regulated: U
Tank Regulated By:
Capacity of Tank:
Capacity Tank Units:
Description of Tank:
Actual Amount:
Actual Amount Units:
Tank Above Ground: ABOVE
NPDES:
NPDES Compliance: U
Init Contin Rel No:
Contin Rel Permit:
Contin Release Type:
Aircraft ID:
Aircraft Runway No:
Aircraft Spot No:
Aircraft Type: UNKNOWN
Aircraft Model:
Aircraft Fuel Cap:
Aircraft Fuel Cap U:
Aircraft Fuel on Brd:
Aircraft Fuel OB U:
Aircraft Hanger:

Building ID:
Location Area ID:
Location Block ID:
OCSG No:
OCSF No:
State Lease No:
Pier Dock No:
Berth Slip No:
Brake Failure: N
Airbag Deployed:
Transport Contain: U
Location Subdiv:
Platform Rig Name:
Platform Letter:
Allision: N
Type of Structure:
Structure Name:
Structure Oper: Y
Transit Bus Flag:
Date Time Norm Serv:
Serv Disrupt Time:
Serv Disrupt Units:
CR Begin Date:
CR End Date:

Road Mile Marker:
Power Gen Facility: U
Generating Capacity:
Type of Fixed Obj: UNKNOWN
Type of Fuel:
DOT Crossing No:
DOT Regulated: U
Pipeline Type: UNKNOWN
Pipeline Abv Ground: ABOVE
Pipeline Covered: U
Exposed Underwater: U
Railroad Hotline: No
Railroad Milepost: UNKNOWN
Grade Crossing: N
Crossing Device Ty:
Ty Vehicle Involved: UNKNOWN
Device Operational: Y

CR Change Date:
FBI Contact:
FBI Contact Dt Tm:
Passenger Handling:
Passenger Route: XXX
Passenger Delay: XXX
Sub Part C Test Req: XXX
Conductor Test:
Engineer Test:
Trainman Test:
Yard Foreman Test:
RCL Operator Test:
Brakeman Test:
Train Dispat Test:
Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured: U
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act: THE RELEASE WAS SECURED / IT IS UNKNOWN WHAT ACTIONS WILL BE TAKEN TOMITIGATE

Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evacu:
Any Injuries: U
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: U
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N
Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest:
Medium Desc: WATER
Addl Medium Info: PORT MANATEE

State Agen Report No:
State Agen on Scene:
State Agen Notified:
Fed Agency Notified:
Oth Agency Notified:
Body of Water:

Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions:
Air Temperature:
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: U
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact: N
Passengers Transfer: UNK
Passenger Injuries:
Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color:
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info: SHEEN SIZE:100 FT X UNKNOWN / COLOR: RAINBOWWEATHER COND:OVERCAST / WINDS:CALM / SEAS:3-5 FT

Site:
57TH AVE WEST BREADINGTON FL

ERNS

NRC Report No: 633053
Type of Incident: STORAGE TANK

Latitude Degrees:
Latitude Minutes:

Incident Cause:	DUMPING	Latitude Seconds:	
Incident Date:	12/31/2002 7:00:00 AM	Longitude Degrees:	
Incident Location:		Longitude Minutes:	
Incident Dtg:	DISCOVERED	Longitude Seconds:	
Distance from City:		Lat Quad:	
Distance Units:		Long Quad:	
Direction from City:		Location Section:	
Location County:	MANATEE	Location Township:	
Potential Flag:		Location Range:	
Year:	Year 2002 Reports		
Description of Incident:	THE CALLER IS REPORTING A COMPANY THAT IS DUMPING DRUMS OF OIL ON THEIR PROPERTY.		

Material Spill Information

Chris Code:	OUN	Unit of Measure:	UNKNOWN AMOUNT
CAS No:	000000-00-0	If Reached Water:	NO
UN No:		Amount in Water:	
Name of Material:	UNKNOWN OIL	Unit Reach Water:	
Amount of Material:	0		

Calls Information

Date Time Received:	12/31/2002 9:37:11 AM	Responsible City:	BREADINGTON
Date Time Complete:	12/31/2002 9:49:26 AM	Responsible State:	FL
Call Type:	INC	Responsible Zip:	
Resp Company:	ISAC'S SERVICE STATION	Source:	TELEPHONE
Resp Org Type:	PRIVATE ENTERPRISE		

Incident Information

Tank ID:		Building ID:	
Tank Regulated:	N	Location Area ID:	
Tank Regulated By:		Location Block ID:	
Capacity of Tank:		OCSG No:	
Capacity Tank Units:		OOSP No:	
Description of Tank:	55 GALLON DRUM	State Lease No:	
Actual Amount:		Pier Dock No:	
Actual Amount Units:		Berth Slip No:	
Tank Above Ground:	ABOVE	Brake Failure:	N
NPDES:		Airbag Deployed:	Y
NPDES Compliance:	U	Transport Contain:	
Init Contin Rel No:		Location Subdiv:	
Contin Rel Permit:		Platform Rig Name:	
Contin Release Type:		Platform Letter:	
Aircraft ID:		Allision:	N
Aircraft Runway No:		Type of Structure:	
Aircraft Spot No:		Structure Name:	
Aircraft Type:		Structure Oper:	U
Aircraft Model:		Transit Bus Flag:	
Aircraft Fuel Cap:		Date Time Norm Serv:	
Aircraft Fuel Cap U:		Serv Disrupt Time:	
Aircraft Fuel on Brd:		Serv Disrupt Units:	
Aircraft Fuel OB U:		CR Begin Date:	
Aircraft Hanger:		CR End Date:	
Road Mile Marker:		CR Change Date:	
Power Gen Facility:	U	FBI Contact:	
Generating Capacity:		FBI Contact Dt Tm:	
Type of Fixed Obj:		Passenger Handling:	
Type of Fuel:		Passenger Route:	XXX
DOT Crossing No:		Passenger Delay:	XXX
DOT Regulated:	U	Sub Part C Test Req:	XXX
Pipeline Type:		Conductor Test:	
Pipeline Abv Ground:	ABOVE	Engineer Test:	
Pipeline Covered:	U	Trainman Test:	
Exposed Underwater:	N	Yard Foreman Test:	
Railroad Hotline:		RCL Operator Test:	
Railroad Milepost:		Brakeman Test:	
Grade Crossing:	N	Train Dispat Test:	

Crossing Device Ty:
Ty Vehicle Involved:
Device Operational: Y

Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured: U
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act: NONE
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evacu:
Any Injuries: N
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: N
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N
Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest: NONE
Medium Desc: LAND
Addl Medium Info: SOIL

State Agen Report No:
State Agen on Scene:
State Agen Notified:
Fed Agency Notified:
Oth Agency Notified:
Body of Water:
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions: CLEAR
Air Temperature:
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: U
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact: N
Passengers Transfer: UNK
Passenger Injuries:
Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color:
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info: THE CALLER HAD NO ADDITIONAL INFORMATION.

Site: GREEN MARKER 25 ON MANATEE RIVER BRADENTON FL 33602 ERNS

NRC Report No: 327531
Type of Incident: UNKNOWN SHEEN
Incident Cause: UNKNOWN
Incident Date: 2/22/1996 5:44:00 PM
Incident Location:
Incident Dtg: DISCOVERED
Distance from City:
Distance Units:
Direction from City:
Location County: PASCO
Potential Flag:
Year: Year 1996 Reports
Description of Incident: UNKNOWN / UNKNOWN SHEEN SIGHTING, SHEEN SIZE:300FT X 300FT / DARK COLOR

Latitude Degrees:
Latitude Minutes:
Latitude Seconds:
Longitude Degrees:
Longitude Minutes:
Longitude Seconds:
Lat Quad:
Long Quad:
Location Section:
Location Township:
Location Range:

Material Spill Information

Chris Code: OUN
CAS No:
Unit of Measure: UNKNOWN AMOUNT
If Reached Water: YES

UN No:
Name of Material: UNKNOWN OIL
Amount of Material: 0

Amount in Water: 0
Unit Reach Water: UNKNOWN AMOUNT

Calls Information

Date Time Received: 2/22/1996 5:52:30 PM
Date Time Complete: 2/22/1996 5:54:45 PM
Call Type: INC
Resp Company:
Resp Org Type: UNKNOWN

Responsible City:
Responsible State: XX
Responsible Zip:
Source: UNAVAILABLE

Incident Information

Tank ID:
Tank Regulated: U
Tank Regulated By:
Capacity of Tank:
Capacity Tank Units:
Description of Tank:
Actual Amount:
Actual Amount Units:
Tank Above Ground: ABOVE
NPDES:
NPDES Compliance: U
Init Contin Rel No:
Contin Rel Permit:
Contin Release Type:
Aircraft ID:
Aircraft Runway No:
Aircraft Spot No:
Aircraft Type: UNKNOWN
Aircraft Model:
Aircraft Fuel Cap:
Aircraft Fuel Cap U:
Aircraft Fuel on Brd:
Aircraft Fuel OB U:
Aircraft Hanger:
Road Mile Marker:
Power Gen Facility: U
Generating Capacity:
Type of Fixed Obj: UNKNOWN
Type of Fuel:
DOT Crossing No:
DOT Regulated: U
Pipeline Type: UNKNOWN
Pipeline Abv Ground: ABOVE
Pipeline Covered: U
Exposed Underwater: U
Railroad Hotline: No
Railroad Milepost: UNKNOWN
Grade Crossing: N
Crossing Device Ty:
Ty Vehicle Involved: UNKNOWN
Device Operational: Y

Building ID:
Location Area ID:
Location Block ID:
OCSG No:
OCSF No:
State Lease No:
Pier Dock No:
Berth Slip No:
Brake Failure: N
Airbag Deployed:
Transport Contain: U
Location Subdiv:
Platform Rig Name:
Platform Letter:
Allision: N
Type of Structure:
Structure Name:
Structure Oper: Y
Transit Bus Flag:
Date Time Norm Serv:
Serv Disrupt Time:
Serv Disrupt Units:
CR Begin Date:
CR End Date:
CR Change Date:
FBI Contact:
FBI Contact Dt Tm:
Passenger Handling:
Passenger Route: XXX
Passenger Delay: XXX
Sub Part C Test Req: XXX
Conductor Test:
Engineer Test:
Trainman Test:
Yard Foreman Test:
RCL Operator Test:
Brakeman Test:
Train Dispat Test:
Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured:
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act: NONE
Fire Involved: N
Fire Extinguished:
Any Evacuations: N
No Evacuated:

State Agen Report No:
State Agen on Scene:
State Agen Notified:
Fed Agency Notified:
Oth Agency Notified:
Body of Water:
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore:

Who Evacuated:		Weather Conditions:	
Radius of Evacu:		Air Temperature:	
Any Injuries:	U	Wind Direction:	
No. Injured:		Wind Speed:	
No. Hospitalized:		Wind Speed Unit:	
No. Fatalities:		Water Supp Contam:	
Any Fatalities:	U	Water Temperature:	
Any Damages:	N	Wave Condition:	
Damage Amount:		Current Speed:	
Air Corridor Closed:	N	Current Direction:	
Air Corridor Desc:		Current Speed Unit:	
Air Closure Time:		EMPL Fatality:	
Waterway Closed:		Pass Fatality:	
Waterway Desc:		Community Impact:	
Waterway Close Time:		Passengers Transfer:	UNK
Road Closed:	N	Passenger Injuries:	
Road Desc:		Employee Injuries:	
Road Closure Time:		Occupant Fatality:	
Road Closure Units:		Sheen Size:	
Closure Direction:		Sheen Size Units:	
Major Artery:		Sheen Size Length:	
Track Closed:		Sheen Size Length U:	
Track Desc:		Sheen Size Width:	
Track Closure Time:		Sheen Size Width U:	
Track Closure Units:		Sheen Color:	
Track Close Dir:		Dir of Sheen Travel:	
Media Interest:		Sheen Odor Desc:	
Medium Desc:	WATER	Duration Unit:	
Addl Medium Info:	MANATEE RIVER	Additional Info:	

Site: **BERTH 6 PORT MANATEE,FLORIDA MANATEE FL** ERNS

NRC Report No:	416799	Latitude Degrees:	
Type of Incident:	VESSEL	Latitude Minutes:	
Incident Cause:	UNKNOWN	Latitude Seconds:	
Incident Date:	12/22/1997 8:15:00 AM	Longitude Degrees:	
Incident Location:		Longitude Minutes:	
Incident Dtg:	OCCURRED	Longitude Seconds:	
Distance from City:		Lat Quad:	
Distance Units:		Long Quad:	
Direction from City:		Location Section:	
Location County:	MANATEE	Location Township:	
Potential Flag:		Location Range:	
Year:	Year 1997 Reports		
Description of Incident:	M/V ARCTIC VOYAGER/UNKNOWN SHEEN: UNKNOWN (CALLER COULD NOT PROVIDE DETAILS)		

Material Spill Information

Chris Code:	OHY	Unit of Measure:	GALLON(S)
CAS No:		If Reached Water:	YES
UN No:		Amount in Water:	30
Name of Material:	HYDRAULIC OIL	Unit Reach Water:	GALLON(S)
Amount of Material:	30		

Calls Information

Date Time Received:	12/22/1997 8:23:29 AM	Responsible City:	NEW YORK
Date Time Complete:	12/22/1997 8:37:23 AM	Responsible State:	NY
Call Type:	INC	Responsible Zip:	
Resp Company:	SOUTHERN STAR SHIPPING	Source:	UNAVAILABLE
Resp Org Type:	PRIVATE ENTERPRISE		

Incident Information

Tank ID:		Building ID:	
Tank Regulated:	U	Location Area ID:	
Tank Regulated By:		Location Block ID:	

Capacity of Tank:
Capacity Tank Units:
Description of Tank:
Actual Amount:
Actual Amount Units:
Tank Above Ground: ABOVE
NPDES:
NPDES Compliance: U
Init Contin Rel No:
Contin Rel Permit:
Contin Release Type:
Aircraft ID:
Aircraft Runway No:
Aircraft Spot No:
Aircraft Type: UNKNOWN
Aircraft Model:
Aircraft Fuel Cap:
Aircraft Fuel Cap U:
Aircraft Fuel on Brd:
Aircraft Fuel OB U:
Aircraft Hanger:
Road Mile Marker:
Power Gen Facility: U
Generating Capacity:
Type of Fixed Obj: UNKNOWN
Type of Fuel:
DOT Crossing No:
DOT Regulated: U
Pipeline Type: UNKNOWN
Pipeline Abv Ground: ABOVE
Pipeline Covered: U
Exposed Underwater: U
Railroad Hotline: No
Railroad Milepost: UNKNOWN
Grade Crossing: N
Crossing Device Ty:
Ty Vehicle Involved: UNKNOWN
Device Operational: Y

OCSG No:
OCSF No:
State Lease No:
Pier Dock No:
Berth Slip No:
Brake Failure: N
Airbag Deployed:
Transport Contain: U
Location Subdiv:
Platform Rig Name:
Platform Letter:
Allision: N
Type of Structure:
Structure Name:
Structure Oper: Y
Transit Bus Flag:
Date Time Norm Serv:
Serv Disrupt Time:
Serv Disrupt Units:
CR Begin Date:
CR End Date:
CR Change Date:
FBI Contact:
FBI Contact Dt Tm:
Passenger Handling:
Passenger Route: XXX
Passenger Delay: XXX
Sub Part C Test Req: XXX
Conductor Test:
Engineer Test:
Trainman Test:
Yard Foreman Test:
RCL Operator Test:
Brakeman Test:
Train Dispat Test:
Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured: U
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act: COAST GUARD RESPONSE AND FLORIDA MARINE DEPARTMENT ARE EVALUATING THE AREA OF IMPACT TO DETERMINE CLEANUP STRATEGY
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evacu:
Any Injuries: U
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: U
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N

State Agen Report No:
State Agen on Scene:
State Agen Notified:
Fed Agency Notified:
Oth Agency Notified:
Body of Water:
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions:
Air Temperature:
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: U
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact: N
Passengers Transfer: UNK
Passenger Injuries:

Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest:
Medium Desc: WATER
Addl Medium Info: HILLSBORO BAY

Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color:
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info: CURRENT: OUTGOING/ WIND:E AT 10KTS/
 SEA:1-2FT COVER:CLEAR/ TEMP:60F

Site: WESTED OF MANATEE AVE. HOLMES BEACH/MANATEE BEACH,ANNA MARIE ISLAND BRADENTON FL ERNS

NRC Report No: 1158212
Type of Incident: FIXED
Incident Cause: HURRICANE
Incident Date: 9/5/2016 2:45:00 PM
Incident Location:
Incident Dtg: DISCOVERED
Distance from City:
Distance Units:
Direction from City:
Location County: MANATEE
Potential Flag: No
Year: Year 2016 Reports
Description of Incident: THE RP IS REPORTING A RELEASE OF SEWAGE. RP STATED THAT THERE WAS A NEWS REPORT THAT STATED THAT THE SEWAGE WAS RELEASED DUE TO OVERFLOWING FROM THE HURRICANE IN THE AREA. RP STATED THE MATERIAL WAS SPOTTED IN THE WATER AND THERE IS A HEAVY ODOR IN THE ATMOSPHERE AS WELL.

Material Spill Information

Chris Code: NCC
CAS No: 000000-00-0
UN No:
Name of Material: SEWAGE
Amount of Material: 0
Unit of Measure: UNKNOWN AMOUNT
If Reached Water: YES
Amount in Water: 0
Unit Reach Water: UNKNOWN AMOUNT

Calls Information

Date Time Received: 9/5/2016 3:12:17 PM
Date Time Complete: 9/5/2016 3:18:03 PM
Call Type: INC
Resp Company:
Resp Org Type: UNKNOWN
Responsible City:
Responsible State: XX
Responsible Zip:
Source: TELEPHONE

Incident Information

Tank ID:
Tank Regulated: U
Tank Regulated By:
Capacity of Tank:
Capacity Tank Units:
Description of Tank:
Actual Amount:
Actual Amount Units:
Tank Above Ground: ABOVE
NPDES:
NPDES Compliance: U
Init Contin Rel No:
Contin Rel Permit:
Contin Release Type:
Building ID:
Location Area ID:
Location Block ID:
OCSG No:
OCSF No:
State Lease No:
Pier Dock No:
Berth Slip No:
Brake Failure: U
Airbag Deployed: U
Transport Contain: U
Location Subdiv:
Platform Rig Name:
Platform Letter:

Aircraft ID:
Aircraft Runway No:
Aircraft Spot No:
Aircraft Type:
Aircraft Model:
Aircraft Fuel Cap:
Aircraft Fuel Cap U:
Aircraft Fuel on Brd:
Aircraft Fuel OB U:
Aircraft Hanger:
Road Mile Marker:
Power Gen Facility: N
Generating Capacity:
Type of Fixed Obj: UNKNOWN
Type of Fuel:
DOT Crossing No:
DOT Regulated: U
Pipeline Type:
Pipeline Abv Ground: ABOVE
Pipeline Covered: U
Exposed Underwater: N
Railroad Hotline:
Railroad Milepost:
Grade Crossing: U
Crossing Device Ty:
Ty Vehicle Involved:
Device Operational: U

Allision: U
Type of Structure:
Structure Name:
Structure Oper: U
Transit Bus Flag:
Date Time Norm Serv:
Serv Disrupt Time:
Serv Disrupt Units:
CR Begin Date:
CR End Date:
CR Change Date:
FBI Contact:
FBI Contact Dt Tm:
Passenger Handling:
Passenger Route: XXX
Passenger Delay: XXX
Sub Part C Test Req: XXX
Conductor Test:
Engineer Test:
Trainman Test:
Yard Foreman Test:
RCL Operator Test:
Brakeman Test:
Train Dispat Test:
Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured: U
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act:
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evacu:
Any Injuries: N
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: N
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N
Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest: LOW
Medium Desc: WATER
Addl Medium Info: GULF OF MEXICO

State Agen Report No:
State Agen on Scene:
State Agen Notified:
Fed Agency Notified:
Oth Agency Notified:
Body of Water: GULF OF MEXICO
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions: SUNNY
Air Temperature: 92
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: U
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact:
Passengers Transfer: NO
Passenger Injuries:
Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color: BROWN
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info:

Site:

MANATEE AVE BRIDGE BRADINGTON FL

ERNS

NRC Report No:	835195	Latitude Degrees:	
Type of Incident:	MOBILE	Latitude Minutes:	
Incident Cause:	TRANSPORT ACCIDENT	Latitude Seconds:	
Incident Date:	5/13/2007 3:17:00 AM	Longitude Degrees:	
Incident Location:		Longitude Minutes:	
Incident Dtg:	OCCURRED	Longitude Seconds:	
Distance from City:		Lat Quad:	
Distance Units:		Long Quad:	
Direction from City:		Location Section:	
Location County:	MANATEE	Location Township:	
Potential Flag:	No	Location Range:	
Year:	Year 2007 Reports		
Description of Incident:	AN SUV HAS RUN INTO THE ANNA MARIA SOUND AND SPILLED GASOLINE.		

Material Spill Information

Chris Code:	GAS	Unit of Measure:	GALLON(S)
CAS No:	000000-00-0	If Reached Water:	YES
UN No:		Amount in Water:	10
Name of Material:	GASOLINE: AUTOMOTIVE (UNLEADED)	Unit Reach Water:	GALLON(S)
Amount of Material:	10		

Calls Information

Date Time Received:	5/13/2007 6:44:22 AM	Responsible City:	
Date Time Complete:	5/13/2007 6:50:06 AM	Responsible State:	XX
Call Type:	INC	Responsible Zip:	
Resp Company:		Source:	TELEPHONE
Resp Org Type:	UNKNOWN		

Incident Information

Tank ID:		Building ID:	
Tank Regulated:	U	Location Area ID:	
Tank Regulated By:		Location Block ID:	
Capacity of Tank:		OCSG No:	
Capacity Tank Units:		OCSF No:	
Description of Tank:		State Lease No:	
Actual Amount:		Pier Dock No:	
Actual Amount Units:		Berth Slip No:	
Tank Above Ground:	ABOVE	Brake Failure:	U
NPDES:		Airbag Deployed:	N
NPDES Compliance:	U	Transport Contain:	U
Init Contin Rel No:		Location Subdiv:	
Contin Rel Permit:		Platform Rig Name:	
Contin Release Type:		Platform Letter:	
Aircraft ID:		Allision:	N
Aircraft Runway No:		Type of Structure:	
Aircraft Spot No:		Structure Name:	
Aircraft Type:		Structure Oper:	U
Aircraft Model:		Transit Bus Flag:	
Aircraft Fuel Cap:		Date Time Norm Serv:	
Aircraft Fuel Cap U:		Serv Disrupt Time:	
Aircraft Fuel on Brd:		Serv Disrupt Units:	
Aircraft Fuel OB U:		CR Begin Date:	
Aircraft Hanger:		CR End Date:	
Road Mile Marker:		CR Change Date:	
Power Gen Facility:	U	FBI Contact:	
Generating Capacity:		FBI Contact Dt Tm:	
Type of Fixed Obj:		Passenger Handling:	
Type of Fuel:		Passenger Route:	XXX
DOT Crossing No:		Passenger Delay:	XXX
DOT Regulated:	U	Sub Part C Test Req:	XXX
Pipeline Type:		Conductor Test:	
Pipeline Abv Ground:	ABOVE	Engineer Test:	

Pipeline Covered: U
Exposed Underwater: N
Railroad Hotline:
Railroad Milepost:
Grade Crossing: U
Crossing Device Ty:
Ty Vehicle Involved:
Device Operational: Y

Trainman Test:
Yard Foreman Test:
RCL Operator Test:
Brakeman Test:
Train Dispat Test:
Signalman Test:
Oth Employee Test:
Unknown Test:

Incident Details Information

Release Secured: U
Release Rate:
Release Rate Unit:
Release Rate Rate:
Est Duration of Rel:
Desc Remedial Act: THE USCG ARE ON THE SCENE
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evacu:
Any Injuries: N
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: N
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N
Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest: NONE
Medium Desc: WATER
Addl Medium Info: ANNA MARIA SOUND

State Agen Report No: NONE
State Agen on Scene: NONE
State Agen Notified: NONE
Fed Agency Notified: USCG
Oth Agency Notified:
Body of Water: ANNA MARIA SOUND
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions: CLEAR
Air Temperature:
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: N
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact:
Passengers Transfer: NO
Passenger Injuries:
Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color:
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info: NONE

Site: 17TH AVENUE WEST BRIDGE REPLACEMENT
 17TH AVENUE WEST BRADENTON FL 34205

FINDS/FRS

Registry ID: 110060352737
FIPS Code: FL081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 05-SEP-14
Update Date: 07-OCT-16
Interest Types: ICIS-NPDES NON-MAJOR, STORM WATER CONSTRUCTION
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: ICIS
Federal Facility Code:

Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810006013024
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.484588
Longitude: -82.580803
Reference Point:
Coord Collection Method:
Accuracy Value: 500
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110060352737
Program Acronyms:

NPDES:FLR10NY57

Site: **SR-684 - CORTEZ RD**
FR 17TH ST W TO E OF 42ND AVE E BRADENTON FL 34205

[FINDS/FRS](#)

Registry ID: 110035446354
FIPS Code: 00081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 23-APR-08
Update Date:
Interest Types: STATE MASTER
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FDM
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810002013001
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.458333
Longitude: -82.566667
Reference Point: FACILITY CENTROID
Coord Collection Method: UNKNOWN
Accuracy Value: 1000
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110035446354
Program Acronyms:

FDM:4162

Site: **43RD ST W AT CORTEZ RD INTERSE**
B/W 40TH AVE W/47TH AVE W BRADENTON FL 34210

[FINDS/FRS](#)

Registry ID: 110020561809
FIPS Code: 12081
HUC Code: 03100201
Site Type Name: STATIONARY
Location Description:

Supplemental Location:
Create Date: 25-JAN-05
Update Date: 05-MAR-13
Interest Types: ICIS-NPDES NON-MAJOR, STATE MASTER, STORM WATER CONSTRUCTION
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FDM
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810011051018
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.45
Longitude: -82.6
Reference Point: FACILITY CENTROID
Coord Collection Method: UNKNOWN
Accuracy Value: 1000
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110020561809
Program Acronyms:

FDM:8270, NPDES:FLR10T027

Site: CITY OF BRADENTON
12TH AVENUE WEST BRADENTON FL 34209

[FINDS/FRS](#)

Registry ID: 110055199379
FIPS Code: FL081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 05-APR-13
Update Date: 11-JAN-16
Interest Types: ICIS-NPDES NON-MAJOR
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810004071001
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.48904
Longitude: -82.62401
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-BLOCK FACE
Accuracy Value: 500
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110055199379
Program Acronyms:

NPDES:FLR10ML79

Site: 57TH AVENUE WEST AND EAST
57TH AVE FROM US 41 TO 15TH ST BRADENTON FL 34203

FINDS/FRS

Registry ID: 110020569240
FIPS Code: 12081
HUC Code: 03100202
Site Type Name: STATIONARY
Location Description:
Supplemental Location: E
Create Date: 25-JAN-05
Update Date: 18-AUG-15
Interest Types: ICIS-NPDES NON-MAJOR, STATE MASTER, STORM WATER CONSTRUCTION
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810007031031
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.49888
Longitude: -82.56306
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-BLOCK FACE
Accuracy Value: 500
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110020569240
Program Acronyms:

FDM:6774, NPDES:FLR10Q814

Site: ROBINSON PRESERVE ADDITION
9TH AVENUE WEST BRADENTON FL 34209

FINDS/FRS

Registry ID: 110055262950
FIPS Code: 12081
HUC Code: 03100201
Site Type Name: BROWNFIELDS SITE
Location Description:
Supplemental Location:
Create Date: 18-JUN-13
Update Date: 11-MAR-14
Interest Types: BROWNFIELDS PROPERTY
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: ACRES
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 13
Census Block Code: 120810012041024
EPA Region Code: 04
County Name: MANATEE
US/Mexico Border Ind:
Latitude: 27.5067

Longitude: -82.6647
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value:
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110055262950
Program Acronyms:

ACRES:156604

Site: **Robinson Preserve Site, end of 17th Ave. NW BRADENTON FL** SPILLS

Incident No: 7145 **Incident Date:** 11/07/2006
Incident Type: Inland **County:** Manatee

Spill Details

Incident Status:
Incident Party Type:
Incident Party Name:
Pollutant Name: Waste oil **Criminal Indicator:**
Hurricane Indicator:
Description: Abandoned Containers
On Scene Response:
Pollutant Category:
Pollutant Actual Volume: 55
Pollutant Unit Measure: gallon

Spill Details

Incident Status:
Incident Party Type:
Incident Party Name:
Pollutant Name: Waste oil **Criminal Indicator:**
Hurricane Indicator:
Description: Leaking drum
On Scene Response:
Pollutant Category:
Pollutant Actual Volume: 55
Pollutant Unit Measure: gallon

Spill Details

Incident Status:
Incident Party Type:
Incident Party Name:
Pollutant Name: Waste oil **Criminal Indicator:**
Hurricane Indicator:
Description: Spill
On Scene Response:
Pollutant Category:
Pollutant Actual Volume: 55
Pollutant Unit Measure: gallon

Site: **Parking lot, 75 Street and Manatee Avenue West BRADENTON FL** SPILLS

Incident No: 25181 **Incident Date:** 12/27/2004
Incident Type: Inland **County:** Manatee

Spill Details

Incident Status:
Incident Party Type:
Incident Party Name:
Pollutant Name: Diesel fuel **Criminal Indicator:**
Hurricane Indicator:
Description: Spill
On Scene Response:
Pollutant Category:
Pollutant Actual Volume: 30
Pollutant Unit Measure: gallon

Spill Details

Incident Status:

Incident Party Type:

Incident Party Name:

Pollutant Name: Diesel fuel

Pollutant Category:

Pollutant Actual Volume: 30

Pollutant Unit Measure: gallon

Criminal Indicator:

Hurricane Indicator:

Description:

On Scene Response:

Vehicle Accident

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ERIS updates databases as set out in ASTM Standard E1527-13, Section 8.1.8 Sources of Standard Source Information:

"Government information from nongovernmental sources may be considered current if the source updates the information at least every 90 days, or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public."

Standard Environmental Record Sources

Federal

Formerly Utilized Sites Remedial Action Program:

[DOE FUSRAP](#)

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

Government Publication Date: Mar 4, 2017

National Priority List:

[NPL](#)

National Priorities List (Superfund)-NPL: EPA's (United States Environmental Protection Agency) list of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. The NPL, which EPA is required to update at least once a year, is based primarily on the score a site receives from EPA's Hazard Ranking System. A site must be on the NPL to receive money from the Superfund Trust Fund for remedial action.

Government Publication Date: Apr 27, 2021

National Priority List - Proposed:

[PROPOSED NPL](#)

Includes sites proposed (by the EPA, the state, or concerned citizens) for addition to the NPL due to contamination by hazardous waste and identified by the Environmental Protection Agency (EPA) as a candidate for cleanup because it poses a risk to human health and/or the environment.

Government Publication Date: Apr 27, 2021

Deleted NPL:

[DELETED NPL](#)

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Government Publication Date: Apr 27, 2021

SEMS List 8R Active Site Inventory:

[SEMS](#)

The Superfund Program has deployed the Superfund Enterprise Management System (SEMS), which integrates multiple legacy systems into a comprehensive tracking and reporting tool. This inventory contains active sites evaluated by the Superfund program that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted.

Government Publication Date: Mar 23, 2021

SEMS List 8R Archive Sites:

[SEMS ARCHIVE](#)

The Superfund Enterprise Management System (SEMS) Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.

Government Publication Date: Mar 23, 2021

Inventory of Open Dumps, June 1985:

ODI

The Resource Conservation and Recovery Act (RCRA) provides for publication of an inventory of open dumps. The Act defines "open dumps" as facilities which do not comply with EPA's "Criteria for Classification of Solid Waste Disposal Facilities and Practices" (40 CFR 257).

Government Publication Date: Jun 1985

Comprehensive Environmental Response, Compensation and Liability Information System -

CERCLIS

CERCLIS:

Superfund is a program administered by the United States Environmental Protection Agency (EPA) to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The EPA administers the Superfund program in cooperation with individual states and tribal governments; this database is made available by the EPA.

Government Publication Date: Oct 25, 2013

EPA Report on the Status of Open Dumps on Indian Lands:

IODI

Public Law 103-399, The Indian Lands Open Dump Cleanup Act of 1994, enacted October 22, 1994, identified congressional concerns that solid waste open dump sites located on American Indian or Alaska Native (AI/AN) lands threaten the health and safety of residents of those lands and contiguous areas. The purpose of the Act is to identify the location of open dumps on Indian lands, assess the relative health and environment hazards posed by those sites, and provide financial and technical assistance to Indian tribal governments to close such dumps in compliance with Federal standards and regulations or standards promulgated by Indian Tribal governments or Alaska Native entities.

Government Publication Date: Dec 31, 1998

CERCLIS - No Further Remedial Action Planned:

CERCLIS NFRAP

An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. The Archive designation means that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Government Publication Date: Oct 25, 2013

CERCLIS Liens:

CERCLIS LIENS

A Federal Superfund lien exists at any property where EPA has incurred Superfund costs to address contamination ("Superfund site") and has provided notice of liability to the property owner. A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. This database is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Jan 30, 2014

RCRA CORRACTS-Corrective Action:

RCRA CORRACTS

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. At these sites, the Corrective Action Program ensures that cleanups occur. EPA and state regulators work with facilities and communities to design remedies based on the contamination, geology, and anticipated use unique to each site.

Government Publication Date: Apr 5, 2021

RCRA non-CORRACTS TSD Facilities:

RCRA TSD

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. This database includes Non-Corrective Action sites listed as treatment, storage and/or disposal facilities of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA).

Government Publication Date: Apr 5, 2021

RCRA Generator List:

RCRA LQG

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Large Quantity Generators (LQGs) generate 1,000 kilograms per month or more of hazardous waste or more than one kilogram per month of acutely hazardous waste.

Government Publication Date: Apr 5, 2021

RCRA Small Quantity Generators List:

[RCRA SQG](#)

RCRA Info is the EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Small Quantity Generators (SQGs) generate more than 100 kilograms, but less than 1,000 kilograms, of hazardous waste per month.

Government Publication Date: Apr 5, 2021

RCRA Very Small Quantity Generators List:

[RCRA VSQG](#)

RCRA Info is the EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Very Small Quantity Generators (VSQG) generate 100 kilograms or less per month of hazardous waste, or one kilogram or less per month of acutely hazardous waste. Additionally, VSQG may not accumulate more than 1,000 kilograms of hazardous waste at any time.

Government Publication Date: Apr 5, 2021

RCRA Non-Generators:

[RCRA NON GEN](#)

RCRA Info is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Non-Generators do not presently generate hazardous waste.

Government Publication Date: Apr 5, 2021

Federal Engineering Controls-ECs:

[FED ENG](#)

Engineering controls (ECs) encompass a variety of engineered and constructed physical barriers (e.g., soil capping, sub-surface venting systems, mitigation barriers, fences) to contain and/or prevent exposure to contamination on a property. This database is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Feb 23, 2021

Federal Institutional Controls- ICs:

[FED INST](#)

Institutional controls are non-engineered instruments, such as administrative and legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy. Although it is EPA's (United States Environmental Protection Agency) expectation that treatment or engineering controls will be used to address principal threat wastes and that groundwater will be returned to its beneficial use whenever practicable, ICs play an important role in site remedies because they reduce exposure to contamination by limiting land or resource use and guide human behavior at a site.

Government Publication Date: Feb 23, 2021

Land Use Control Information System:

[LUCIS](#)

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

Government Publication Date: Sep 1, 2006

Emergency Response Notification System:

[ERNS 1982 TO 1986](#)

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1982-1986

Emergency Response Notification System:

[ERNS 1987 TO 1989](#)

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1987-1989

Emergency Response Notification System:

[ERNS](#)

Database of oil and hazardous substances spill reports made available by the United States Coast Guard National Response Center (NRC). The NRC fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. These data contain initial incident data that has not been validated or investigated by a federal/state response agency.

Government Publication Date: Nov 9, 2020

The Assessment, Cleanup and Redevelopment Exchange System (ACRES) Brownfield Database:

[FED BROWNFIELDS](#)

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties protects the environment, reduces blight, and takes development pressures off greenspaces and working lands. This database is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Jan 6, 2021

FEMA Underground Storage Tank Listing:

[FEMA UST](#)

The Federal Emergency Management Agency (FEMA) of the Department of Homeland Security maintains a list of FEMA owned underground storage tanks.

Government Publication Date: Dec 31, 2017

Facility Response Plan:

[FRP](#)

List of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

Government Publication Date: Dec 2, 2020

Historical Gas Stations:

[HIST GAS STATIONS](#)

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

Government Publication Date: Jul 1, 1930

Petroleum Refineries:

[REFN](#)

List of petroleum refineries from the U.S. Energy Information Administration (EIA) Refinery Capacity Report. Includes operating and idle petroleum refineries (including new refineries under construction) and refineries shut down during the previous year located in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and other U.S. possessions. Survey locations adjusted using public data.

Government Publication Date: Jul 10, 2020

Petroleum Product and Crude Oil Rail Terminals:

[BULK TERMINAL](#)

List of petroleum product and crude oil rail terminals made available by the U.S. Energy Information Administration (EIA). Includes operable bulk petroleum product terminals located in the 50 States and the District of Columbia with a total bulk shell storage capacity of 50,000 barrels or more, and/or the ability to receive volumes from tanker, barge, or pipeline; also rail terminals handling the loading and unloading of crude oil that were active between 2017 and 2018. Petroleum product terminals comes from the EIA-815 Bulk Terminal and Blender Report, which includes working, shell in operation, and shell idle for several major product groupings. Survey locations adjusted using public data.

Government Publication Date: Apr 28, 2020

LIEN on Property:

[SEMS LIEN](#)

The EPA Superfund Enterprise Management System (SEMS) provides LIEN information on properties under the EPA Superfund Program.

Government Publication Date: Mar 23, 2021

Superfund Decision Documents:

[SUPERFUND ROD](#)

This database contains a listing of decision documents for Superfund sites. Decision documents serve to provide the reasoning for the choice of (or) changes to a Superfund Site cleanup plan. The decision documents include Records of Decision (ROD), ROD Amendments, Explanations of Significant Differences (ESD), along with other associated memos and files. This information is maintained and made available by the US EPA (Environmental Protection Agency).

Government Publication Date: Feb 23, 2021

State

Superfund Waste Cleanup & State-Funded Action Sites:

[SHWS](#)

List of hazardous waste cleanup sites participating in various federal and state funded cleanup programs. Florida's State-Funded Action Sites and Superfund Waste Cleanup Sites lists are maintained and made available by the Florida Department of Environmental Protection (FDEP). This database is state equivalent CERCLIS.

Government Publication Date: May 18, 2021

Delisted State-Funded Action Sites:

[DELISTED SHWS](#)

This database contains a list of closed hazardous waste sites of various federal and state funded cleanup programs that were removed from the Florida Department of Environmental Protection (FDEP).

Government Publication Date: May 18, 2021

Florida Department of Environmental Protection Cleanup Sites:

[CLEANUP DEP](#)

The Cleanup Sites layer feeds the FDEP's Contamination Locator Map (CLM). It provides locations and document links for sites currently in the cleanup process and sites awaiting cleanup funding. Cleanup programs include: Brownfields, Petroleum, EPA Superfund (CERCLA), Drycleaning, Responsible Party Cleanup, State Funded Cleanup, State Owned Lands Cleanup and Hazardous Waste Cleanup.

Government Publication Date: Oct 28, 2020

Waste Cleanup Responsible Party Sites:

[WCRPS](#)

List of Open, Closed, and Inactive Waste Cleanup Responsible Party sites made available by the Florida Department of Environmental Protection.

Government Publication Date: Apr 11, 2021

Delisted Waste Cleanup Responsible Party Sites:

[DELISTED WCRPS](#)

List of sites which once appeared on - and have since been removed from - the list of Waste Cleanup Responsible Party Sites made available by the Florida Department of Environmental Protection.

Government Publication Date: Apr 11, 2021

Solid Waste Facilities and Landfills:

[SWF/LF](#)

The Solid Waste Facility Inventory Report made available by the Florida Department of Environmental Protection (FDEP) includes all types of authorized and unauthorized facilities: municipal solid waste, landfills, dumps, construction and demolition disposal, recycling facilities, and more.

Government Publication Date: Mar 24, 2021

Leaking Tanks:

[LST](#)

The Storage Tank Regulation Section is part of the Petroleum Restoration Program in the Florida Department of Environmental Protection (FDEP)'s Division of Waste Management. In 1983, Florida was one of the first states in the union to pass legislation and adopt rules for underground and aboveground storage tank systems. Since then, over 28,000 facilities have reported discharges of petroleum products from storage tank systems. Florida relies on groundwater for about 92 percent of its drinking water needs, and has some of the most stringent rules in the country.

Government Publication Date: May 17, 2021

Delisted Leaking Tanks:

[DELISTED LST](#)

Whereas Leaking Tanks (LST) includes only facilities which currently have contamination as recorded by the Florida Department of Environmental Protection, this list contains facilities which were once included in LST data but no longer appear on the list made available by FDEP. Facilities may be removed from the current LST list because the discharge has been cleaned up, or the discharge is not required for 62-770.

Government Publication Date: May 17, 2021

Underground Storage Tanks:

[UST](#)

List of underground storage tank locations made available by the Florida Department of Environmental Protection (FDEP). In an effort to minimize the occurrence and environmental risks of releases and discharges, FDEP administers standards pertaining to the construction, installation, operation, maintenance, repair, closure, and disposal of underground storage tank systems that store regulated substances.

Government Publication Date: Mar 1, 2021

Aboveground Storage Tanks:

[AST](#)

The Florida Department of Environmental Protection (FDEP) provides standards for aboveground storage tanks (ASTs) that have individual storage tank capacities greater than 550 gallons. The state also regulates the registration, construction, installation, operation, maintenance, repair, closure, and disposal of storage tank systems that store regulated substances. The listing of regulated aboveground storage tank facilities is maintained by FDEP.

Government Publication Date: Mar 1, 2021

Delisted AST UST Storage Tanks:

[DEL UST AST TANK](#)

This database contains a list of closed UST and AST storage tank sites that were removed from the Florida Department of Environmental Protection (FDEP) storage tank database.

Government Publication Date: Jul 2, 2015

Delisted Storage Tanks:

[DEL STORAGE TANK](#)

This database contains a list of closed storage tank sites that were removed from the Florida Department of Environmental Protection (FDEP) storage tank database.

Government Publication Date: Jun 24, 2021

Federal Facilities Listing:

[FF TANKS](#)

The Florida Department of Environmental Protection (FDEP) Storage Tank Program registers facilities and storage tanks where aboveground or underground storage tanks store pollutants, hazardous substances, and/or mineral acid substances regulated by Chapter 62-761, Florida Administrative Code, or when aboveground storage tanks or compression vessels store a hazardous substance which requires registration according to Chapter 376, Florida Statutes.

Government Publication Date: Jun 24, 2021

Storage Tank/Contaminated Facility Search:

[STCS](#)

List of facilities and tanks in the Florida Department of Environmental Protection (FDEP) Bureau of Petroleum Storage Systems Storage Tank/Contaminated Facility Search which do not currently have active, regulated underground or aboveground storage tanks (USTs or ASTs) containing petroleum. Note that tank details do not appear for facilities for which all tanks have been removed.

Government Publication Date: Mar 2, 2021

Institutional Controls Registry:

[INST](#)

The Institutional Controls registry is maintained by the Florida Department of Environmental Protection (FDEP). The registry aims to help preserve adequate protection of contaminated soil regions and help to minimize any chances of exposure.

Government Publication Date: Dec 10, 2020

Engineering Controls:

[ENG](#)

A listing of all engineering controls that are in place to eliminate or reduce the potential for contaminant migration and exposure to contaminants. These controls may include caps, barriers, guards or fences. The list is maintained by the Florida Department of Environmental Protection (FDEP).

Government Publication Date: Dec 10, 2020

Voluntary Cleanup Sites:

[VCP](#)

A listing of active and closed voluntary cleanup sites registered by the Florida Department of Environmental Protection (FDEP).

Government Publication Date: Dec 31, 2020

Brownfield Sites:

[BROWNFIELDS](#)

Brownfields are defined by the Florida Department of Environmental Protection (FDEP) as abandoned, idled, or underused industrial and commercial facilities where expansion or redevelopment is complicated by real or perceived environmental contamination. This is a list of sites within designated Brownfield Areas within Florida where Brownfield Site Rehabilitation Agreement (BSRA)s have been executed between FDEP and a responsible party.

Government Publication Date: May 24, 2021

Brownfield Areas:

[BROWNFIELD AREA](#)

Brownfields are defined by the Florida Department of Environmental Protection (FDEP) as abandoned, idled, or underused industrial and commercial facilities where expansion or redevelopment is complicated by real or perceived environmental contamination. This is a list of Brownfield Areas, defined by the FDEP as contiguous areas of one or more brownfield sites, some of which may not be contaminated, that have been designated as such by a local government resolution. Such areas may include all or portions of community redevelopment areas, enterprise zones, empowerment zones, other such designated economically deprived communities and areas, and Environmental Protection Agency (EPA) designated brownfield pilot projects. Because a variety of sources and methods were used to derive information for this data, locations are approximate.

Government Publication Date: May 28, 2021

Tribal

Leaking Underground Storage Tanks (LUSTs) on Indian Land:

[INDIAN LUST](#)

Leaking Underground Storage Tanks (LUSTs) on Tribal/Indian Lands in EPA Region 4, which includes Florida.

Government Publication Date: Apr 14, 2020

Underground Storage Tanks (USTs) on Indian Lands:

[INDIAN UST](#)

Listing of underground storage tanks (USTs) on Tribal/Indian Lands in EPA Region 4, which includes Florida.

Government Publication Date: Apr 14, 2020

Delisted Tribal Leaking Storage Tanks:

DELISTED ILST

Leaking Underground Storage Tank facilities which have been removed from the Regional Tribal LUST lists made available by the EPA.

Government Publication Date: Apr 14, 2020

Delisted Tribal Underground Storage Tanks:

DELISTED IUST

Underground Storage Tank facilities which have been removed from the Regional Tribal UST lists made available by the EPA.

Government Publication Date: Apr 14, 2020

County

No County databases were selected to be included in the search.

Additional Environmental Record Sources

Federal

PFOA/PFOS Contaminated Sites:

PFAS NPL

List of sites where PFOA or PFOS contaminants have been found in drinking water or soil. Made available by the Federal Environmental Protection Agency (EPA).

Government Publication Date: Mar 1, 2021

Facility Registry Service/Facility Index:

FINDS/FRS

The Facility Registry Service (FRS) is a centrally managed database that identifies facilities, sites, or places subject to environmental regulations or of environmental interest. FRS creates high-quality, accurate, and authoritative facility identification records through rigorous verification and management procedures that incorporate information from program national systems, state master facility records, and data collected from EPA's Central Data Exchange registrations and data management personnel. This list is made available by the Environmental Protection Agency (US EPA).

Government Publication Date: Nov 2, 2020

Toxics Release Inventory (TRI) Program:

TRIS

The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment. One of TRI's primary purposes is to inform communities about toxic chemical releases to the environment.

Government Publication Date: Feb 19, 2020

Perfluorinated Alkyl Substances (PFAS) Releases:

PFAS TRI

List of Toxics Release Inventory (TRI) facilities at which the reported chemical is a Per- or polyfluorinated alkyl substance (PFAS) included in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances. The EPA's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of over 650 toxic chemicals from thousands of U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment.

Government Publication Date: Feb 19, 2020

Perfluorinated Alkyl Substances (PFAS) Water Quality:

PFAS WATER

The Water Quality Portal (WQP) is a cooperative service sponsored by the United States Geological Survey (USGS), the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC). This listing includes records from the Water Quality Portal where the characteristic (environmental measurement) is in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances.

Government Publication Date: Jul 20, 2020

Hazardous Materials Information Reporting System:

HMIRS

US DOT - Department of Transportation Pipeline and Hazardous Materials Safety Administration (PHMSA) Incidents Reports Database taken from Hazmat Intelligence Portal, U.S. Department of Transportation.

Government Publication Date: Sep 1, 2020

National Clandestine Drug Labs:

NCDL

The U.S. Department of Justice ("the Department") provides this data as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy.

Toxic Substances Control Act:

[TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The CDR enables EPA to collect and publish information on the manufacturing, processing, and use of commercial chemical substances and mixtures (referred to hereafter as chemical substances) on the TSCA Chemical Substance Inventory (TSCA Inventory). This includes current information on chemical substance production volumes, manufacturing sites, and how the chemical substances are used. This information helps the Agency determine whether people or the environment are potentially exposed to reported chemical substances. EPA publishes submitted CDR data that is not Confidential Business Information (CBI).

Government Publication Date: Apr 11, 2019

Hist TSCA:

[HIST TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The 2006 IUR data summary report includes information about chemicals manufactured or imported in quantities of 25,000 pounds or more at a single site during calendar year 2005. In addition to the basic manufacturing information collected in previous reporting cycles, the 2006 cycle is the first time EPA collected information to characterize exposure during manufacturing, processing and use of organic chemicals. The 2006 cycle also is the first time manufacturers of inorganic chemicals were required to report basic manufacturing information.

Government Publication Date: Dec 31, 2006

FTTS Administrative Case Listing:

[FTTS ADMIN](#)

An administrative case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

FTTS Inspection Case Listing:

[FTTS INSP](#)

An inspection case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

Potentially Responsible Parties List:

[PRP](#)

Early in the cleanup process, the Environmental Protection Agency (EPA) conducts a search to find the potentially responsible parties (PRPs). EPA looks for evidence to determine liability by matching wastes found at the site with parties that may have contributed wastes to the site.

Government Publication Date: Apr 27, 2021

State Coalition for Remediation of Drycleaners Listing:

[SCRD DRYCLEANER](#)

The State Coalition for Remediation of Drycleaners (SCRD) was established in 1998, with support from the U.S. Environmental Protection Agency (EPA) Office of Superfund Remediation and Technology Innovation. Coalition members are states with mandated programs and funding for drycleaner site remediation. Current members are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Government Publication Date: Nov 08, 2017

Integrated Compliance Information System (ICIS):

[ICIS](#)

The Integrated Compliance Information System (ICIS) is a system that provides information for the Federal Enforcement and Compliance (FE&C) and the National Pollutant Discharge Elimination System (NPDES) programs. The FE&C component supports the Environmental Protection Agency's (EPA) Civil Enforcement and Compliance program activities. These activities include Compliance Assistance, Compliance Monitoring and Enforcement. The NPDES program supports tracking of NPDES permits, limits, discharge monitoring data and other program reports.

Government Publication Date: Mar 24, 2021

Drycleaner Facilities:

[FED DRYCLEANERS](#)

A list of drycleaner facilities from Enforcement and Compliance History Online (ECHO) online search. The Environmental Protection Agency (EPA) tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

Government Publication Date: May 5, 2021

Delisted Drycleaner Facilities:

[DELISTED FED DRY](#)

List of sites removed from the list of Drycleaner Facilities (sites in the EPA's Integrated Compliance Information System (ICIS) with NAIC or SIC codes identifying the business as a drycleaner establishment).

Government Publication Date: May 5, 2021

Formerly Used Defense Sites:

FUDS

Formerly Used Defense Sites (FUDS) are properties that were formerly owned by, leased to, or otherwise possessed by and under the jurisdiction of the Secretary of Defense prior to October 1986, where the Department of Defense (DoD) is responsible for an environmental restoration. This list is published by the U.S. Army Corps of Engineers.

Government Publication Date: Jan 28, 2020

Former Military Nike Missile Sites:

FORMER NIKE

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

Government Publication Date: Dec 1, 1984

PHMSA Pipeline Safety Flagged Incidents:

PIPELINE INCIDENT

A list of flagged pipeline incidents made available by the U.S. Department of Transportation (US DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). PHMSA regulations require incident and accident reports for five different pipeline system types.

Government Publication Date: Jul 7, 2020

Material Licensing Tracking System (MLTS):

MLTS

A list of sites that store radioactive material subject to the Nuclear Regulatory Commission (NRC) licensing requirements. This list is maintained by the NRC. As of September 2016, the NRC no longer releases location information for sites. Site locations were last received in July 2016.

Government Publication Date: May 11, 2021

Historic Material Licensing Tracking System (MLTS) sites:

HIST MLTS

A historic list of sites that have inactive licenses and/or removed from the Material Licensing Tracking System (MLTS). In some cases, a site is removed from the MLTS when the state becomes an "Agreement State". An Agreement State is a State that has signed an agreement with the Nuclear Regulatory Commission (NRC) authorizing the State to regulate certain uses of radioactive materials within the State.

Government Publication Date: Jan 31, 2010

Mines Master Index File:

MINES

The Master Index File (MIF) contains mine identification numbers issued by the Department of Labor Mine Safety and Health Administration (MSHA) for mines active or opened since 1971. Note that addresses may or may not correspond with the physical location of the mine itself.

Government Publication Date: Nov 3, 2020

Surface Mining Control and Reclamation Act Sites:

SMCRA

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of Abandoned Mine Land (AML) impacts, as well as information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Government Publication Date: Dec 18, 2020

Mineral Resource Data System:

MRDS

The Mineral Resource Data System (MRDS) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS. The USGS has ceased systematic updates of the MRDS database with their focus more recently on deposits of critical minerals while providing a well-documented baseline of historical mine locations from USGS topographic maps.

Government Publication Date: Mar 15, 2006

Uranium Mill Tailings Radiation Control Act Sites:

[URANIUM](#)

The Legacy Management Office of the Department of Energy (DOE) manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The L.M. Office manages this database of sites registered under the Uranium Mill Tailings Control Act (UMTRCA).

Government Publication Date: Mar 4, 2017

Alternative Fueling Stations:

[ALT FUELS](#)

List of alternative fueling stations made available by the US Department of Energy's Office of Energy Efficiency & Renewable Energy. Includes Biodiesel stations, Ethanol (E85) stations, Liquefied Petroleum Gas (Propane) stations, Ethanol (E85) stations, Natural Gas stations, Hydrogen stations, and Electric Vehicle Supply Equipment (EVSE). The National Renewable Energy Laboratory (NREL) obtains information about new stations from trade media, Clean Cities coordinators, a Submit New Station form on the Station Locator website, and through collaborating with infrastructure equipment and fuel providers, original equipment manufacturers (OEMs), and industry groups.

Government Publication Date: Apr 27, 2021

Registered Pesticide Establishments:

[SSTS](#)

List of active EPA-registered foreign and domestic pesticide-producing and device-producing establishments based on data from the Section Seven Tracking System (SSTS). The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 7 requires that facilities producing pesticides, active ingredients, or devices be registered. The list of establishments is made available by the EPA.

Government Publication Date: Apr 13, 2021

Polychlorinated Biphenyl (PCB) Notifiers:

[PCB](#)

Facilities included in the national list of facilities that have notified the United States Environmental Protection Agency (EPA) of Polychlorinated Biphenyl (PCB) activities. Any company or person storing, transporting or disposing of PCBs or conducting PCB research and development must notify the EPA and receive an identification number.

Government Publication Date: Nov 19, 2020

State

Priority Ranking List:

[PRIORITYCLEAN](#)

The Florida Legislature has established a state-funded program to cleanup properties that are contaminated as a result of the operations of a drycleaning facility or wholesale supply facility (Chapter 376, Florida Statutes). The program is administered by the Florida Department of Environmental Protection (FDEP). The statute was sponsored by the drycleaning industry to address environmental, economic, and liability issues resulting from drycleaning solvent contamination. The program provides limited liability protection to the owner, operator and real property owner of drycleaning or wholesale supply facilities for cleanup of drycleaning solvent contamination if the parties meet the eligibility conditions stated in the law.

Government Publication Date: Apr 21, 2021

Dry Cleaning Facilities:

[DRYCLEANERS](#)

A listing of dry cleaning facilities registered with the Florida Department of Environmental Protection (FDEP). The information contains facility identification number, site location information, related party (owner) information, and facility type and status. Data is taken from the Storage Tank & Contamination Monitoring database, the registration repository of dry cleaner facility data.

Government Publication Date: Mar 9, 2021

Delisted Dry Cleaning Facilities:

[DELISTED DRYCLEANERS](#)

List of sites removed from the drycleaners database made available by the Florida Department of Environmental Conservation (DEC).

Government Publication Date: Mar 9, 2021

Historical Dry Cleaners:

[HISTORICAL DRYC](#)

The Florida Department of Environmental Protection (FDEP) provided this historical database of regulated and non-regulated dry cleaning facilities. These facilities were at one time tracked and registered by the FDEP OCULUS Electronic Document Management System as "drums" in the underground storage tank database.

Government Publication Date: Aug 2, 2013

Oil and Hazardous Materials Incidents:

[SPILLS](#)

Statewide listing of oil and hazardous materials spills and incidents recorded by the Florida Department of Environmental Protection (FDEP).

Government Publication Date: May 18, 2021

Contaminated Sites:

DWM CONTAM

Florida Department of Environmental Protection (FDEP) Division of Waste Management (DWM) listing of active or known sites that include sites requiring cleanup but are not actively being worked on due to the agency's lack of funding (primarily petroleum and drycleaning).

Government Publication Date: Mar 12, 2020

Delisted Contaminated Sites:

DEL CONTAM SITE

List of sites which were once included on the Florida Department of Environmental Protection (FDEP) Division of Waste Management (DWM)'s Contaminated Sites list. As sites on the Contaminated Sites (CS) list are cleaned up or closed under risk based corrective action, they are removed from the CS list.

Government Publication Date: Sep 30, 2015

Aqueous Film Forming Foam (AFFF):

PFAS AFFF

A list of fire fighter training facilities that use or possibly used Aqueous Film Forming Foam (AFFF). This list is made available by the Florida Department of Environmental Protection (DEP).

Government Publication Date: Aug 20, 2020

PFAS Investigation at Federal Facilities:

PFAS

List of Federal facilities in Florida with confirmed or suspected usage of Aqueous Film Forming Foam (AFFF) made available by the Florida Department of Environmental Protection (DEP). Investigative work for AFFF source areas at DOD facilities in Florida is in the early stages with some preliminary sampling completed to confirm perfluorooctanoic acid (PFOA) and/or perfluorooctane sulfonate (PFOS) presence and some sampling to be completed at suspected AFFF potential release areas. DEP will continue to work closely with the Department of Defense (DOD), as well as other federal facilities, in order to investigate and mitigate for PFOA and PFOS introduced due to use of AFFF or other sources, with an emphasis to identify and protect drinking water resources.

Government Publication Date: Apr 20, 2020

Underground Injection Control Wells:

UIC

Class I Underground Injection Control (UIC) wells that are currently or were previously active, as well as proposed sites, regulated by the Florida Department of Environmental Protection (FDEP). Class I UIC wells are used to inject nonhazardous waste, hazardous waste (new hazardous waste wells were banned in 1983), or municipal waste below the lowermost underground source of drinking water.

Government Publication Date: May 18, 2021

Well Surveillance Program Facilities:

WELL SURVEILLANCE

List of facilities made available by the Florida Health Well Surveillance group. The Well Surveillance group manages several programs to identify and monitor areas in Florida where contaminated drinking water is suspected and may pose a threat to public health. The section coordinates with the County Health Departments (CHDs) to locate potable wells and conduct water sampling for contaminants of concern. The Well Surveillance Section is composed of the State Underground Petroleum Environmental Response Act (SUPER Act), Drinking Water Toxics Program (Toxics), Drycleaner Solvent Cleanup Program (DSCP). Includes locations of known cattle dipping vats.

Government Publication Date: Apr 5, 2021

Cattle Dip Vats:

CDV SOUTHEAST

A list of Cattle Dip Vats in Southeast Florida made available by the Florida Department of Environmental Protection.

Government Publication Date: Jan 19, 2017

Tier 2 Report:

TIER 2

A list of Tier 2 facilities in the state of Florida. The list tracks the inventory of chemicals within a particular facility. This list is provided by the Florida Division of Emergency Management.

Government Publication Date: Jun 24, 2020

Delisted County Records:

DELISTED COUNTY

Records removed from county databases. Records may be removed from the county lists made available by the respective county departments because they are inactive, or because they have been deemed to be below reportable thresholds.

Government Publication Date: Apr 13, 2021

Tribal

No Tribal additional environmental record sources available for this State.

County

No County additional environmental databases were selected to be included in the search.

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.


Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Attachment C - FDEP's Map Direct Database

Standard Map



July 29, 2021

1:36,112

ERIC Waste Cleanup

OTHER WASTE CLEANUP

INELIGIBLE DISCHARGES OPEN

0 0.4 0.8 1.6 mi

Drycleaning Solvent Program Cleanup Sites

Brownfield Areas

ELIGIBLE DISCHARGES COMPLETED

0 0.5 1 2 km

DEP Cleanup Sites

Brownfield Sites

INELIGIBLE DISCHARGES COMPETED

FDEP, DWM, FDEP/DWM, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community, FDEP/DWM/BWC

BROWNFIELD SITES

Petroleum Contamination Monitoring (PCTS) Discharges from STCM

Florida Institutional Controls Registry

PETROLEUM

ELIGIBLE DISCHARGES OPEN



Potential Contamination Screening Memo

Prepared by: Bill Spinner, P.G.

Kimley-Horn and Associates, Inc.

1777 Main Street, Suite 800

Sarasota, FL 34236



Appendix F – Drainage Information

THIS FORM IS INTENDED TO FACILITATE AND GUIDE THE DIALOGUE DURING A PRE-APPLICATION MEETING BY PROVIDING A PARTIAL "PROMPT LIST" OF DISCUSSION SUBJECTS. IT IS NOT A LIST OF REQUIREMENTS FOR SUBMITTAL BY THE APPLICANT.



**SOUTHWEST FLORIDA WATER MANAGEMENT DISTRICT
RESOURCE REGULATION DIVISION
PRE-APPLICATION MEETING NOTES**

**FILE
NUMBER:
PA 408889**

Date:	10/06/2021		
Time:	14:00		
Project Name:	59th Street W from Cortez Rd to Manatee Ave		
District Engineer:	Scott VanOrsdale		
District ES:	Russell Martin		
Attendees:	Cris Schooley, Victor Gallo, Manatee County, Gloria Manriquez		
County:	Manatee County	Sec/Twp/Rge:	05/35/17
Total Land Acreage:	N/A	Project Acreage:	TBD acres

- Prior On-Site/Off-Site Permit Activity:**
- Multiple ERPs adjacent to project area. Applicant to review and determine if impacts will result. Must modify or accommodate any impacts to existing permits.

- Project Overview:**
- Manatee County is conducting a Project Development & Corridor Study to evaluate a 2.3-mile segment of 59th Street West from Cortez Road to Manatee Avenue in the City of Bradenton and Manatee County, Florida. The study evaluates options for widening the existing 2-lane roadway to a 4-lane roadway with a center left turn lane and/or median with bicycle lanes and sidewalks to provide an enhanced mobility experience for all users. As part of the study, pond site options are also being evaluated.
 - Similar expansion of 75th Street West from Manatee Avenue South to Palma Sola Drain.
 - New Individual permit.
 - Portion of the runoff will drain north to the Manatee River, which is part of the Tampa Bay and will require net improvement.
 - Additional comments and requirements mentioned below:

- Environmental Discussion:** (Wetlands On-Site, Wetlands on Adjacent Properties, Delineation, T&E species, Easements, Drawdown Issues, Setbacks, Justification, Elimination/Reduction, Permanent/Temporary Impacts, Secondary and Cumulative Impacts, Mitigation Options, SHWL, Upland Habitats, Site Visit, etc.)
- No wetland or surface water impacts proposed. No widening of bridge over canal proposed.
 - Provide the limits of jurisdictional wetlands and surface waters. Roadside ditches or other water conveyances, including permitted and constructed water conveyance features, can be claimed as surface waters per Chapter 62-340 F.A.C. if they do not meet the definition of a swale as stated under Rule 403.803 (14) F.S.
 - A site visit by District staff will be required to verify the presence or absence of wetlands and/or surface waters. Prior to the site visit, District staff will contact the applicant or authorized agent to provide an approximate date of the site visit and to ensure that the project area is accessible. If wetlands or surface waters are discovered during the site visit, additional information may be required.

- Site Information Discussion:** (SHW Levels, Floodplain, Tailwater Conditions, Adjacent Off-Site Contributing Sources, Receiving Waterbody, etc.)
- Watersheds – City of Bradenton, see links below for Floodplain Limits within the PA
 - WBIDs need to be independently verified by the consultant - [WBID](#) – 1885A West Cedar Hammock; impaired for fecal coliform. [WBID](#) – 1848A; Manatee River below Braden River; part of Tampa Bay and will require net improvement for nutrients.
 - No direct discharges to an OFW
 - Document/justify SHWE's at pond locations, wetlands, and OSWs.
 - Determine normal pool elevations of wetlands.
 - Determine 'pop-off' locations and elevations of wetlands.
 - Provide documentation to support tailwater conditions for quality and quantity design
 - Proposed control structures in wetlands should be consistent with existing 'pop-off' elevations of wetlands; demonstrate no adverse impacts to wetland hydroperiod for up to 2.33yr mean annual storm.
 - Minimum flows and levels of receiving waters shall not be disrupted.

- Contamination issues need to be resolved with the FDEP. Check FDEP MapDirect layer for possible contamination points within/adjacent to the project area. [FDEP MapDirect Link](#)
 - Multiple FDEP Site ID Nos. located within or adjacent to site. Please verify with FDEP if any have current contamination issues.

For known contamination within the site or within 500' beyond the proposed stormwater management system:

- after the application is submitted, please contact FDEP staff listed below and provide them with the ERP Application ID # along with a mounding analysis (groundwater elevation versus distance) of the proposed stormwater management system that shows the proposed groundwater mound will not adversely impact the contaminated area. FDEP will review the plans submitted to the District and mounding analysis to determine any adverse impacts. Provide documentation from FDEP that the proposed construction will not result in adverse impacts. This is required prior to the ERP Application being deemed complete.

For known offsite contamination between 500' and 1500' beyond the site:

- FDEP may also require a mounding analysis (groundwater elevation versus distance) for the proposed stormwater systems. SWFWMD will issue the permit when contamination sites are located outside the 500 ft radius prior to concurrence from DEP, however, it is the Permittee's responsibility to resolve contaminated site assessment concerns with the FDEP prior to beginning any construction activities. A permit condition will be used to reiterate this. You are advised to contact DEP as soon as possible, preferably during permit application period.

FDEP Contacts:

- For projects located within Citrus, Hernando, Pasco, Hillsborough, Pinellas, Manatee, Polk and Hardee Counties: Yanisa Angulo yanisa.angulo@floridadep.gov

- Stormwater retention and detention systems are classified as moderate sanitary hazards with respect to public and private drinking water wells. Stormwater treatment facilities shall not be constructed within 100 feet of an existing public water supply well and shall not be constructed within 75 feet of an existing private drinking water well. Subsection 4.2, A.H.V.II.

Water Quantity Discussions: (Basin Description, Storm Event, Pre/Post Volume, Pre/Post Discharge, etc.)

- Project will outfall to the Palma Sola Drain, a tidally influenced creek. There appears to be several constrictions downstream which will require attenuation requirements. Given the downstream location, it may be possible to demonstrate that increasing the discharge rate into the creek will not cause adverse upstream or downstream impacts.
- Demonstrate that post development peak discharges from proposed project area will not cause an adverse impact for a 25-year, 24-hour storm event.
- Demonstrate that site will not impede the conveyance of contributing off-site flows.
- Demonstrate that the project will not increase flood stages up- or down-stream of the project area(s).
- Watershed Model information may be available for download using the following link: <https://watermatters.sharefile.com/d-s8c9019e00fd243908654e733a6b2016c>
- Provide equivalent compensating storage for all 100-year, 24-hour riverine floodplain impacts if applicable. Providing cup-for-cup storage in dedicated areas of excavation is the preferred method of compensation if no impacts to flood conveyance are proposed and storage impacts and compensation occur within the same basin. In this case, tabulations should be provided at 0.5-foot increments to demonstrate encroachment and compensation occur at the same levels. Otherwise, storage modeling will be required to demonstrate no increase in flood stages will occur on off-site properties, using the mean annual, 10-year, 25-year, and 100-year storm events for the pre- and post-development conditions.
- Please be aware that if there is credible historical evidence of past flooding or the physical capacity of the downstream conveyance or receiving waters indicates that the conditions for issuance will not be met without consideration of storm events of different frequency or duration, applicants shall be required to provide additional analyses using storm events of different duration or frequency than the 25-year 24-hour storm event, or to adjust the volume, rate or timing of discharges. [Section 3.0 Applicant's Handbook Volume II]

Water Quality Discussions: (Type of Treatment, Technical Characteristics, Non-presumptive Alternatives, etc.)

- Applicant must demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use.
- Also, replace treatment function of existing ditches to be filled.
- Presumptive Water Quality Treatment for Alterations to Existing Public Roadway Projects:
 - Refer to Section 4.5 A.H.V.II for Alterations to Existing Public Roadway Projects.

- Refer to Sections 4.8, 4.8.1 and 4.8.2 A.H.V.II for Compensating Stormwater Treatment, Overtreatment, and Offsite Compensation.
- All co-mingled existing & new impervious that is proposed to be connected to a treatment pond will require treatment for an area equal to the co-mingled existing & new impervious (times ½” for dry treatment or 1” for wet treatment). This applies whether or not equivalent treatment concepts are used.
- However, if equivalent treatment concepts are used it is possible to strategically locate the pond(s) so that the minimum treatment requirement may be for an area equivalent to the new impervious area only. That is, co-mingled existing & new impervious that is not connected to a treatment pond may bypass treatment (as per Section 4.5(2), A.H.V.II); if the ‘total impervious area’ that is connected to the treatment pond(s) is at least equivalent to the area of new impervious only. The ‘total impervious area’ that is connected to the pond(s) may be composed of co-mingled existing & new impervious.
- Offsite impervious not required to be treated; but may be useful to be treated when using equivalent treatment concepts.
- Existing treatment capacity displaced by any road project will require additional compensating volume. Refer to Subsection 4.5(c), A.H.V.II.
- Will acknowledge compensatory treatment to offset pollutant loads associated with portions of the project area that cannot be physically treated.
- Net improvement
 - Refer to rule 62-330.301(2), F.A.C.
 - The Tampa Bay Estuary Program (TBEP) identifies WBID 1848A as a discharge to Tampa Bay. Tampa Bay is designated as a Category 4b waterbody (impaired, but no TMDL required); therefore, net improvement (for nutrients) is required for discharges to Tampa Bay.
 - The application must demonstrate a net improvement for nutrients. Applicant may demonstrate a net improvement for the parameters of concern by performing a pre/post pollutant loading analysis based on existing land use and the proposed land use. Refer to ERP Applicant's Handbook Vol. II Subsection 4.1(g).
 - Effluent filtration is known to be ineffective for treating nutrient related impairments, unless special nutrient adsorption media provided. However, please note special nutrient adsorption media has extremely low conductivity values compared to typical sand type effluent filtration filter media. Note: if treatment volume required for net improvement is less than the treatment volume required for 'presumptive' treatment, then use of effluent filtration is ok.

Sovereign Lands Discussion: (Determining Location, Correct Form of Authorization, Content of Application, Assessment of Fees, Coordination with FDEP)

- No SSL issues.

Operation and Maintenance/Legal Information: (Ownership or Perpetual Control, O&M Entity, O&M Instructions, Homeowner Association Documents, Coastal Zone requirements, etc.)

- The permit must be issued to entity that owns or controls the property.
- Provide evidence of ownership or control by deed, easement, contract for purchase, etc. Evidence of ownership or control must include a legal description. A Property Appraiser summary of the legal description is NOT acceptable.

Application Type and Fee Required:

- SWERP – Sections A, C, and E of the ERP Application.
- < 40 acres of project area and < 3 acres wetland or surface water impacts - \$2,491.50 Online Submittal
- < 100 acres of project area and < 10 acre of wetland or surface water impacts - \$2,798.25
- Consult the [fee schedule](#) for different thresholds.

Other: (Future Pre-Application Meetings, Fast Track, Submittal Date, Construction Start Date, Required District Permits – WUP, WOD, Well Construction, etc.)

- An application for an individual permit to construct or alter a dam, impoundment, reservoir, or appurtenant work, requires that a notice of receipt of the application must be published in a newspaper within the affected area. Provide documentation that such noticing has been accomplished. Note that the published notices of receipt for an ERP can be in accordance with the language provided in Rule 40D-1.603(10), F.A.C.
- Provide a copy of the legal description (of all applicable parcels within the project area) in one of the following forms:
 - a. Deed with complete Legal Description attachment.
 - b. Plat.
 - c. Boundary survey of the property(ies) with a sketch.

- The plans and drainage report submitted electronically must include the appropriate information required under Rules 61G15-23.005 and 61G15-23.004 (Digital), F.A.C. The following text is required by the Florida Board of Professional Engineers (FBPE) to meet this requirement when a digitally created seal is not used and must appear where the signature would normally appear:

ELECTRONIC (Manifest): *[NAME] State of Florida, Professional Engineer, License No. [NUMBER] This item has been electronically signed and sealed by [NAME] on the date indicated here using a SHA authentication code. Printed copies of this document are not considered signed and sealed and the SHA authentication code must be verified on any electronic copies*

DIGITAL: *[NAME] State of Florida, Professional Engineer, License No. [NUMBER]; This item has been digitally signed and sealed by [NAME] on the date indicated here; Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.*

- Provide soil erosion and sediment control measures for use during construction. Refer to ERP Applicant's Handbook Vol. 1 Part IV Erosion and Sediment Control.
- Demonstrate that excavation of any stormwater ponds does not breach an aquitard (see Subsection 2.1.1, A.H.V.II) such that it would allow for lesser quality water to pass, either way, between the two systems. In those geographical areas of the District where there is not an aquitard present, the depth of the pond(s) shall not be excavated to within two (2) feet of the underlying limestone which is part of a drinking water aquifer. [Refer to Subsection 5.4.1(b), A.H.V.II]
- If lowering of SHWE is proposed, then burden is on Applicant to demonstrate no adverse onsite or offsite impacts as per Subsection 3.6, A.H.V.II. Groundwater drawdown 'radius of influence' computations may be required to demonstrate no adverse onsite or offsite impacts. Please note that new roadside swales or deepening of existing roadside swales may result in lowering of SHWE. Proposed ponds with control elevation less than SHWE may result in adverse lowering of onsite or offsite groundwater.
- On December 17, 2020, the Environmental Protection Agency (EPA) formally transferred permitting authority under CWA Section 404 from the U.S. Army Corps of Engineers (Corps) to the State of Florida for a broad range of water resources within the State. The primary State 404 Program rules are adopted by the Florida Department of Environmental Protection (FDEP) as Chapter 62-331 of the Florida Administrative Code (F.A.C.). While the State 404 Program is a separate permitting program from the Environmental Resource Permitting program (ERP) under Chapter 62-330, F.A.C., and agency action for State 404 Program verifications, notices, or permits shall be taken independently from ERP agency action, the FDEP and the Southwest Florida Water Management District (SWFWMD) will be participating in a Joint application Process. Upon submittal of an ERP application that proposes dredge/fill activities in wetlands or surface waters within state assumed waters, the SWFWMD will forward a copy of your application to the FDEP for activities under State 404 jurisdiction. The applicant may choose to have the State 404 Program and ERP agency actions issued concurrently to help ensure consistency and reduce the need for project modifications that may occur when the agency actions are issued at different times. Additional information on the FDEP's 404 delegation can be found at: <https://floridadep.gov/water/submerged-lands-environmental-resources-coordination/content/state-404-program>

Additionally, for those projects located in areas where the Corps retains jurisdiction, the applicant is advised that the District will not send a copy of an application that does not qualify for a State Programmatic General Permit (SPGP) to the U.S. Army Corps of Engineers. If a project does not qualify for a SPGP, you will need to apply separately to the Corps using the appropriate federal application form for activities under federal jurisdiction. Please see the Corps' Jacksonville District Regulatory Division Sourcebook for more information about federal permitting. Please call your local Corps office if you have questions about federal permitting. Link: <http://www.saj.usace.army.mil/Missions/Regulatory/Source-Book/>

Disclaimer: The District ERP pre-application meeting process is a service made available to the public to assist interested parties in preparing for submittal of a permit application. Information shared at pre-application meetings is superseded by the actual permit application submittal. District permit decisions are based upon information submitted during the application process and Rules in effect at the time the application is complete.

Curve Number and Runoff Volume Calculation (25YR/24HR)

Basin 1A:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	1.15	acres	98	113
Sod/Grass	11, 20	A, A/D	0.45	acres	39	17
Additional ROW			0.00	acres	39	0
Pond Site			0.31	acres	98	30
Totals:			1.91	acres		161
Pre-Condition Composite Curve Number:					84.2	

Pre-Condition Runoff Volume Calculation

$$\begin{aligned}
 \text{25-yr/24-hr Rainfall Depth (P)} &= \underline{8.90 \text{ IN}} \\
 \text{CN} &= \underline{84.2} \\
 \text{Drainage Area (A)} &= \underline{1.91 \text{ AC}} \\
 \text{Potential maximum retention after runoff begins (S) and S is:} \\
 \text{(S)} &= 1000/\text{CN}-10 = \underline{1.88 \text{ IN}} \\
 \text{Runoff Depth (Q)} &= (P-0.2S)^2/(P+0.8S) = \underline{6.98 \text{ IN}} \\
 \text{Pre-Condition Runoff Volume (V}_{\text{PRE}}\text{)} &= A \times Q = \underline{1.11 \text{ AC-FT}}
 \end{aligned}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	1.36	acres	98	133
Sod/Grass	11, 20	A, A/D	0.24	acres	39	9
Subtotal:			1.60	acres		
Pond Impervious	--	--	0.23	acres	100	23
Pond Pervious	11, 20	A, A/D	0.08	acres	39	3
Totals:			1.91	acres		169
Post-Condition Composite Curve Number:					88.4	

Post-Condition Runoff Volume Calculation

$$\begin{aligned}
 \text{25-yr/24-hr Rainfall Depth (P)} &= \underline{8.90 \text{ IN}} \\
 \text{CN} &= \underline{88.4} \\
 \text{Drainage Area (A)} &= \underline{1.91 \text{ AC}} \\
 \text{Potential maximum retention after runoff begins (S) and S is:} \\
 \text{(S)} &= 1000/\text{CN}-10 = \underline{1.32 \text{ IN}} \\
 \text{Runoff Depth (Q)} &= (P-0.2S)^2/(P+0.8S) = \underline{7.49 \text{ IN}} \\
 \text{Post-Condition Runoff Volume (V}_{\text{POST}}\text{)} &= A \times Q = \underline{1.19 \text{ AC-FT}}
 \end{aligned}$$

Required Attenuation Volume = $V_{\text{POST}} - V_{\text{PRE}}$ =	0.08 AC-FT
--	-------------------

Pond 1A: Dry Pond

Treatment Volume Calculation

Drainage Area = 1.91 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 0.16 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 11 - Cassia
20 - EauGallie

Average High Water Depth = 2.5 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 22.0 Feet
 Average Existing Ground Elevation at Pond Site = 22.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 19.5 Feet
 Available Depth for Treatment and Attenuation = 2.5 Feet
 Actual Depth of Treatment and Attenuation = 1.0 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 20.0 Feet
 Top of Treatment Volume Elevation = 20.7 Feet
 Top of Attenuation Volume Elevation = 21.0 Feet
 Proposed Bottom of Berm Elevation = 22.0 Feet
 Proposed Top of Berm Elevation = 23.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 100 Feet
 Square Dimension at Top of Treatment Depth = 105 Feet
 Square Dimension at Top of Attenuation Depth = 108 Feet
 Square Dimension Bottom of Berm = 116 Feet
 Square dimension at top berm = 116 Feet
 Outside pond dimensions (including tie-down) = 116 Feet

Minimum Total Area Required = 0.34 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
20.00	10000	0.23	0	0	0.00	
20.65	11067	0.25	6847	6847	0.16	<i>Top of TV</i>
21.00	11664	0.27	3978	10825	0.25	<i>Top of AV</i>
22.00	13456	0.31	12560	23385	0.54	<i>Bottom of Berm</i>

Required Treatment Volume = 0.16 Acre-Feet
Provided Treatment Volume = 0.16 Acre-Feet ✓

Required Attenuation Volume = 0.08 Acre-Feet
Provided Attenuation Volume = 0.09 Acre-Feet ✓

IN CONJUNCTION WITH POND 1C

Notes:

Pond is surrounded by roadway access, maintenance berm is not needed for access.

Curve Number and Runoff Volume Calculation (25YR/24HR)

Basin 1B:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	2.21	acres	98	217
Sod/Grass	20, 38	A/D	2.21	acres	39	86
Additional ROW			0.00	acres	39	0
Pond Site			1.77	acres	39	69
Totals:			6.19	acres		372
Pre-Condition Composite Curve Number:					60.0	

Pre-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{60.0}{1}$$

$$\text{Drainage Area (A)} = \frac{6.19}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{6.65}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{4.03}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{2.08}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	3.76	acres	98	368
Sod/Grass	20, 38	A/D	0.66	acres	39	26
Subtotal:			4.42	acres		
Pond Impervious	--	--	1.03	acres	100	103
Pond Pervious	20, 38	A/D	0.74	acres	39	29
Totals:			6.19	acres		526
Post-Condition Composite Curve Number:					84.9	

Post-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{84.9}{1}$$

$$\text{Drainage Area (A)} = \frac{6.19}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{1.77}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{7.08}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{3.65}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	1.57 AC-FT
---	-------------------

Pond 1B: Wet Pond Treatment Volume Calculation

Drainage Area = 6.19 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 0.52 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 38 - Palmetto

Average High Water Depth = 0.0 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 22.0 Feet
 Average Existing Ground Elevation at Pond Site = 22.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 22.0 Feet
 Available Depth for Treatment and Attenuation = 0.0 Feet
 Actual Depth of Treatment and Attenuation = 2.0 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 19.0 Feet (Liner Required)
 Top of Treatment Volume Elevation = 19.6 Feet
 Top of Attenuation Volume Elevation = 21.0 Feet
 Proposed Bottom of Berm Elevation = 22.0 Feet
 Proposed Top of Berm Elevation = 23.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 212 Feet
 Square Dimension at Top of Treatment Depth = 217 Feet
 Square Dimension at Top of Attenuation Depth = 228 Feet
 Square Dimension Bottom of Berm = 236 Feet
 Square dimension at top berm = 266 Feet
 Outside pond dimensions (including tie-down) = 278 Feet

Minimum Total Area Required = 1.95 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
19.00	44944	1.03	0	0	0.00	
19.60	47002	1.08	27584	27584	0.63	<i>Top of TV</i>
21.00	51984	1.19	69290	96874	2.22	<i>Top of AV</i>
22.00	55696	1.28	53840	150714	3.46	<i>Bottom of Berm</i>

Required Treatment Volume = 0.52 Acre-Feet
Provided Treatment Volume = 0.63 Acre-Feet ✓

Required Attenuation Volume = 1.57 Acre-Feet
Provided Attenuation Volume = 1.59 Acre-Feet ✓

Curve Number and Runoff Volume Calculation (25YR/24HR)

Basin 1C:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	1.10	acres	98	108
Sod/Grass	20, 38	A/D	1.72	acres	39	67
Additional ROW			0.00	acres	39	0
Pond Site			1.06	acres	39	41
Totals:			3.88	acres		216
Pre-Condition Composite Curve Number:			55.7			

Pre-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{55.7}{1}$$

$$\text{Drainage Area (A)} = \frac{3.88}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{7.94}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{3.50}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{1.13}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	2.40	acres	98	235
Sod/Grass	20, 38	A/D	0.42	acres	39	16
Subtotal:			2.82	acres		
Pond Impervious	--	--	0.47	acres	100	47
Pond Pervious	20, 38	A/D	0.59	acres	39	23
Totals:			3.88	acres		321
Post-Condition Composite Curve Number:			82.9			

Post-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{82.9}{1}$$

$$\text{Drainage Area (A)} = \frac{3.88}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{2.07}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{6.82}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{2.20}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	1.07 AC-FT
---	-------------------

Pond 1C: Wet Pond

Treatment Volume Calculation

Drainage Area = 3.88 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 0.32 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 20 - EauGallie

Average High Water Depth = 1.0 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 22.0 Feet
 Average Existing Ground Elevation at Pond Site = 22.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 21.0 Feet
 Available Depth for Treatment and Attenuation = 1.0 Feet
 Actual Depth of Treatment and Attenuation = 2.7 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 18.3 Feet (Liner Required)
 Top of Treatment Volume Elevation = 19.1 Feet
 Top of Attenuation Volume Elevation = 21.0 Feet
 Proposed Bottom of Berm Elevation = 22.0 Feet
 Proposed Top of Berm Elevation = 23.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 143 Feet
 Square Dimension at Top of Treatment Depth = 149 Feet
 Square Dimension at Top of Attenuation Depth = 165 Feet
 Square Dimension Bottom of Berm = 173 Feet
 Square dimension at top berm = 203 Feet
 Outside pond dimensions (including tie-down) = 215 Feet

Minimum Total Area Required = 1.16 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
18.30	20449	0.47	0	0	0.00	
19.10	22320	0.51	17108	17108	0.39	<i>Top of TV</i>
21.00	27093	0.62	46943	64051	1.47	<i>Top of AV</i>
22.00	29791	0.68	28442	92493	2.12	<i>Bottom of Berm</i>

Required Treatment Volume = 0.32 Acre-Feet
Provided Treatment Volume = 0.39 Acre-Feet ✓

Required Attenuation Volume = 1.07 Acre-Feet
Provided Attenuation Volume = 1.08 Acre-Feet ✓

IN CONJUNCTION WITH POND 1A

Curve Number and Runoff Volume Calculation (25YR/24HR)

Basin 2A:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	3.10	acres	98	304
Sod/Grass	19, 42	A	3.79	acres	39	148
Additional ROW			0.00	acres	39	0
Pond Site			0.00	acres	39	0
Totals:			6.90	acres		452
Pre-Condition Composite Curve Number:			65.6			

Pre-Condition Runoff Volume Calculation

$$\begin{aligned}
 \text{25-yr/24-hr Rainfall Depth (P)} &= \underline{8.90 \text{ IN}} \\
 \text{CN} &= \underline{65.6} \\
 \text{Drainage Area (A)} &= \underline{6.90 \text{ AC}} \\
 \text{Potential maximum retention after runoff begins (S) and S is:} \\
 \text{(S)} &= 1000/\text{CN}-10 = \underline{5.26 \text{ IN}} \\
 \text{Runoff Depth (Q)} &= (P-0.2S)^2/(P+0.8S) = \underline{4.70 \text{ IN}} \\
 \text{Pre-Condition Runoff Volume (V}_{\text{PRE}}\text{)} &= A \times Q = \underline{2.70 \text{ AC-FT}}
 \end{aligned}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	5.86	acres	98	574
Sod/Grass	19, 42	A	1.03	acres	39	40
Subtotal:			6.90	acres		
Pond Impervious	--	--	0.00	acres	100	0
Pond Pervious	19, 42	A	0.00	acres	39	0
Totals:			6.90	acres		615
Post-Condition Composite Curve Number:			89.2			

Post-Condition Runoff Volume Calculation

$$\begin{aligned}
 \text{25-yr/24-hr Rainfall Depth (P)} &= \underline{8.90 \text{ IN}} \\
 \text{CN} &= \underline{89.2} \\
 \text{Drainage Area (A)} &= \underline{6.90 \text{ AC}} \\
 \text{Potential maximum retention after runoff begins (S) and S is:} \\
 \text{(S)} &= 1000/\text{CN}-10 = \underline{1.22 \text{ IN}} \\
 \text{Runoff Depth (Q)} &= (P-0.2S)^2/(P+0.8S) = \underline{7.59 \text{ IN}} \\
 \text{Post-Condition Runoff Volume (V}_{\text{POST}}\text{)} &= A \times Q = \underline{4.36 \text{ AC-FT}}
 \end{aligned}$$

Required Attenuation Volume = $V_{\text{POST}} - V_{\text{PRE}}$ =	1.66 AC-FT
--	-------------------

Pond 2A: Existing Wet Pond Treatment Volume Calculation

Drainage Area =	<u>6.90</u>	Acres
Treatment Volume Required =	<u>1.0</u>	Inch
Treatment Volume Required =	<u>0.57</u>	Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 20 - EauGallie

Average High Water Depth = 1.0 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation =	<u>22.0</u>	Feet
Average Existing Ground Elevation at Pond Site =	<u>24.0</u>	Feet
Bottom of Treatment Volume Elevation =	<u>19.0</u>	Feet

Modifications to Existing Pond

Treatment plus Attenuation Volume Required =	<u>2.23</u>	Acre-Feet	(Option 1)
Average Surface Area of Pond =	<u>1.76</u>	Acre	
Additional Depth Needed in Pond=	<u>1.27</u>	Feet	

Treatment plus Attenuation Volume Required =	<u>2.23</u>	Acre-Feet	(Option 2)
Average Pond Depth	<u>1.50</u>	Feet	
Average Surface Area of Pond Required=	<u>1.49</u>	Acre	
Bottom and Top Berm Depth	<u>2.50</u>	Feet	
Total Pond Depth	<u>4.00</u>		

Pond Size

Square Dimension at Bottom of Treatment Depth =	<u>277</u>	Feet
Square Dimension at Top of Treatment Depth =	<u>281</u>	Feet
Square Dimension at Top of Attenuation Depth =	<u>289</u>	Feet
Square Dimension Bottom of Berm =	<u>297</u>	Feet
Square dimension at top berm =	<u>327</u>	Feet
Outside pond dimensions (including tie-down) =	<u>335</u>	Feet

(OPTION 2 WAS CHOSEN AS A CONSERVATIVE APPROACH, INSTEAD OF RIASING THE STAGES IN OPTION 1)

Minimum Total Area Required = 2.83 Acres (10% SAFETY FACTOR)

Curve Number and Runoff Volume Calculation (FDOT 100YR/24HR)

Basin 2B:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	3.10	acres	98	304
Sod/Grass	6, 20	A/D, C/D	3.79	acres	44	167
Additional ROW			0.00	acres	44	0
Pond Site			1.50	acres	39	59
Totals:			8.40	acres		530
Pre-Condition Composite Curve Number:					63.1	

Pre-Condition Runoff Volume Calculation

$$25\text{-yr/24-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{63.1}{1}$$

$$\text{Drainage Area (A)} = \frac{8.40}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{5.86}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{4.40}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{3.08}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	5.86	acres	98	574
Sod/Grass	6, 20	A/D, C/D	1.03	acres	44	46
Subtotal:			6.90	acres		
Pond Impervious	--	--	0.83	acres	100	83
Pond Pervious	6, 20	A/D, C/D	0.68	acres	39	26
Totals:			8.40	acres		729
Post-Condition Composite Curve Number:					86.8	

Post-Condition Runoff Volume Calculation

$$25\text{-yr/24-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{86.8}{1}$$

$$\text{Drainage Area (A)} = \frac{8.40}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{1.52}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{7.30}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{5.11}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	2.04 AC-FT
---	-------------------

Pond 2B: Wet Pond

Treatment Volume Calculation

Drainage Area = 8.40 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 0.70 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 20 - EauGallie

Average High Water Depth = 1.0 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 22.0 Feet
 Average Existing Ground Elevation at Pond Site = 24.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 23.0 Feet
 Available Depth for Treatment and Attenuation = -1.0 Feet
 Actual Depth of Treatment and Attenuation = 3.0 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 18.0 Feet (Liner Required)
 Top of Treatment Volume Elevation = 18.9 Feet
 Top of Attenuation Volume Elevation = 21.0 Feet
 Proposed Bottom of Berm Elevation = 22.0 Feet
 Proposed Top of Berm Elevation = 23.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 190 Feet
 Square Dimension at Top of Treatment Depth = 197 Feet
 Square Dimension at Top of Attenuation Depth = 214 Feet
 Square Dimension Bottom of Berm = 222 Feet
 Square dimension at top berm = 252 Feet
 Outside pond dimensions (including tie-down) = 256 Feet

Minimum Total Area Required = 1.65 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
18.00	36100	0.83	0	0	0.00	
18.90	38888	0.89	33745	33745	0.77	<i>Top of TV</i>
21.00	45796	1.05	88918	122663	2.82	<i>Top of AV</i>
22.00	49284	1.13	47540	170203	3.91	<i>Bottom of Berm</i>

Required Treatment Volume = 0.70 Acre-Feet
Provided Treatment Volume = 0.77 Acre-Feet ✓

Required Attenuation Volume = 2.04 Acre-Feet
Provided Attenuation Volume = 2.05 Acre-Feet ✓

Curve Number and Runoff Volume Calculation (FDOT 100YR/24HR)

Basin 3A:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	6.72	acres	98	659
Sod/Grass	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	5.73	acres	42	240
Additional ROW			0.00	acres	42	0
Pond Site			1.72	acres	56	97
Totals:			14.17	acres		996
Pre-Condition Composite Curve Number: 70.3						

Pre-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{70.3}{1}$$

$$\text{Drainage Area (A)} = \frac{14.17}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{4.23}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{5.28}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{6.23}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	10.58	acres	98	1037
Sod/Grass	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	1.87	acres	42	78
Subtotal:			12.45	acres		
Pond Impervious	--	--	0.92	acres	100	92
Pond Pervious	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	0.81	acres	56	45
Totals:			14.17	acres		1252
Post-Condition Composite Curve Number: 88.4						

Post-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{88.4}{1}$$

$$\text{Drainage Area (A)} = \frac{14.17}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{1.32}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{7.49}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{8.85}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	2.62 AC-FT
---	-------------------

Pond 3A: Wet Pond

Treatment Volume Calculation

Drainage Area = 14.17 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 1.18 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 16 - Delray
48 - Wabasso

Average High Water Depth = 1.0 Ft (From Manatee County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 22.0 Feet
 Average Existing Ground Elevation at Pond Site = 22.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 21.0 Feet
 Available Depth for Treatment and Attenuation = 1.0 Feet
 Actual Depth of Treatment and Attenuation = 3.0 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 18.0 Feet (Liner Required)
 Top of Treatment Volume Elevation = 19.3 Feet
 Top of Attenuation Volume Elevation = 21.0 Feet
 Proposed Bottom of Berm Elevation = 22.0 Feet
 Proposed Top of Berm Elevation = 23.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 200 Feet
 Square Dimension at Top of Treatment Depth = 210 Feet
 Square Dimension at Top of Attenuation Depth = 224 Feet
 Square Dimension Bottom of Berm = 232 Feet
 Square dimension at top berm = 262 Feet
 Outside pond dimensions (including tie-down) = 274 Feet

Minimum Total Area Required = 1.90 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
18.00	40000	0.92	0	0	0.00	
19.30	44268	1.02	54774	54774	1.26	<i>Top of TV</i>
21.00	50176	1.15	80278	135052	3.10	<i>Top of AV</i>
22.00	53824	1.24	52000	187052	4.29	<i>Bottom of Berm</i>

Required Treatment Volume = 1.18 Acre-Feet
Provided Treatment Volume = 1.26 Acre-Feet ✓

Required Attenuation Volume = 1.76 Acre-Feet
Provided Attenuation Volume = 1.84 Acre-Feet ✓

Curve Number and Runoff Volume Calculation (FDOT 100YR/24HR)

Basin 3B:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	6.72	acres	98	659
Sod/Grass	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	5.73	acres	42	240
Additional ROW			0.00	acres	42	0
Pond Site			0.00	acres	56	0
Totals:			12.45	acres		899
Pre-Condition Composite Curve Number:					72.2	

Pre-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{72.2}{1}$$

$$\text{Drainage Area (A)} = \frac{12.45}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{3.84}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{5.52}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{5.73}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	10.58	acres	98	1037
Sod/Grass	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	1.87	acres	42	78
Subtotal:			12.45	acres		
Pond Impervious	--	--	0.00	acres	100	0
Pond Pervious	7, 13, 16, 20, 28, 38, 42, 48	A/D, C/D	0.00	acres	56	0
Totals:			12.45	acres		1115
Post-Condition Composite Curve Number:					89.6	

Post-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{89.6}{1}$$

$$\text{Drainage Area (A)} = \frac{12.45}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = \frac{1000}{\text{CN}-10} = \frac{1.16}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = \frac{(P-0.2S)^2}{(P+0.8S)} = \frac{7.64}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{7.93}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	2.20 AC-FT
---	-------------------

Pond 3B: Wet Pond

Treatment Volume Calculation

Drainage Area = 12.45 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 1.04 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 20 - EauGallie

Average High Water Depth = 1.0 Ft (From Manatee County Soil Survey)

Modifications to Existing Pond

Treatment plus Attenuation Volume Required = 3.24 Acre-Feet

Average Surface Area of Pond = 4.60 Acre

(Includes walls along the perimeter of the pond to increase the provided volume)

Additional Depth Needed in Pond= 0.70 Feet

Additional Depth Needed in Pond= 8.5 Inches

Curve Number and Runoff Volume Calculation (FDOT 100YR/24HR)

Basin 4:

Pre-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	1.40	acres	98	137
Sod/Grass	42	A	0.23	acres	39	9
Additional ROW			0.00	acres	39	0
Pond Site			0.13	acres	39	5
Totals:			1.75	acres		151
Pre-Condition Composite Curve Number:					86.0	

Pre-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{86.0}{1}$$

$$\text{Drainage Area (A)} = \frac{1.75}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = 1000/\text{CN}-10 = \frac{1.63}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = (P-0.2S)^2/(P+0.8S) = \frac{7.21}{1} \text{ IN}$$

$$\text{Pre-Condition Runoff Volume (V}_{\text{PRE}}) = A \times Q = \frac{1.05}{1} \text{ AC-FT}$$

Post-Condition Curve Number Calculation

Land Use Description	Soil Map Unit	Hydrologic Group	Area		CN	Product
Impervious Roadway	--	--	1.35	acres	98	132
Sod/Grass	42	A	0.28	acres	39	11
Subtotal:			1.62	acres		
Pond Impervious	--	--	0.13	acres	100	13
Pond Pervious	42	A	0.00	acres	39	0
Totals:			1.75	acres		156
Post-Condition Composite Curve Number:					88.9	

Post-Condition Runoff Volume Calculation

$$25\text{-yr}/24\text{-hr Rainfall Depth (P)} = \frac{8.90}{1} \text{ IN}$$

$$\text{CN} = \frac{88.9}{1}$$

$$\text{Drainage Area (A)} = \frac{1.75}{1} \text{ AC}$$

Potential maximum retention after runoff begins (S) and S is:

$$(S) = 1000/\text{CN}-10 = \frac{1.25}{1} \text{ IN}$$

$$\text{Runoff Depth (Q)} = (P-0.2S)^2/(P+0.8S) = \frac{7.55}{1} \text{ IN}$$

$$\text{Post-Condition Runoff Volume (V}_{\text{POST}}) = A \times Q = \frac{1.10}{1} \text{ AC-FT}$$

Required Attenuation Volume = V_{POST} - V_{PRE} =	0.05 AC-FT
---	-------------------

Pond 4: Dry Pond

Treatment Volume Calculation

Drainage Area = 1.75 Acres
 Treatment Volume Required = 1.0 Inch
 Treatment Volume Required = 0.15 Acre-Feet

Pond Size Estimation

Soil Data

NRCS Soils at Pond Site: 42 - Pomello

Average High Water Depth = 3.5 Ft (From Okaloosa County Soil Survey)

Pond Vertical Constraints

Roadway Edge of Pavement Low Elevation = 24.0 Feet
 Average Existing Ground Elevation at Pond Site = 24.0 Feet
 Seasonal High Water Table Elevation at Pond Site = 20.5 Feet
 Available Depth for Treatment and Attenuation = 3.5 Feet
 Actual Depth of Treatment and Attenuation = 2.3 Feet

Pond Elevations

Bottom of Treatment Volume Elevation = 20.8 Feet
 Top of Treatment Volume Elevation = 22.1 Feet
 Top of Attenuation Volume Elevation = 23.0 Feet
 Proposed Bottom of Berm Elevation = 24.0 Feet
 Proposed Top of Berm Elevation = 25.5 Feet

Pond Size

Square Dimension at Bottom of Treatment Depth = 75 Feet
 Square Dimension at Top of Treatment Depth = 75 Feet
 Square Dimension at Top of Attenuation Depth = 75 Feet
 Square Dimension Bottom of Berm = 75 Feet
 Square dimension at top berm = 75 Feet
 Outside pond dimensions (including tie-down) = 75 Feet (Walled SWMF)

Minimum Total Area Required = 0.14 Acres (10% SAFETY FACTOR)

Stage-Storage Calculation

Elevation	Area	Area	Incremental Volume	Total Volume	Total Volume	REMARKS
(ft)	(sf)	(ac)	(cf)	(cf)	(ac-ft)	
20.75	5625	0.13	0	0	0.00	
22.10	5625	0.13	7594	7594	0.17	<i>Top of TV</i>
23.00	5625	0.13	5062	12656	0.29	<i>Top of AV</i>
24.00	5625	0.13	5625	18281	0.42	<i>Bottom of Berm</i>

Required Treatment Volume = 0.15 Acre-Feet
Provided Treatment Volume = 0.17 Acre-Feet ✓

Required Attenuation Volume = 0.05 Acre-Feet
Provided Attenuation Volume = 0.12 Acre-Feet ✓

Notes:

Due to pond site limitations, this pond is proposed to be a walled facility.



Project Development and Corridor Study Report

County Project Manager: Eric S. Shroyer, P.E.
Manatee County Public Works
1022 26th Avenue East
Bradenton, FL 34206-3926

